

INTERNATIONAL FEDERATION OF CLINICAL CHEMISTRY AND
LABORATORY MEDICINE

SCIENTIFIC DIVISION
COMMITTEE ON NOMENCLATURE, PROPERTIES AND UNITS (C-NPU)^{*}

and

INTERNATIONAL UNION OF PURE AND APPLIED CHEMISTRY

CHEMISTRY AND HUMAN HEALTH DIVISION[†]

PROPERTIES AND UNITS IN THE CLINICAL LABORATORY SCIENCES

PART XIX. PROPERTIES AND UNITS FOR TRANSFUSION MEDICINE AND IMMUNOHEMATOLOGY

(IUPAC Technical Report)

Prepared for publication by
KIM VARMING^{1,‡}, URBAN FORSUM², IVAN BRUUNSHUUS³, AND
HENRIK OLESEN³

¹*Department of Clinical Immunology, Aalborg University Hospital, Aalborg, Denmark;* ²*Division of Clinical Microbiology, Linköping University, Linköping, Sweden;* ³*The National Board of Health, Copenhagen S, Denmark*

*The combined membership of the IFCC Committee during the preparation of this report (2001–2002) was as follows:

Chairman: U. Forsum (Sweden); **Members:** P. Soares de Araujo (Brazil, 1994–); R. Dybkær (Denmark, 1996–); A. Jabor (Czech Republic, 1998–); W. R. Külpmann (Germany, 1998–); G. Nordin (Sweden, 2000–).

[†]The combined membership of the Task Group during the preparation of this report (2001–2002) was as follows:
Chairman: U. Forsum (Sweden); **Members:** P. Soares de Araujo (Brazil); R. Dybkær (Denmark); A. Jabor (Czech Republic); G. Nordin (Sweden); W. Kuelpmann (Germany).

[‡]Corresponding author: Dept. Clin. Immunology, Aalborg University Hospital, Postbox 561, DK-9100 Aalborg, Denmark; E-mail: varming@aas.nja.dk

Republication or reproduction of this report or its storage and/or dissemination by electronic means is permitted without the need for formal IUPAC permission on condition that an acknowledgment, with full reference to the source, along with use of the copyright symbol ©, the name IUPAC, and the year of publication, are prominently visible. Publication of a translation into another language is subject to the additional condition of prior approval from the relevant IUPAC National Adhering Organization.

Properties and units in the clinical laboratory sciences

Part XIX. Properties and units for transfusion medicine and immunohematology

(IUPAC Technical Report)

Abstract: This document is part of an ongoing effort to standardize transmission of laboratory data across cultural and linguistic domains, without attempting to standardize the routine language used by clinicians and laboratory practitioners.

It comprises a general introduction and an alphabetic list of properties. The list is based on the syntax for properties recommended by the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC) and the International Union of Pure and Applied Chemistry (IUPAC). The nomenclature is primarily from the Working Party on Terminology of the International Society of Blood Transfusion (ISBT).

GENERAL INTRODUCTION

The purpose of this document is to create a systematic terminology that can be used as the basis for encoding laboratory messages in the domain of transfusion medicine and immunohematology. The systematic terms and unique codes for properties recommended for scientific communication and in requests and reports are primarily for the purpose of unambiguous data exchange. Their use by clinicians or laboratory practitioners is optional but encouraged.

SYNTAX AND DEFINITIONS

syntax: System(specification)—Component(specification); kind-of-property(specification) = (x).(x) [1]

EXAMPLES:

NPU21943 Neutrophilocytes(Blood)—Immunoglobulin A; arbitrary entitic number(procedure) = ? arbitrary unit

NPU01945 Erythrocytes(Blood)—Erythrocyte antigen; taxon(AB0; RhD; procedure) = ?

system: demarcated arrangement of a set of elements and a set of relationships between these elements [6]

EXAMPLE:

a portion of blood, a portion of plasma, a portion of erythrocytes

component: definable part of a system [6]

EXAMPLE:

erythrocyte A antibody as part of a plasma sample

kind-of-property: attribute of phenomena, bodies or substances that may be distinguished qualitatively [6]

NOTE 1: In ENV 1614, the term property (in a general sense) is used as synonym for kind-of-property [6].

NOTE 2: A kind-of-property may be qualified by each user to nominal scale, ordinal scale, difference scale, or ratio scale. The last three types of kind-of-property are also called kind-of-quantity.

compatibility: mutual tolerance

NOTE 1: There is presently no officially approved definition. The definition for this kind-of-property is for use in this document only.

EXAMPLE:

NPU21410 Plasma B-lymphocyte antibody; compatibility(donationID; absent present) = ?

nominal scale: scale with a set of possible values for a given kind-of-property that are each a word or symbol without any relation to magnitude [1]

EXAMPLE:

taxon of erythrocyte antigen in a sample of blood identified as BARC; Cr^a

NOTE: The values may be listed in any order according to practical considerations and convention.

ordinal scale: scale with an ordered set of possible values for a given kind-of-quantity that are each a word or symbol used for ranking according to magnitude, but where differences or ratios between values have no arithmetic meaning [1]

EXAMPLE:

arbitrary number of immunoglobulin M molecules(median) per erythrocyte in a sample of blood found as “0” or “1”; or “absent” or “present”; or “negative” or “positive”

ratio scale: scale of measurement with an ordered set of values for a given kind of measurable quantity that are each a product of numerical value and unit of measurement such that a given ratio between values corresponds to the ratio between magnitudes of the measurable quantities along the scale [1]

EXAMPLE:

entitic number of immunoglobulin A molecules(median) per thrombocyte in a sample of thrombocytes

list of related properties: Some requests elicit a series of related properties that may be grouped under a common heading in a report. The heading is for requesting, and the list of properties presented is for selection by the individual laboratory.

EXAMPLE:

NPU21970 P—HNA antibody(IgM); arb.c.(list; 0 1)
NPU21971 P—HNA-1a antibody(IgM); arb.c. = 0
NPU21972 P—HNA-1b antibody(IgM); arb.c. = 0
NPU21973 P—HNA-1c antibody(IgM); arb.c. = 0
NPU21974 P—HNA-2a antibody(IgM); arb.c. = 1
NPU21975 P—HNA-3a antibody(IgM); arb.c. = 0
NPU21976 P—HNA-4a antibody(IgM); arb.c. = 0
NPU21977 P—HNA-5a antibody(IgM); arb.c. = 0

Alternatively, the request and report in these cases may be reduced to a single entry using the kind-of-property taxon and nominal results if the actual list of properties looked for in the procedure is part of the general information from the laboratory.

EXAMPLE:

NPU21924 P—HNA antibody(IgM); taxon = HNA-2a

designation of property: set of data elements comprising information on system, component, and kind-of-property and their adherent specifications

NOTE 1: There is presently no officially approved definition. This definition is for use in this document only.

NOTE 2: Information about identification of system, time, and result is not considered in the entries of this document.

EXAMPLE: Lymphocytes(Blood)—B-lymphocytes(immature); number fraction.

international coding scheme identifier (ICSI): identifier assigned to uniquely identify a registered coding scheme for use in information interchange [7]

EXAMPLE:

“NPU” for codes allocated by the C-NPU of the IFCC-IUPAC.

code value: result of applying a coding scheme to an element in a coded set [7]

EXAMPLE:

of number and term: 21406 for Blood—Crossmatch(electronic); expiry(date and hour; procedure)

SYSTEMATIC REQUEST AND REPORT OF CLINICAL LABORATORY RESULTS

The parts comprised in the concept of “term of property” and in the concept of “term of a result” are presented in Table 1.

Table 1 Systematic request and report.

1	Identification and time
1.1	Object or patient identification
1.2	Date and time(s) of sampling
2	Property
2.1	System(specification)
2.2	Component(specification)
2.3	Kind-of-property(specification)
3	Result
3.1	Equality, inequality, or other operator
3.2	Value (for quantities on a difference or ratio scale, a numerical value multiplied by a unit; the unit “one” is omitted)
4	Notes

By convention, properties and results of examinations are connected through an operator.

- Essential for a *request* are parts 1 and 2, that is, information on patient identification, time or time interval for sampling, and information on the property requested.
- The laboratory *report* on a particular property comprises the three parts 1, 2, and 3.
- To each element in part 2 may be added a specification as a parenthetic suffix for clarification and to avoid ambiguity.

- Note(s) (part 4) relating to, for example, diagnosis, medication, hemolysis, or hardware breakdown are not included, except when needed for the interpretation of results such as pretreatment of patient or subject.
- Thus, the elements of a term for a type of property comprise: System(specification)—Component(specification); kind-of-property(specification in the form of procedural details).
- This is as recommended by IFCC and IUPAC [1] and by the European standard ENV 1614:1995 [6].
- EXAMPLE: Erythrocytes(Blood)— Erythrocyte antigen; taxon(AB0; RhD; procedure).
- The elements of a result comprise: an operator (= < ≤ ≥ etc.), a numerical value, and any unit or name, usually in symbolic form. This is as recommended by the European standard ENV 12435:1996 [8].
- Nominal and ordinal scale values carry no unit. In difference and ratio scales, the unit must never be omitted in reporting results, except for the unit 1.
- It is further recommended that the result includes or refers to a value for a measure of uncertainty [8].
- The names of components are primarily from the Working Party of the International Society of Blood Transfusion [2–5].
- In addition to the systematic term of the property, an example is given in abbreviated format.

For details, see ref. [9].

ELEMENTS OF AN ENTRY

The terms recommended are given in bold, that is: the systematic term for the type of property, the unit and the code value.

1. **Name of system and parenthetic specification** spelled out in full, and followed by a long dash (em dash)
2. **Alphanumeric chemical prefixes to component name**
3. **Recommended name of component and parenthetic specification**, shifted to the left for alphabetical sorting and searching, and followed by a semicolon
4. **Kind-of-property and parenthetic specification**
5. **Unit**
6. Molar mass (*M*) for conversion from other units
7. Presently recommended calibrator
8. Previous calibrator(s)
9. Other term(s)
10. Authority: Code value for the international organization recommending the name of the component or the combined elements of an entry
11. Note with any further information
12. **[NPUXXXX]. Code value**, intended for interlaboratory transmission between databases
13. Example in abbreviated form

The term “arbitrary” in principle cannot be related to a volume. In clinical chemistry, however, a less well defined “in-house” or a regional calibrator is often referred to and is expressed in “arbitrary unit per liter” in order to enable comparison of patient data over time and regionally. In each of these instances, further information should be given in the parenthesis “procedure”.

In the examples given, a question mark, “?”, has been used to represent the value of a result for properties including quantities.

EXAMPLE

1. Erythrocytes(Blood)—
2. none
3. Complement+Immunoglobulin;
4. arbitrary entitic number(procedure)
5. arbitrary unit
6. none
7. none
8. none
9. Other term(s): Coombs test
10. none
11. none
- 12. NPU20001**
13. Ercs(B)—Complement+Immunoglobulin; arb.entitic num. = ? arb.unit

REFERENCES

1. IUPAC–IFCC (International Union of Pure and Applied Chemistry–International Federation of Clinical Chemistry), Commission/Committee on Quantities and Units (in Clinical Chemistry). *Compendium of Terminology and Nomenclature of Properties in Clinical Laboratory Sciences* (the “Silver” book), J. C. Rigg, S. S. Brown, R. Dybkaer, H. Olesen (Eds.), Blackwell Science, Oxford (1995).
2. ISBT Working Party on Terminology for Red Cell Surface Antigens. *Terminology for Red Cell Surface Antigens. Blood Group Terminology*, G. Daniels, September 2000. <<http://www.iccbba.com/wpantigentables.htm>>
3. ISBT Working Party on Platelet and Granulocyte Serology, Granulocyte Antigen Working Party. “Nomenclature of granulocyte alloantigens”, J. Bux, *Vox Sang.* **77**, 251 (1999).
4. International Society for Thrombosis and Haemostasis (ISTH) and International Society of Blood Transfusion (ISBT). *Human Platelet Alloantigens (HPA)*, Institute for Clinical Immunology and Transfusion Medicine, Justus Liebig University Giessen, Germany, 20 November 2002. <<http://www.med.uni-giessen.de/immunologie/Forschungsschwerpunkte.htm>>
5. The Anthony Nolan Trust. HLA Informatics Group, 19 July 2002, <<http://www.anthonynolan.org.uk/HIG/nomenc.html>>
6. CEN/TC 251. European Prestandard ENV 1614. *Medical Informatics. Structure for Nomenclature, Classification and Coding of Properties in Clinical Laboratory Sciences* (1995).
7. International Organization for Standardization. International Standard ISO/IEC7826-1:1994. *Information Technology – General Structure for the Interchange of Code Values – Part 1: Identification of Coding Schemes* (1994).
8. CEN/TC 251. European Prestandard ENV 12435:1996. *Medical Informatics. Expression of the Results of Measurement in Health Sciences* (1996).
9. H. Olesen. “Syntax and semantic rules”, *Pure Appl. Chem.* **67**, 1563–1574 (1995); *Eur. J. Clin. Chem. Clin. Biochem.* **33**, 627–636 (1995); *Clin. Chim. Acta* **245**, S5–S21 (1996).

INDEX OF ABBREVIATIONS

C-NPU	Commission on Nomenclature, Properties and Units
IFCC	International Federation of Clinical Chemistry and Laboratory Medicine
ISBT	International Society of Blood Transfusion
IUPAC	International Union of Pure and Applied Chemistry

LIST OF PROPERTIES IN TRANSFUSION MEDICINE AND IMMUNOHEMATOLOGY

Blood—	relative number concentration
Aberrant cell population(fenotype);	(stimulated/unstimulated; procedure)
taxon	Other term(s): mixed leucocyte reaction; MLR
NPU21860	NPU21414
B—Aberrant cell population(fenotype); taxon = ?	Culture(Lymcs; B)—Allogene cells stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
Bone marrow—	Plasma—
Aberrant cell population(fenotype);	B-lymphocyte antibody;
taxon	compatibility(donationID; absent present)
NPU21864	NPU21410
Marrow—Aberrant cell population(fenotype);	P—B-lymphocyte antibody;
taxon = ?	compatibility(donationID; absent present) = ?
Blood—	Blood—
Aberrant cell population;	B-lymphocytes(immature);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21858	NPU21821
B—Aberrant cell population; num.c. = ? × 10 ⁹ /l	B—B-lymphocytes(immature); num.c. = ? × 10 ⁹ /l
Bone marrow—	Bone marrow—
Aberrant cell population;	B-lymphocytes(immature);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21862	NPU21839
Marrow—Aberrant cell population; num.c. = ? × 10 ⁹ /l	Marrow—B-lymphocytes(immature); num.c. = ? × 10 ⁹ /l
Leukocytes(Blood)—	Lymphocytes(Blood)—
Aberrant cell population;	B-lymphocytes(immature);
number fraction	number fraction
NPU21859	NPU21783
Lkcs(B)—Aberrant cell population; num.fr. = ?	Lymcs(B)—B-lymphocytes(immature); num.fr. = ?
Leukocytes(Bone marrow)—	Lymphocytes(Bone marrow)—
Aberrant cell population;	B-lymphocytes(immature);
number fraction	number fraction
NPU21863	NPU21802
Lkcs(Marrow)—Aberrant cell population;	Lymcs(Marrow)—B-lymphocytes(immature);
num.fr. = ?	num.fr. = ?
Blood—	Blood—
Aberrant cell population;	B-lymphocytes(mature);
taxon(immunofluorescence)	number concentration
NPU21857	10⁹/litre
B—Aberrant cell population; taxon(imm.flu.) = ?	NPU21820
Bone marrow—	B—B-lymphocytes(mature); num.c. = ? × 10 ⁹ /l
Aberrant cell population;	Bone marrow—
taxon(immunofluorescence)	B-lymphocytes(mature);
NPU21861	number concentration
Marrow—Aberrant cell population; taxon(imm.flu.)	10⁹/litre
= ?	NPU21838
Culture(Lymphocytes; Blood)—	Marrow—B-lymphocytes(mature); num.c. = ? × 10 ⁹ /l
Allogene cells stimulated lymphocytes;	

Lymphocytes(Blood)—	NPU20002
B-lymphocytes(mature);	Ercs(B)—Complement C3b; arb.entitic
number fraction	num.(proc.) = ? arb.unit
NPU21782	
Lymcs(B)—B-lymphocytes(mature); num.fr. = ?	
Lymphocytes(Bone marrow)—	Neutrophilocytes(Blood)—
B-lymphocytes(mature);	Complement C3b;
number fraction	arbitrary entitic number(procedure)
NPU21801	arbitrary unit
Lymcs(Marrow)—B-lymphocytes(mature); num.fr.	NPU21940
= ?	Ntrcs(B)—Complement C3b; arb.entitic
	num.(proc.) = ? arb.unit
Lymphocytes(Blood)—	Thrombocytes(Blood)—
B-lymphocytes;	Complement C3b;
compatibility(Plasma; donationID; absent	arbitrary entitic number(procedure)
present)	arbitrary unit
NPU21409	NPU20055
Lymcs(B)—B-lymphocytes; compatibility(P;	Trcs(B)—Complement C3b; arb.entitic num.(proc.)
donationID; absent present) = ?	= ? arb.unit
Blood—	Erythrocytes(Blood)—
B-lymphocytes;	Complement C3b;
number concentration	arbitrary number(procedure)
10⁹/litre	NPU20026
NPU21819	Ercs(B)—Complement C3b; arb.num.(proc.) = ?
B—B-lymphocytes; num.c. = ? × 10 ⁹ /l	
Bone marrow—	Thrombocytes(Blood)—
B-lymphocytes;	Complement C3b;
number concentration	arbitrary number(procedure)
10⁹/litre	NPU20044
NPU21837	Trcs(B)—Complement C3b; arb.num.(proc.) = ?
Marrow—B-lymphocytes; num.c. = ? × 10 ⁹ /l	
Lymphocytes(Blood)—	Erythrocytes(Blood)—
B-lymphocytes;	Complement C3b;
number fraction	entitic number
NPU21781	NPU20015
Lymcs(B)—B-lymphocytes; num.fr. = ?	Ercs(B)—Complement C3b; entitic num. = ?
Lymphocytes(Bone marrow)—	Neutrophilocytes(Blood)—
B-lymphocytes;	Complement C3b;
number fraction	entitic number
NPU21800	NPU21952
Lymcs(Marrow)—B-lymphocytes; num.fr. = ?	Ntrcs(B)—Complement C3b; entitic num. = ?
Culture(Lymphocytes; Blood)—	Thrombocytes(Blood)—
Candida albicans stimulated lymphocytes;	Complement C3b;
relative number	entitic number
concentration(stimulated/unstimulated;	NPU20066
procedure)	Trcs(B)—Complement C3b; entitic num. = ?
NPU21415	
Culture(Lymcs; B)—Candida albicans stimulated	Erythrocytes(Blood)—
lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?	Complement C3d;
	arbitrary entitic number(procedure)
Erythrocytes(Blood)—	arbitrary unit
Complement C3b;	Authority: ICW91
arbitrary entitic number(procedure)	NPU01733
arbitrary unit	Ercs(B)—Complement C3d; arb.entitic
	num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—	NPU01733 Ercs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
Complement C3d;	NPU20176 Ercs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
arbitrary entitic number(procedure)	NPU01947 Ercs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
arbitrary unit	NPU20003 Ercs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
NPU21941	NPU04066 Ercs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit	NPU04067 Ercs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
Trcs(B)	NPU04068 Ercs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
= ? arb.unit	NPU04069 Ercs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	NPU02487 Ercs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit
Complement C3d;	Neutrophilocytes(Blood)—
arbitrary number(procedure)	Complement+Immunoglobulin;
NPU20027	arbitrary entitic number(list; procedure)
Ercs(B)—Complement C3d; arb.num.(proc.) = ?	NPU21938
Thrombocytes(Blood)—	Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)
Complement C3d;	NPU21939 Ntrcs(B)—
arbitrary number(procedure)	Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
NPU20045	NPU21940 Ntrcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit
Trcs(B)—Complement C3d; arb.num.(proc.) = ?	NPU21941 Ntrcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	NPU21942 Ntrcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
Complement C3d;	NPU21943 Ntrcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
entitic number	NPU21944 Ntrcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
Authority: ICW91	NPU21945 Ntrcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
NPU03886	NPU21946 Ntrcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
Ercs(B)—Complement C3d; entitic num. = ?	NPU21947 Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
Neutrophilocytes(Blood)—	NPU21948 Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
Complement C3d;	NPU21949 Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit
entitic number	Thrombocytes(Blood)—
NPU21953	Complement+Immunoglobulin;
Ntrcs(B)—Complement C3d; entitic num. = ?	arbitrary entitic number(list; procedure)
Thrombocytes(Blood)—	NPU20053
Complement C3d;	Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)
entitic number	NPU20054 Trcs(B)—
NPU20067	Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
Trcs(B)—Complement C3d; entitic num. = ?	NPU20055 Trcs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	
Complement+Immunoglobulin;	
arbitrary entitic number(list; procedure)	
Other term(s): Coombs test	
NPU20000	
Ercs(B)—Complement+Immunoglobulin; arb.entitic num.(list; proc.)	
NPU20001 Ercs(B)—	
Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit	
NPU20002 Ercs(B)—Complement C3b; arb.entitic num.(proc.) = ? arb.unit	

NPU20056 Trcs(B)—Complement C3d; arb.entitic num.(proc.) = ? arb.unit
 NPU20179 Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
 NPU20057 Trcs(B)—Immunoglobulin A; arb.entitic num.(proc.) = ? arb.unit
 NPU20058 Trcs(B)—Immunoglobulin G; arb.entitic num.(proc.) = ? arb.unit
 NPU20059 Trcs(B)—Immunoglobulin G1; arb.entitic num.(proc.) = ? arb.unit
 NPU20060 Trcs(B)—Immunoglobulin G2; arb.entitic num.(proc.) = ? arb.unit
 NPU20061 Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit
 NPU20062 Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
 NPU20063 Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—
Complement+Immunoglobulin;
arbitrary entitic number(procedure)
arbitrary unit
 Other term(s): Coombs test
NPU20001
 Ercs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Neutrophilocytes(Blood)—
Complement+Immunoglobulin;
arbitrary entitic number(procedure)
arbitrary unit
NPU21939
 Ntrcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Thrombocytes(Blood)—
Complement+Immunoglobulin;
arbitrary entitic number(procedure)
arbitrary unit
NPU20054
 Trcs(B)—Complement+Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit

Erythrocytes(Blood)—
Complement+Immunoglobulin;
arbitrary number(list; procedure)
NPU20024
 Ercs(B)—Complement+Immunoglobulin; arb.num.(list; proc.)
NPU20025 Ercs(B)—
 Complement+Immunoglobulin; arb.num.(proc.) = ?
NPU20026 Ercs(B)—Complement C3b; arb.num.(proc.) = ?
NPU20027 Ercs(B)—Complement C3d; arb.num.(proc.) = ?
NPU20175 Ercs(B)—Immunoglobulin; arb.num.(proc.) = ?

NPU20028 Ercs(B)—Immunoglobulin A; arb.num.(proc.) = ?
 NPU04070 Ercs(B)—Immunoglobulin G; arb.num.(proc.) = ?
 NPU20030 Ercs(B)—Immunoglobulin G1; arb.num.(proc.) = ?
 NPU20031 Ercs(B)—Immunoglobulin G2; arb.num.(proc.) = ?
 NPU20032 Ercs(B)—Immunoglobulin G3; arb.num.(proc.) = ?
 NPU20033 Ercs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
 NPU20034 Ercs(B)—Immunoglobulin M; arb.num.(proc.) = ?

Thrombocytes(Blood)—
Complement+Immunoglobulin;
arbitrary number(list; procedure)
NPU20042
 Trcs(B)—Complement+Immunoglobulin; arb.num.(list; proc.)
NPU20043 Trcs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?
NPU20044 Trcs(B)—Complement C3b; arb.num.(proc.) = ?
NPU20045 Trcs(B)—Complement C3d; arb.num.(proc.) = ?
NPU20178 Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?
NPU20046 Trcs(B)—Immunoglobulin A; arb.num.(proc.) = ?
NPU20047 Trcs(B)—Immunoglobulin G; arb.num.(proc.) = ?
NPU20048 Trcs(B)—Immunoglobulin G1; arb.num.(proc.) = ?
NPU20049 Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?
NPU20050 Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?
NPU20051 Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
NPU20052 Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?

Erythrocytes(Blood)—
Complement+Immunoglobulin;
arbitrary number(procedure)
NPU20025
 Ercs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?

Thrombocytes(Blood)—
Complement+Immunoglobulin;
arbitrary number(procedure)
NPU20043
 Trcs(B)—Complement+Immunoglobulin; arb.num.(proc.) = ?

Erythrocytes(Blood)—	NPU21952 Ntrcs(B)—Complement C3b; entitic num. = ?
Complement+Immunoglobulin;	NPU21953 Ntrcs(B)—Complement C3d; entitic num. = ?
entitic number	NPU21954 Ntrcs(B)—Immunoglobulin; entitic num. = ?
Other term(s): Coombs direct test; Anti globulin reaction	NPU21955 Ntrcs(B)—Immunoglobulin A; entitic num. = ?
Authority: ICW91	NPU21956 Ntrcs(B)—Immunoglobulin G; entitic num. = ?
NPU03868	NPU21957 Ntrcs(B)—Immunoglobulin G1; entitic num. = ?
Ercs(B)—Complement+Immunoglobulin; entitic num. = ?	NPU21958 Ntrcs(B)—Immunoglobulin G2; entitic num. = ?
Neutrophilocytes(Blood)—	NPU21959 Ntrcs(B)—Immunoglobulin G3; entitic num. = ?
Complement+Immunoglobulin;	NPU21960 Ntrcs(B)—Immunoglobulin G4; entitic num. = ?
entitic number	NPU21961 Ntrcs(B)—Immunoglobulin M; entitic num. = ?
NPU21951	Thrombocytes(Blood)—
Ntrcs(B)—Complement+Immunoglobulin; entitic num. = ?	Complement+Immunoglobulin;
entitic number	entitic number(list)
NPU20065	NPU20064
Trcs(B)—Complement+Immunoglobulin; entitic num. = ?	Trcs(B)—Complement+Immunoglobulin; entitic num.(list)
Erythrocytes(Blood)—	NPU20065 Trcs(B)—
Complement+Immunoglobulin;	Complement+Immunoglobulin; entitic num. = ?
entitic number(list)	NPU20066 Trcs(B)—Complement C3b; entitic num. = ?
NPU20013	NPU20067 Trcs(B)—Complement C3d; entitic num. = ?
Ercs(B)—Complement+Immunoglobulin; entitic num.(list)	NPU20180 Trcs(B)—Immunoglobulin; entitic num. = ?
NPU03868 Ercs(B)—	NPU20068 Trcs(B)—Immunoglobulin A; entitic num. = ?
Complement+Immunoglobulin; entitic num. = ?	NPU20069 Trcs(B)—Immunoglobulin G; entitic num. = ?
NPU20015 Ercs(B)—Complement C3b; entitic num. = ?	NPU20070 Trcs(B)—Immunoglobulin G1; entitic num. = ?
NPU03886 Ercs(B)—Complement C3d; entitic num. = ?	NPU20071 Trcs(B)—Immunoglobulin G2; entitic num. = ?
NPU20177 Ercs(B)—Immunoglobulin; entitic num. = ?	NPU20072 Trcs(B)—Immunoglobulin G3; entitic num. = ?
NPU02475 Ercs(B)—Immunoglobulin A; entitic num. = ?	NPU20073 Trcs(B)—Immunoglobulin G4; entitic num. = ?
NPU01948 Ercs(B)—Immunoglobulin G; entitic num. = ?	NPU20074 Trcs(B)—Immunoglobulin M; entitic num. = ?
NPU01949 Ercs(B)—Immunoglobulin G1; entitic num. = ?	Culture(Lymphocytes; Blood)—
NPU01950 Ercs(B)—Immunoglobulin G2; entitic num. = ?	Concanavalin A stimulated lymphocytes;
NPU01951 Ercs(B)—Immunoglobulin G3; entitic num. = ?	relative number ratio(actual/norm; procedure)
NPU01952 Ercs(B)—Immunoglobulin G4; entitic num. = ?	NPU21422
NPU01953 Ercs(B)—Immunoglobulin M; entitic num. = ?	Culture(Lymcs; B)—Concanavalin A stimulated lymphocytes; rel.num.ratio(actual/norm; proc.) = ?
Neutrophilocytes(Blood)—	Blood—
Complement+Immunoglobulin;	Crossmatch(electronic);
entitic number(list)	expiry(date&hour; procedure)
NPU21950	
Ntrcs(B)—Complement+Immunoglobulin; entitic num.(list)	
NPU21951 Ntrcs(B)—	
Complement+Immunoglobulin; entitic num. = ?	

Other term(s): bac, abc, bas test

NPU21406

B—Crossmatch(elect.); expiry(d&h; proc.) = ?

Culture(Lymphocytes; Blood)—

Cytomegalovirus stimulated lymphocytes;

relative number

concentration(stimulated/unstimulated;
procedure)

NPU21416

Culture(Lymcs; B)—*Cytomegalovirus* stimulated
lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?

Plasma—

Erythrocyte 'N' antibody;

arbitrary concentration(20 °C; procedure)

NPU20423

P—Erythrocyte 'N' antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte 'N' antibody;

arbitrary concentration(37 °C; procedure)

NPU20424

P—Erythrocyte 'N' antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte 'N' antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20875

P—Erythrocyte 'N' antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte 'N' antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20876

P—Erythrocyte 'N' antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte 'N' antigen;

arbitrary number(procedure)

NPU20201

Ercs(B)—Erythrocyte 'N' antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte A antibody;

arbitrary concentration(20 °C; procedure)

NPU20428

P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte A antibody;

arbitrary concentration(37 °C; procedure)

NPU20427

P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte A antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20880

P—Erythrocyte A antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte A antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20879

P—Erythrocyte A antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte A antigen;

arbitrary number(procedure)

NPU21915

Ercs(B)—Erythrocyte A antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte A1 antibody;

arbitrary concentration(20 °C; procedure)

NPU20425

P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte A1 antibody;

arbitrary concentration(37 °C; procedure)

NPU20426

P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte A1 antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20877

P—Erythrocyte A1 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte A1 antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre	arbitrary concentration(37 °C; procedure)
NPU20878	NPU20432
P—Erythrocyte A1 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	P—Erythrocyte An ^a antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte A1 antigen;	Erythrocyte An^a antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C; procedure)
NPU21914	arbitrary unit/litre
Ercs(B)—Erythrocyte A1 antigen; arb.num.(proc.) = ?	NPU20883
Plasma—	P—Erythrocyte An ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte ALe^b antibody;	Plasma—
arbitrary concentration(20 °C; procedure)	Erythrocyte An^a antibody;
NPU20429	arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte ALe ^b antibody; arb.c.(20 °C; proc.) = ?	arbitrary unit/litre
Plasma—	NPU20884
Erythrocyte ALe^b antibody;	P—Erythrocyte An ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
arbitrary concentration(37 °C; procedure)	Erythrocytes(Blood)—
NPU20430	Erythrocyte An^a antigen;
P—Erythrocyte ALe ^b antibody; arb.c.(37 °C; proc.) = ?	arbitrary number(procedure)
Plasma—	NPU20203
Erythrocyte ALe^b antibody;	Ercs(B)—Erythrocyte An ^a antigen; arb.num.(proc.) = ?
arbitrary substance concentration(20 °C; procedure)	Plasma—
NPU20881	Erythrocyte antibody;
P—Erythrocyte ALe ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	arbitrary concentration(list)
Plasma—	NPU21747
Erythrocyte ALe^b antibody;	P—Erythrocyte antibody; arb.c.(list)
arbitrary substance concentration(37 °C; procedure)	NPU20423 P—Erythrocyte 'N' antibody; arb.c.(20 °C; proc.) = ?
NPU20882	NPU20424 P—Erythrocyte 'N' antibody; arb.c.(37 °C; proc.) = ?
P—Erythrocyte ALe ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	NPU20425 P—Erythrocyte A1 antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	NPU20426 P—Erythrocyte A1 antibody; arb.c.(37 °C; proc.) = ?
Erythrocyte ALe^b antigen;	NPU20428 P—Erythrocyte A antibody; arb.c.(20 °C; proc.) = ?
arbitrary number(procedure)	NPU20427 P—Erythrocyte A antibody; arb.c.(37 °C; proc.) = ?
NPU20202	NPU20429 P—Erythrocyte ALe ^b antibody; arb.c.(20 °C; proc.) = ?
Ercs(B)—Erythrocyte ALe ^b antigen; arb.num.(proc.) = ?	NPU20430 P—Erythrocyte ALe ^b antibody; arb.c.(37 °C; proc.) = ?
Plasma—	NPU20431 P—Erythrocyte An ^a antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte An^a antibody;	NPU20432 P—Erythrocyte An ^a antibody; arb.c.(37 °C; proc.) = ?
arbitrary concentration(20 °C; procedure)	NPU20433 P—Erythrocyte Au ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20431	NPU20434 P—Erythrocyte Au ^a antibody; arb.c.(37 °C; proc.) = ?
P—Erythrocyte An ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte An^a antibody;	

- NPU20435 P—Erythrocyte Au^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20436 P—Erythrocyte Au^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20437 P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?
- NPU20438 P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?
- NPU20439 P—Erythrocyte BARC antibody;
arb.c.(20 °C; proc.) = ?
- NPU20440 P—Erythrocyte BARC antibody;
arb.c.(37 °C; proc.) = ?
- NPU20441 P—Erythrocyte Be^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20442 P—Erythrocyte Be^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20443 P—Erythrocyte BLe^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20444 P—Erythrocyte BLe^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20445 P—Erythrocyte BOW antibody;
arb.c.(20 °C; proc.) = ?
- NPU20446 P—Erythrocyte BOW antibody;
arb.c.(37 °C; proc.) = ?
- NPU20447 P—Erythrocyte Bp^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20448 P—Erythrocyte Bp^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20449 P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?
- NPU20450 P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?
- NPU20451 P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?
- NPU20452 P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?
- NPU20453 P—Erythrocyte CD99 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20454 P—Erythrocyte CD99 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20455 P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?
- NPU20456 P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?
- NPU20457 P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?
- NPU20458 P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?
- NPU20459 P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?
- NPU20460 P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?
- NPU20461 P—Erythrocyte CG antibody; arb.c.(20 °C; proc.) = ?
- NPU20462 P—Erythrocyte CG antibody; arb.c.(37 °C; proc.) = ?
- NPU20463 P—Erythrocyte Ch1 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20464 P—Erythrocyte Ch1 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20465 P—Erythrocyte Ch2 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20466 P—Erythrocyte Ch2 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20467 P—Erythrocyte Ch3 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20468 P—Erythrocyte Ch3 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20469 P—Erythrocyte Ch4 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20470 P—Erythrocyte Ch4 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20471 P—Erythrocyte Ch5 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20472 P—Erythrocyte Ch5 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20473 P—Erythrocyte Ch6 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20474 P—Erythrocyte Ch6 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20475 P—Erythrocyte Ci^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20476 P—Erythrocyte Ci^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20477 P—Erythrocyte c-like antibody;
arb.c.(20 °C; proc.) = ?
- NPU20478 P—Erythrocyte c-like antibody;
arb.c.(37 °C; proc.) = ?
- NPU20479 P—Erythrocyte Co3 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20480 P—Erythrocyte Co3 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20481 P—Erythrocyte Co^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20482 P—Erythrocyte Co^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20483 P—Erythrocyte Co^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20484 P—Erythrocyte Co^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20485 P—Erythrocyte Cr^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20486 P—Erythrocyte Cr^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20487 P—Erythrocyte Crawford antibody;
arb.c.(20 °C; proc.) = ?
- NPU20488 P—Erythrocyte Crawford antibody;
arb.c.(37 °C; proc.) = ?
- NPU20489 P—Erythrocyte C^w antibody; arb.c.(20 °C; proc.) = ?
- NPU20490 P—Erythrocyte C^w antibody; arb.c.(37 °C; proc.) = ?
- NPU20491 P—Erythrocyte C^x antibody; arb.c.(20 °C; proc.) = ?
- NPU20492 P—Erythrocyte C^x antibody; arb.c.(37 °C; proc.) = ?
- NPU20493 P—Erythrocyte DANE antibody;
arb.c.(20 °C; proc.) = ?

- NPU20494 P—Erythrocyte DANE antibody;
arb.c.(37 °C; proc.) = ?
- NPU20495 P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?
- NPU20496 P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?
- NPU20497 P—Erythrocyte Dantu antibody;
arb.c.(20 °C; proc.) = ?
- NPU20498 P—Erythrocyte Dantu antibody;
arb.c.(37 °C; proc.) = ?
- NPU20499 P—Erythrocyte Dav antibody;
arb.c.(20 °C; proc.) = ?
- NPU20500 P—Erythrocyte Dav antibody;
arb.c.(37 °C; proc.) = ?
- NPU20501 P—Erythrocyte Dh^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20502 P—Erythrocyte Dh^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20503 P—Erythrocyte Di^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20504 P—Erythrocyte Di^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20505 P—Erythrocyte Di^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20506 P—Erythrocyte Di^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20507 P—Erythrocyte Do^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20508 P—Erythrocyte Do^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20509 P—Erythrocyte Do^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20510 P—Erythrocyte Do^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20511 P—Erythrocyte Dr^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20512 P—Erythrocyte Dr^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20513 P—Erythrocyte Dw antibody; arb.c.(20 °C; proc.) = ?
- NPU20514 P—Erythrocyte Dw antibody; arb.c.(37 °C; proc.) = ?
- NPU20515 P—Erythrocyte E antibody; arb.c.(20 °C; proc.) = ?
- NPU20516 P—Erythrocyte e antibody; arb.c.(20 °C; proc.) = ?
- NPU20517 P—Erythrocyte E antibody; arb.c.(37 °C; proc.) = ?
- NPU20518 P—Erythrocyte e antibody; arb.c.(37 °C; proc.) = ?
- NPU20519 P—Erythrocyte ELO antibody;
arb.c.(20 °C; proc.) = ?
- NPU20520 P—Erythrocyte ELO antibody;
arb.c.(37 °C; proc.) = ?
- NPU20521 P—Erythrocyte En^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20522 P—Erythrocyte En^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20523 P—Erythrocyte ENAV antibody;
arb.c.(20 °C; proc.) = ?
- NPU20524 P—Erythrocyte ENAV antibody;
arb.c.(37 °C; proc.) = ?
- NPU20525 P—Erythrocyte ENEH antibody;
arb.c.(20 °C; proc.) = ?
- NPU20526 P—Erythrocyte ENEH antibody;
arb.c.(37 °C; proc.) = ?
- NPU20527 P—Erythrocyte ENEP antibody;
arb.c.(20 °C; proc.) = ?
- NPU20528 P—Erythrocyte ENEP antibody;
arb.c.(37 °C; proc.) = ?
- NPU20529 P—Erythrocyte ENKT antibody;
arb.c.(20 °C; proc.) = ?
- NPU20530 P—Erythrocyte ENKT antibody;
arb.c.(37 °C; proc.) = ?
- NPU20531 P—Erythrocyte ERIK antibody;
arb.c.(20 °C; proc.) = ?
- NPU20532 P—Erythrocyte ERIK antibody;
arb.c.(37 °C; proc.) = ?
- NPU20533 P—Erythrocyte Es^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20534 P—Erythrocyte Es^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20535 P—Erythrocyte Evans antibody;
arb.c.(20 °C; proc.) = ?
- NPU20536 P—Erythrocyte Evans antibody;
arb.c.(37 °C; proc.) = ?
- NPU20537 P—Erythrocyte E^w antibody; arb.c.(20 °C; proc.) = ?
- NPU20538 P—Erythrocyte E^w antibody; arb.c.(37 °C; proc.) = ?
- NPU20539 P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?
- NPU20540 P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?
- NPU20541 P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?
- NPU20542 P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?
- NPU20543 P—Erythrocyte FPTT antibody;
arb.c.(20 °C; proc.) = ?
- NPU20544 P—Erythrocyte FPTT antibody;
arb.c.(37 °C; proc.) = ?
- NPU20545 P—Erythrocyte Fr^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20546 P—Erythrocyte Fr^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20547 P—Erythrocyte Fy3 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20548 P—Erythrocyte Fy3 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20549 P—Erythrocyte Fy4 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20550 P—Erythrocyte Fy4 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20551 P—Erythrocyte Fy5 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20552 P—Erythrocyte Fy5 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20553 P—Erythrocyte Fy6 antibody;
arb.c.(20 °C; proc.) = ?

- NPU20554 P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?
- NPU20555 P—Erythrocyte Fy^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20556 P—Erythrocyte Fy^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20557 P—Erythrocyte Fy^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20558 P—Erythrocyte Fy^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20559 P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?
- NPU20560 P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?
- NPU20561 P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?
- NPU20562 P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?
- NPU20563 P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?
- NPU20564 P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?
- NPU20565 P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?
- NPU20566 P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?
- NPU20567 P—Erythrocyte Go^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20568 P—Erythrocyte Go^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20569 P—Erythrocyte Gy^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20570 P—Erythrocyte Gy^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20571 P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?
- NPU20572 P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?
- NPU20573 P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?
- NPU20574 P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?
- NPU20575 P—Erythrocyte He antibody; arb.c.(20 °C; proc.) = ?
- NPU20576 P—Erythrocyte He antibody; arb.c.(37 °C; proc.) = ?
- NPU20577 P—Erythrocyte Hg^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20578 P—Erythrocyte Hg^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20579 P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?
- NPU20580 P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?
- NPU20581 P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?
- NPU20582 P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?
- NPU20583 P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?
- NPU20584 P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?
- NPU20585 P—Erythrocyte hr^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20586 P—Erythrocyte Hr^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20587 P—Erythrocyte hr^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20588 P—Erythrocyte Hr^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20589 P—Erythrocyte hr^H antibody; arb.c.(20 °C; proc.) = ?
- NPU20590 P—Erythrocyte hr^H antibody; arb.c.(37 °C; proc.) = ?
- NPU20591 P—Erythrocyte Hr_o antibody; arb.c.(20 °C; proc.) = ?
- NPU20592 P—Erythrocyte Hr_o antibody; arb.c.(37 °C; proc.) = ?
- NPU20593 P—Erythrocyte hr^S antibody; arb.c.(20 °C; proc.) = ?
- NPU20594 P—Erythrocyte hr^S antibody; arb.c.(37 °C; proc.) = ?
- NPU20595 P—Erythrocyte Hut antibody; arb.c.(20 °C; proc.) = ?
- NPU20596 P—Erythrocyte Hut antibody; arb.c.(37 °C; proc.) = ?
- NPU20597 P—Erythrocyte Hy antibody; arb.c.(20 °C; proc.) = ?
- NPU20598 P—Erythrocyte Hy antibody; arb.c.(37 °C; proc.) = ?
- NPU20599 P—Erythrocyte IFC antibody; arb.c.(20 °C; proc.) = ?
- NPU20600 P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) = ?
- NPU20601 P—Erythrocyte In^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20602 P—Erythrocyte In^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20603 P—Erythrocyte In^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20604 P—Erythrocyte In^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20605 P—Erythrocyte JAL antibody; arb.c.(20 °C; proc.) = ?
- NPU20606 P—Erythrocyte JAL antibody; arb.c.(37 °C; proc.) = ?
- NPU20607 P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?
- NPU20608 P—Erythrocyte Jk3 antibody; arb.c.(37 °C; proc.) = ?
- NPU20609 P—Erythrocyte Jk^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20610 P—Erythrocyte Jk^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20611 P—Erythrocyte Jk^b antibody; arb.c.(20 °C; proc.) = ?
- NPU20612 P—Erythrocyte Jk^b antibody; arb.c.(37 °C; proc.) = ?
- NPU20613 P—Erythrocyte Jn^a antibody; arb.c.(20 °C; proc.) = ?

NPU20614 P—Erythrocyte Jn ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20643 P—Erythrocyte K antibody; arb.c.(20 °C; proc.) = ?
NPU20615 P—Erythrocyte Jo ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20644 P—Erythrocyte k antibody; arb.c.(20 °C; proc.) = ?
NPU20616 P—Erythrocyte Jo ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20645 P—Erythrocyte K antibody; arb.c.(37 °C; proc.) = ?
NPU20617 P—Erythrocyte Js ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20646 P—Erythrocyte k antibody; arb.c.(37 °C; proc.) = ?
NPU20618 P—Erythrocyte Js ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20647 P—Erythrocyte Km antibody; arb.c.(20 °C; proc.) = ?
NPU20619 P—Erythrocyte Js ^b antibody; arb.c.(20 °C; proc.) = ?	NPU20648 P—Erythrocyte Km antibody; arb.c.(37 °C; proc.) = ?
NPU20620 P—Erythrocyte Js ^b antibody; arb.c.(37 °C; proc.) = ?	NPU20649 P—Erythrocyte Kn ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20621 P—Erythrocyte K11 antibody; arb.c.(20 °C; proc.) = ?	NPU20650 P—Erythrocyte Kn ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20622 P—Erythrocyte K11 antibody; arb.c.(37 °C; proc.) = ?	NPU20651 P—Erythrocyte Kn ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20623 P—Erythrocyte K12 antibody; arb.c.(20 °C; proc.) = ?	NPU20652 P—Erythrocyte Kn ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20624 P—Erythrocyte K12 antibody; arb.c.(37 °C; proc.) = ?	NPU20653 P—Erythrocyte Kp ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20625 P—Erythrocyte K13 antibody; arb.c.(20 °C; proc.) = ?	NPU20654 P—Erythrocyte Kp ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20626 P—Erythrocyte K13 antibody; arb.c.(37 °C; proc.) = ?	NPU20655 P—Erythrocyte Kp ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20627 P—Erythrocyte K14 antibody; arb.c.(20 °C; proc.) = ?	NPU20656 P—Erythrocyte Kp ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20628 P—Erythrocyte K14 antibody; arb.c.(37 °C; proc.) = ?	NPU20657 P—Erythrocyte Kp ^c antibody; arb.c.(20 °C; proc.) = ?
NPU20629 P—Erythrocyte K16 antibody; arb.c.(20 °C; proc.) = ?	NPU20658 P—Erythrocyte Kp ^c antibody; arb.c.(37 °C; proc.) = ?
NPU20630 P—Erythrocyte K16 antibody; arb.c.(37 °C; proc.) = ?	NPU20659 P—Erythrocyte KREP antibody; arb.c.(20 °C; proc.) = ?
NPU20631 P—Erythrocyte K17 antibody; arb.c.(20 °C; proc.) = ?	NPU20660 P—Erythrocyte KREP antibody; arb.c.(37 °C; proc.) = ?
NPU20632 P—Erythrocyte K17 antibody; arb.c.(37 °C; proc.) = ?	NPU20661 P—Erythrocyte Ku antibody; arb.c.(20 °C; proc.) = ?
NPU20633 P—Erythrocyte K18 antibody; arb.c.(20 °C; proc.) = ?	NPU20662 P—Erythrocyte Ku antibody; arb.c.(37 °C; proc.) = ?
NPU20634 P—Erythrocyte K18 antibody; arb.c.(37 °C; proc.) = ?	NPU20663 P—Erythrocyte Kx antibody; arb.c.(20 °C; proc.) = ?
NPU20635 P—Erythrocyte K19 antibody; arb.c.(20 °C; proc.) = ?	NPU20664 P—Erythrocyte Kx antibody; arb.c.(37 °C; proc.) = ?
NPU20636 P—Erythrocyte K19 antibody; arb.c.(37 °C; proc.) = ?	NPU20665 P—Erythrocyte Le ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20637 P—Erythrocyte K22 antibody; arb.c.(20 °C; proc.) = ?	NPU20666 P—Erythrocyte Le ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20638 P—Erythrocyte K22 antibody; arb.c.(37 °C; proc.) = ?	NPU20667 P—Erythrocyte Le ^{ab} antibody; arb.c.(20 °C; proc.) = ?
NPU20639 P—Erythrocyte K23 antibody; arb.c.(20 °C; proc.) = ?	NPU20668 P—Erythrocyte Le ^{ab} antibody; arb.c.(37 °C; proc.) = ?
NPU20640 P—Erythrocyte K23 antibody; arb.c.(37 °C; proc.) = ?	NPU20669 P—Erythrocyte Le ^b antibody; arb.c.(20 °C; proc.) = ?
NPU20641 P—Erythrocyte K24 antibody; arb.c.(20 °C; proc.) = ?	NPU20670 P—Erythrocyte Le ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20642 P—Erythrocyte K24 antibody; arb.c.(37 °C; proc.) = ?	NPU20671 P—Erythrocyte Le ^{bH} antibody; arb.c.(20 °C; proc.) = ?
	NPU20672 P—Erythrocyte Le ^{bH} antibody; arb.c.(37 °C; proc.) = ?

- NPU20673 P—Erythrocyte Ls^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20674 P—Erythrocyte Ls^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20675 P—Erythrocyte Lu11 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20676 P—Erythrocyte Lu11 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20677 P—Erythrocyte Lu12 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20678 P—Erythrocyte Lu12 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20679 P—Erythrocyte Lu13 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20680 P—Erythrocyte Lu13 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20681 P—Erythrocyte Lu14 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20682 P—Erythrocyte Lu14 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20683 P—Erythrocyte Lu16 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20684 P—Erythrocyte Lu16 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20685 P—Erythrocyte Lu17 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20686 P—Erythrocyte Lu17 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20687 P—Erythrocyte Lu20 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20688 P—Erythrocyte Lu20 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20689 P—Erythrocyte Lu3 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20690 P—Erythrocyte Lu3 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20691 P—Erythrocyte Lu4 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20692 P—Erythrocyte Lu4 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20693 P—Erythrocyte Lu5 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20694 P—Erythrocyte Lu5 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20695 P—Erythrocyte Lu6 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20696 P—Erythrocyte Lu6 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20697 P—Erythrocyte Lu7 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20698 P—Erythrocyte Lu7 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20699 P—Erythrocyte Lu8 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20700 P—Erythrocyte Lu8 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20701 P—Erythrocyte Lu9 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20702 P—Erythrocyte Lu9 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20703 P—Erythrocyte Lu^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20704 P—Erythrocyte Lu^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20705 P—Erythrocyte Lu^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20706 P—Erythrocyte Lu^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20707 P—Erythrocyte LW^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20708 P—Erythrocyte LW^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20709 P—Erythrocyte LW^{ab} antibody;
arb.c.(20 °C; proc.) = ?
- NPU20710 P—Erythrocyte LW^{ab} antibody;
arb.c.(37 °C; proc.) = ?
- NPU20711 P—Erythrocyte LW^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20712 P—Erythrocyte LW^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20713 P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?
- NPU20714 P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?
- NPU20715 P—Erythrocyte MAR antibody;
arb.c.(20 °C; proc.) = ?
- NPU20716 P—Erythrocyte MAR antibody;
arb.c.(37 °C; proc.) = ?
- NPU20717 P—Erythrocyte MARS antibody;
arb.c.(20 °C; proc.) = ?
- NPU20718 P—Erythrocyte MARS antibody;
arb.c.(37 °C; proc.) = ?
- NPU20719 P—Erythrocyte M^c antibody; arb.c.(20 °C; proc.) = ?
- NPU20720 P—Erythrocyte M^c antibody; arb.c.(37 °C; proc.) = ?
- NPU20721 P—Erythrocyte McC^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20722 P—Erythrocyte McC^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20723 P—Erythrocyte McC^b antibody;
arb.c.(20 °C; proc.) = ?
- NPU20724 P—Erythrocyte McC^b antibody;
arb.c.(37 °C; proc.) = ?
- NPU20725 P—Erythrocyte M^e antibody; arb.c.(20 °C; proc.) = ?
- NPU20726 P—Erythrocyte M^e antibody; arb.c.(37 °C; proc.) = ?
- NPU20727 P—Erythrocyte MER2 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20728 P—Erythrocyte MER2 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20729 P—Erythrocyte M^G antibody; arb.c.(20 °C; proc.) = ?
- NPU20730 P—Erythrocyte M^G antibody; arb.c.(37 °C; proc.) = ?
- NPU20731 P—Erythrocyte Mi^a antibody;
arb.c.(20 °C; proc.) = ?

- NPU20732 P—Erythrocyte Mi^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20733 P—Erythrocyte MINY antibody;
arb.c.(20 °C; proc.) = ?
- NPU20734 P—Erythrocyte MINY antibody;
arb.c.(37 °C; proc.) = ?
- NPU20735 P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?
- NPU20736 P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?
- NPU20737 P—Erythrocyte Mo^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20738 P—Erythrocyte Mo^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20739 P—Erythrocyte Mt^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20740 P—Erythrocyte Mt^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20741 P—Erythrocyte Mur antibody;
arb.c.(20 °C; proc.) = ?
- NPU20742 P—Erythrocyte Mur antibody;
arb.c.(37 °C; proc.) = ?
- NPU20743 P—Erythrocyte MUT antibody;
arb.c.(20 °C; proc.) = ?
- NPU20744 P—Erythrocyte MUT antibody;
arb.c.(37 °C; proc.) = ?
- NPU20745 P—Erythrocyte M^v antibody; arb.c.(20 °C; proc.) = ?
- NPU20746 P—Erythrocyte M^v antibody; arb.c.(37 °C; proc.) = ?
- NPU20747 P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?
- NPU20748 P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?
- NPU20749 P—Erythrocyte NFLD antibody;
arb.c.(20 °C; proc.) = ?
- NPU20750 P—Erythrocyte NFLD antibody;
arb.c.(37 °C; proc.) = ?
- NPU20751 P—Erythrocyte Nob antibody;
arb.c.(20 °C; proc.) = ?
- NPU20752 P—Erythrocyte Nob antibody;
arb.c.(37 °C; proc.) = ?
- NPU20753 P—Erythrocyte Nou antibody;
arb.c.(20 °C; proc.) = ?
- NPU20754 P—Erythrocyte Nou antibody;
arb.c.(37 °C; proc.) = ?
- NPU20755 P—Erythrocyte Ny^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20756 P—Erythrocyte Ny^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20757 P—Erythrocyte Ok^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20758 P—Erythrocyte Ok^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20759 P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?
- NPU20760 P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?
- NPU20761 P—Erythrocyte Os^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20762 P—Erythrocyte Os^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20763 P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?
- NPU20764 P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?
- NPU20765 P—Erythrocyte Rb^a antibody;
arb.c.(20 °C; proc.) = ?
- NPU20766 P—Erythrocyte Rb^a antibody;
arb.c.(37 °C; proc.) = ?
- NPU20767 P—Erythrocyte Rg1 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20768 P—Erythrocyte Rg1 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20769 P—Erythrocyte Rg2 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20770 P—Erythrocyte Rg2 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20771 P—Erythrocyte Rh29 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20772 P—Erythrocyte Rh29 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20773 P—Erythrocyte Rh32 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20774 P—Erythrocyte Rh32 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20775 P—Erythrocyte Rh33 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20776 P—Erythrocyte Rh33 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20777 P—Erythrocyte Rh35 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20778 P—Erythrocyte Rh35 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20779 P—Erythrocyte Rh39 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20780 P—Erythrocyte Rh39 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20781 P—Erythrocyte Rh41 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20782 P—Erythrocyte Rh41 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20783 P—Erythrocyte Rh42 antibody;
arb.c.(20 °C; proc.) = ?
- NPU20784 P—Erythrocyte Rh42 antibody;
arb.c.(37 °C; proc.) = ?
- NPU20785 P—Erythrocyte Ri^a antibody; arb.c.(20 °C; proc.) = ?
- NPU20786 P—Erythrocyte Ri^a antibody; arb.c.(37 °C; proc.) = ?
- NPU20787 P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.) = ?
- NPU20788 P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.) = ?
- NPU20789 P—Erythrocyte S antibody; arb.c.(20 °C; proc.) = ?

NPU20790 P—Erythrocyte s antibody; arb.c.(20 °C; proc.) = ?	NPU20820 P—Erythrocyte Tc ^b antibody; arb.c.(37 °C; proc.) = ?
NPU20791 P—Erythrocyte S antibody; arb.c.(37 °C; proc.) = ?	NPU20821 P—Erythrocyte Tc ^c antibody; arb.c.(20 °C; proc.) = ?
NPU20792 P—Erythrocyte s antibody; arb.c.(37 °C; proc.) = ?	NPU20822 P—Erythrocyte Tc ^c antibody; arb.c.(37 °C; proc.) = ?
NPU20793 P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.) = ?	NPU20823 P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?
NPU20794 P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.) = ?	NPU20824 P—Erythrocyte TOU antibody; arb.c.(37 °C; proc.) = ?
NPU20795 P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.) = ?	NPU20825 P—Erythrocyte Tr ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20796 P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.) = ?	NPU20826 P—Erythrocyte Tr ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20797 P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.) = ?	NPU20827 P—Erythrocyte TSEN antibody; arb.c.(20 °C; proc.) = ?
NPU20798 P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.) = ?	NPU20828 P—Erythrocyte TSEN antibody; arb.c.(37 °C; proc.) = ?
NPU20799 P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.) = ?	NPU20829 P—Erythrocyte U antibody; arb.c.(20 °C; proc.) = ?
NPU20800 P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.) = ?	NPU20830 P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?
NPU20801 P—Erythrocyte s ^D antibody; arb.c.(20 °C; proc.) = ?	NPU20831 P—Erythrocyte UI ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20802 P—Erythrocyte s ^D antibody; arb.c.(37 °C; proc.) = ?	NPU20832 P—Erythrocyte UI ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20803 P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.) = ?	NPU20833 P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?
NPU20804 P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.) = ?	NPU20834 P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?
NPU20805 P—Erythrocyte Si ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20835 P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?
NPU20806 P—Erythrocyte Si ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20836 P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?
NPU20807 P—Erythrocyte St ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20837 P—Erythrocyte Vg ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20808 P—Erythrocyte St ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20838 P—Erythrocyte Vg ^a antibody; arb.c.(37 °C; proc.) = ?
NPU20809 P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.) = ?	NPU20839 P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?
NPU20810 P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.) = ?	NPU20840 P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?
NPU20811 P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.) = ?	NPU20841 P—Erythrocyte VLAN antibody; arb.c.(20 °C; proc.) = ?
NPU20812 P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.) = ?	NPU20842 P—Erythrocyte VLAN antibody; arb.c.(37 °C; proc.) = ?
NPU20813 P—Erythrocyte Sw ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20843 P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?
NPU20814 P—Erythrocyte Sw ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20844 P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?
NPU20815 P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.) = ?	NPU20845 P—Erythrocyte VS antibody; arb.c.(20 °C; proc.) = ?
NPU20816 P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.) = ?	NPU20846 P—Erythrocyte VS antibody; arb.c.(37 °C; proc.) = ?
NPU20817 P—Erythrocyte Tc ^a antibody; arb.c.(20 °C; proc.) = ?	NPU20847 P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.) = ?
NPU20818 P—Erythrocyte Tc ^a antibody; arb.c.(37 °C; proc.) = ?	NPU20848 P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.) = ?
NPU20819 P—Erythrocyte To ^b antibody; arb.c.(20 °C; proc.) = ?	

NPU20849 P—Erythrocyte WARR antibody;
arb.c.(20 °C; proc.) = ?
NPU20850 P—Erythrocyte WARR antibody;
arb.c.(37 °C; proc.) = ?
NPU20851 P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.) = ?
NPU20852 P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.) = ?
NPU20853 P—Erythrocyte Wd^a antibody;
arb.c.(20 °C; proc.) = ?
NPU20854 P—Erythrocyte Wd^a antibody;
arb.c.(37 °C; proc.) = ?
NPU20855 P—Erythrocyte WES^a antibody;
arb.c.(20 °C; proc.) = ?
NPU20856 P—Erythrocyte WES^a antibody;
arb.c.(37 °C; proc.) = ?
NPU20857 P—Erythrocyte WES^b antibody;
arb.c.(20 °C; proc.) = ?
NPU20858 P—Erythrocyte WES^b antibody;
arb.c.(37 °C; proc.) = ?
NPU20859 P—Erythrocyte WH antibody;
arb.c.(20 °C; proc.) = ?
NPU20860 P—Erythrocyte WH antibody;
arb.c.(37 °C; proc.) = ?
NPU20861 P—Erythrocyte Wr^a antibody;
arb.c.(20 °C; proc.) = ?
NPU20862 P—Erythrocyte Wr^a antibody;
arb.c.(37 °C; proc.) = ?
NPU20863 P—Erythrocyte Wr^b antibody;
arb.c.(20 °C; proc.) = ?
NPU20864 P—Erythrocyte Wr^b antibody;
arb.c.(37 °C; proc.) = ?
NPU20865 P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.) = ?
NPU20866 P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.) = ?
NPU20867 P—Erythrocyte Xg^a antibody;
arb.c.(20 °C; proc.) = ?
NPU20868 P—Erythrocyte Xg^a antibody;
arb.c.(37 °C; proc.) = ?
NPU20869 P—Erythrocyte Yk^a antibody;
arb.c.(20 °C; proc.) = ?
NPU20870 P—Erythrocyte Yk^a antibody;
arb.c.(37 °C; proc.) = ?
NPU20871 P—Erythrocyte Yt^a antibody; arb.c.(20 °C; proc.) = ?
NPU20872 P—Erythrocyte Yt^a antibody; arb.c.(37 °C; proc.) = ?
NPU20873 P—Erythrocyte Yt^b antibody; arb.c.(20 °C; proc.) = ?
NPU20874 P—Erythrocyte Yt^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte antibody:****compatibility(donationID; absent present)****NPU21913**

P—Erythrocyte antibody;

compatibility(donationID; absent present) = ?

Erythrocytes(Blood)—**Erythrocyte antigen:****arbitrary number(list; procedure)****NPU20200**

Ercs(B)—Erythrocyte antigen; arb.num.(list; proc.)

NPU20201 Ercs(B)—Erythrocyte 'N' antigen;

arb.num.(proc.) = ?

NPU21914 Ercs(B)—Erythrocyte A1 antigen;

arb.num.(proc.) = ?

NPU20202 Ercs(B)—Erythrocyte ALe^b antigen;

arb.num.(proc.) = ?

NPU20203 Ercs(B)—Erythrocyte An^a antigen;

arb.num.(proc.) = ?

NPU20204 Ercs(B)—Erythrocyte Au^a antigen;

arb.num.(proc.) = ?

NPU20205 Ercs(B)—Erythrocyte Au^b antigen;

arb.num.(proc.) = ?

NPU21916 Ercs(B)—Erythrocyte B antigen;

arb.num.(proc.) = ?

NPU20206 Ercs(B)—Erythrocyte BARC antigen;

arb.num.(proc.) = ?

NPU20207 Ercs(B)—Erythrocyte Be^a antigen;

arb.num.(proc.) = ?

NPU20208 Ercs(B)—Erythrocyte BL^b antigen;

arb.num.(proc.) = ?

NPU20209 Ercs(B)—Erythrocyte BOW antigen;

arb.num.(proc.) = ?

NPU20210 Ercs(B)—Erythrocyte Bp^a antigen;

arb.num.(proc.) = ?

NPU20211 Ercs(B)—Erythrocyte C antigen;

arb.num.(proc.) = ?

NPU20212 Ercs(B)—Erythrocyte c antigen;

arb.num.(proc.) = ?

NPU20213 Ercs(B)—Erythrocyte CD99 antigen;

arb.num.(proc.) = ?

NPU20214 Ercs(B)—Erythrocyte Ce antigen;

arb.num.(proc.) = ?

NPU20215 Ercs(B)—Erythrocyte CE antigen;

arb.num.(proc.) = ?

NPU20216 Ercs(B)—Erythrocyte cE antigen;

arb.num.(proc.) = ?

NPU20217 Ercs(B)—Erythrocyte CG antigen;

arb.num.(proc.) = ?

NPU20218 Ercs(B)—Erythrocyte Ch1 antigen;

arb.num.(proc.) = ?

NPU20219 Ercs(B)—Erythrocyte Ch2 antigen;

arb.num.(proc.) = ?

NPU20220 Ercs(B)—Erythrocyte Ch3 antigen;

arb.num.(proc.) = ?

NPU20221 Ercs(B)—Erythrocyte Ch4 antigen;

arb.num.(proc.) = ?

NPU20222 Ercs(B)—Erythrocyte Ch5 antigen;

arb.num.(proc.) = ?

NPU20223 Ercs(B)—Erythrocyte Ch6 antigen;

arb.num.(proc.) = ?

NPU20224 Ercs(B)—Erythrocyte Cl^a antigen;

arb.num.(proc.) = ?

NPU20225 Ercs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?	NPU20254 Ercs(B)—Erythrocyte E ^W antigen; arb.num.(proc.) = ?
NPU20226 Ercs(B)—Erythrocyte Co3 antigen; arb.num.(proc.) = ?	NPU20255 Ercs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?
NPU20227 Ercs(B)—Erythrocyte Co ^a antigen; arb.num.(proc.) = ?	NPU20256 Ercs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?
NPU20228 Ercs(B)—Erythrocyte Co ^b antigen; arb.num.(proc.) = ?	NPU20257 Ercs(B)—Erythrocyte FPTT antigen; arb.num.(proc.) = ?
NPU20229 Ercs(B)—Erythrocyte Cr ^a antigen; arb.num.(proc.) = ?	NPU20258 Ercs(B)—Erythrocyte Fr ^a antigen; arb.num.(proc.) = ?
NPU20230 Ercs(B)—Erythrocyte Crawford antigen; arb.num.(proc.) = ?	NPU20259 Ercs(B)—Erythrocyte Fy3 antigen; arb.num.(proc.) = ?
NPU20231 Ercs(B)—Erythrocyte C ^w antigen; arb.num.(proc.) = ?	NPU20260 Ercs(B)—Erythrocyte Fy4 antigen; arb.num.(proc.) = ?
NPU20232 Ercs(B)—Erythrocyte C ^x antigen; arb.num.(proc.) = ?	NPU20261 Ercs(B)—Erythrocyte Fy5 antigen; arb.num.(proc.) = ?
NPU20233 Ercs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?	NPU20262 Ercs(B)—Erythrocyte Fy6 antigen; arb.num.(proc.) = ?
NPU21917 Ercs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?	NPU20263 Ercs(B)—Erythrocyte Fy ^a antigen; arb.num.(proc.) = ?
NPU20234 Ercs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?	NPU20264 Ercs(B)—Erythrocyte Fy ^b antigen; arb.num.(proc.) = ?
NPU20235 Ercs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?	NPU20265 Ercs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?
NPU20236 Ercs(B)—Erythrocyte Dh ^a antigen; arb.num.(proc.) = ?	NPU20266 Ercs(B)—Erythrocyte Ge2 antigen; arb.num.(proc.) = ?
NPU20237 Ercs(B)—Erythrocyte Di ^a antigen; arb.num.(proc.) = ?	NPU20267 Ercs(B)—Erythrocyte Ge3 antigen; arb.num.(proc.) = ?
NPU20238 Ercs(B)—Erythrocyte Di ^b antigen; arb.num.(proc.) = ?	NPU20268 Ercs(B)—Erythrocyte Ge4 antigen; arb.num.(proc.) = ?
NPU20239 Ercs(B)—Erythrocyte Do ^a antigen; arb.num.(proc.) = ?	NPU20269 Ercs(B)—Erythrocyte Go ^a antigen; arb.num.(proc.) = ?
NPU20240 Ercs(B)—Erythrocyte Do ^b antigen; arb.num.(proc.) = ?	NPU20270 Ercs(B)—Erythrocyte Gy ^a antigen; arb.num.(proc.) = ?
NPU20241 Ercs(B)—Erythrocyte Dr ^a antigen; arb.num.(proc.) = ?	NPU20271 Ercs(B)—Erythrocyte HAG antigen; arb.num.(proc.) = ?
NPU20242 Ercs(B)—Erythrocyte D ^w antigen; arb.num.(proc.) = ?	NPU20272 Ercs(B)—Erythrocyte H antigen; arb.num.(proc.) = ?
NPU20243 Ercs(B)—Erythrocyte E antigen; arb.num.(proc.) = ?	NPU20273 Ercs(B)—Erythrocyte He antigen; arb.num.(proc.) = ?
NPU20244 Ercs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?	NPU20274 Ercs(B)—Erythrocyte Hg ^a antigen; arb.num.(proc.) = ?
NPU20245 Ercs(B)—Erythrocyte ELO antigen; arb.num.(proc.) = ?	NPU20275 Ercs(B)—Erythrocyte Hil antigen; arb.num.(proc.) = ?
NPU20246 Ercs(B)—Erythrocyte En ^a antigen; arb.num.(proc.) = ?	NPU20276 Ercs(B)—Erythrocyte Hop antigen; arb.num.(proc.) = ?
NPU20247 Ercs(B)—Erythrocyte ENAV antigen; arb.num.(proc.) = ?	NPU20277 Ercs(B)—Erythrocyte Hr antigen; arb.num.(proc.) = ?
NPU20248 Ercs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?	NPU20278 Ercs(B)—Erythrocyte hr ^b antigen; arb.num.(proc.) = ?
NPU20249 Ercs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?	NPU20279 Ercs(B)—Erythrocyte Hr ^b antigen; arb.num.(proc.) = ?
NPU20250 Ercs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?	NPU20280 Ercs(B)—Erythrocyte hr ^H antigen; arb.num.(proc.) = ?
NPU20251 Ercs(B)—Erythrocyte ERIK antigen; arb.num.(proc.) = ?	NPU20281 Ercs(B)—Erythrocyte Hr _o antigen; arb.num.(proc.) = ?
NPU20252 Ercs(B)—Erythrocyte Es ^a antigen; arb.num.(proc.) = ?	NPU20282 Ercs(B)—Erythrocyte hr ^S antigen; arb.num.(proc.) = ?
NPU20253 Ercs(B)—Erythrocyte Evans antigen; arb.num.(proc.) = ?	

- NPU20283 Ercs(B)—Erythrocyte Hut antigen;
arb.num.(proc.) = ?
- NPU20284 Ercs(B)—Erythrocyte Hy antigen;
arb.num.(proc.) = ?
- NPU20285 Ercs(B)—Erythrocyte IFC antigen;
arb.num.(proc.) = ?
- NPU20286 Ercs(B)—Erythrocyte In^a antigen;
arb.num.(proc.) = ?
- NPU20287 Ercs(B)—Erythrocyte In^b antigen;
arb.num.(proc.) = ?
- NPU20288 Ercs(B)—Erythrocyte JAL antigen;
arb.num.(proc.) = ?
- NPU20289 Ercs(B)—Erythrocyte Jk3 antigen;
arb.num.(proc.) = ?
- NPU20290 Ercs(B)—Erythrocyte Jk^a antigen;
arb.num.(proc.) = ?
- NPU20291 Ercs(B)—Erythrocyte Jk^b antigen;
arb.num.(proc.) = ?
- NPU20292 Ercs(B)—Erythrocyte Jn^a antigen;
arb.num.(proc.) = ?
- NPU20293 Ercs(B)—Erythrocyte Jo^a antigen;
arb.num.(proc.) = ?
- NPU20294 Ercs(B)—Erythrocyte Js^a antigen;
arb.num.(proc.) = ?
- NPU20295 Ercs(B)—Erythrocyte Js^b antigen;
arb.num.(proc.) = ?
- NPU20296 Ercs(B)—Erythrocyte K11 antigen;
arb.num.(proc.) = ?
- NPU20297 Ercs(B)—Erythrocyte K12 antigen;
arb.num.(proc.) = ?
- NPU20298 Ercs(B)—Erythrocyte K13 antigen;
arb.num.(proc.) = ?
- NPU20299 Ercs(B)—Erythrocyte K14 antigen;
arb.num.(proc.) = ?
- NPU20300 Ercs(B)—Erythrocyte K16 antigen;
arb.num.(proc.) = ?
- NPU20301 Ercs(B)—Erythrocyte K17 antigen;
arb.num.(proc.) = ?
- NPU20302 Ercs(B)—Erythrocyte K18 antigen;
arb.num.(proc.) = ?
- NPU20303 Ercs(B)—Erythrocyte K19 antigen;
arb.num.(proc.) = ?
- NPU20304 Ercs(B)—Erythrocyte K22 antigen;
arb.num.(proc.) = ?
- NPU20305 Ercs(B)—Erythrocyte K23 antigen;
arb.num.(proc.) = ?
- NPU20306 Ercs(B)—Erythrocyte K24 antigen;
arb.num.(proc.) = ?
- NPU20307 Ercs(B)—Erythrocyte K antigen;
arb.num.(proc.) = ?
- NPU20308 Ercs(B)—Erythrocyte k antigen;
arb.num.(proc.) = ?
- NPU20309 Ercs(B)—Erythrocyte Km antigen;
arb.num.(proc.) = ?
- NPU20310 Ercs(B)—Erythrocyte Kn^a antigen;
arb.num.(proc.) = ?
- NPU20311 Ercs(B)—Erythrocyte Kn^b antigen;
arb.num.(proc.) = ?
- NPU20312 Ercs(B)—Erythrocyte Kp^a antigen;
arb.num.(proc.) = ?
- NPU20313 Ercs(B)—Erythrocyte Kp^b antigen;
arb.num.(proc.) = ?
- NPU20314 Ercs(B)—Erythrocyte Kp^c antigen;
arb.num.(proc.) = ?
- NPU20315 Ercs(B)—Erythrocyte KREP antigen;
arb.num.(proc.) = ?
- NPU20316 Ercs(B)—Erythrocyte Ku antigen;
arb.num.(proc.) = ?
- NPU20317 Ercs(B)—Erythrocyte Kx antigen;
arb.num.(proc.) = ?
- NPU20318 Ercs(B)—Erythrocyte Le^a antigen;
arb.num.(proc.) = ?
- NPU20319 Ercs(B)—Erythrocyte Le^{ab} antigen;
arb.num.(proc.) = ?
- NPU20320 Ercs(B)—Erythrocyte Le^b antigen;
arb.num.(proc.) = ?
- NPU20321 Ercs(B)—Erythrocyte Le^{bH} antigen;
arb.num.(proc.) = ?
- NPU20322 Ercs(B)—Erythrocyte Ls^a antigen;
arb.num.(proc.) = ?
- NPU20323 Ercs(B)—Erythrocyte Lu11 antigen;
arb.num.(proc.) = ?
- NPU20324 Ercs(B)—Erythrocyte Lu12 antigen;
arb.num.(proc.) = ?
- NPU20325 Ercs(B)—Erythrocyte Lu13 antigen;
arb.num.(proc.) = ?
- NPU20326 Ercs(B)—Erythrocyte Lu14 antigen;
arb.num.(proc.) = ?
- NPU20327 Ercs(B)—Erythrocyte Lu16 antigen;
arb.num.(proc.) = ?
- NPU20328 Ercs(B)—Erythrocyte Lu17 antigen;
arb.num.(proc.) = ?
- NPU20329 Ercs(B)—Erythrocyte Lu20 antigen;
arb.num.(proc.) = ?
- NPU20330 Ercs(B)—Erythrocyte Lu3 antigen;
arb.num.(proc.) = ?
- NPU20331 Ercs(B)—Erythrocyte Lu4 antigen;
arb.num.(proc.) = ?
- NPU20332 Ercs(B)—Erythrocyte Lu5 antigen;
arb.num.(proc.) = ?
- NPU20333 Ercs(B)—Erythrocyte Lu6 antigen;
arb.num.(proc.) = ?
- NPU20334 Ercs(B)—Erythrocyte Lu7 antigen;
arb.num.(proc.) = ?
- NPU20335 Ercs(B)—Erythrocyte Lu8 antigen;
arb.num.(proc.) = ?
- NPU20336 Ercs(B)—Erythrocyte Lu9 antigen;
arb.num.(proc.) = ?
- NPU20337 Ercs(B)—Erythrocyte Lu^a antigen;
arb.num.(proc.) = ?
- NPU20338 Ercs(B)—Erythrocyte Lu^b antigen;
arb.num.(proc.) = ?
- NPU20339 Ercs(B)—Erythrocyte LW^a antigen;
arb.num.(proc.) = ?
- NPU20340 Ercs(B)—Erythrocyte LW^{ab} antigen;
arb.num.(proc.) = ?
- NPU20341 Ercs(B)—Erythrocyte LW^b antigen;
arb.num.(proc.) = ?

NPU20342 Ercs(B)—Erythrocyte M antigen; arb.num.(proc.) = ?	NPU20372 Ercs(B)—Erythrocyte Rh32 antigen; arb.num.(proc.) = ?
NPU20343 Ercs(B)—Erythrocyte MAR antigen; arb.num.(proc.) = ?	NPU20373 Ercs(B)—Erythrocyte Rh33 antigen; arb.num.(proc.) = ?
NPU20344 Ercs(B)—Erythrocyte MARS antigen; arb.num.(proc.) = ?	NPU20374 Ercs(B)—Erythrocyte Rh35 antigen; arb.num.(proc.) = ?
NPU20345 Ercs(B)—Erythrocyte M ^c antigen; arb.num.(proc.) = ?	NPU20375 Ercs(B)—Erythrocyte Rh39 antigen; arb.num.(proc.) = ?
NPU20346 Ercs(B)—Erythrocyte McC ^a antigen; arb.num.(proc.) = ?	NPU20376 Ercs(B)—Erythrocyte Rh41 antigen; arb.num.(proc.) = ?
NPU20347 Ercs(B)—Erythrocyte McC ^b antigen; arb.num.(proc.) = ?	NPU20377 Ercs(B)—Erythrocyte Rh42 antigen; arb.num.(proc.) = ?
NPU20348 Ercs(B)—Erythrocyte M ^e antigen; arb.num.(proc.) = ?	NPU20378 Ercs(B)—Erythrocyte Ri ^a antigen; arb.num.(proc.) = ?
NPU20349 Ercs(B)—Erythrocyte MER2 antigen; arb.num.(proc.) = ?	NPU20379 Ercs(B)—Erythrocyte Riv antigen; arb.num.(proc.) = ?
NPU20350 Ercs(B)—Erythrocyte M ^G antigen; arb.num.(proc.) = ?	NPU20380 Ercs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?
NPU20351 Ercs(B)—Erythrocyte Mi ^a antigen; arb.num.(proc.) = ?	NPU20381 Ercs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?
NPU20352 Ercs(B)—Erythrocyte MINY antigen; arb.num.(proc.) = ?	NPU20382 Ercs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?
NPU20353 Ercs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?	NPU20383 Ercs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?
NPU20354 Ercs(B)—Erythrocyte Mo ^a antigen; arb.num.(proc.) = ?	NPU20384 Ercs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?
NPU20355 Ercs(B)—Erythrocyte Mt ^a antigen; arb.num.(proc.) = ?	NPU20385 Ercs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?
NPU20356 Ercs(B)—Erythrocyte Mur antigen; arb.num.(proc.) = ?	NPU20386 Ercs(B)—Erythrocyte s ^D antigen; arb.num.(proc.) = ?
NPU20357 Ercs(B)—Erythrocyte MUT antigen; arb.num.(proc.) = ?	NPU20387 Ercs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?
NPU20358 Ercs(B)—Erythrocyte M ^v antigen; arb.num.(proc.) = ?	NPU20388 Ercs(B)—Erythrocyte Si ^a antigen; arb.num.(proc.) = ?
NPU20359 Ercs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?	NPU20389 Ercs(B)—Erythrocyte St ^a antigen; arb.num.(proc.) = ?
NPU20360 Ercs(B)—Erythrocyte NFLD antigen; arb.num.(proc.) = ?	NPU20390 Ercs(B)—Erythrocyte STEM antigen; arb.num.(proc.) = ?
NPU20361 Ercs(B)—Erythrocyte Nob antigen; arb.num.(proc.) = ?	NPU20391 Ercs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?
NPU20362 Ercs(B)—Erythrocyte Nou antigen; arb.num.(proc.) = ?	NPU20392 Ercs(B)—Erythrocyte Sw ^a antigen; arb.num.(proc.) = ?
NPU20363 Ercs(B)—Erythrocyte Ny ^a antigen; arb.num.(proc.) = ?	NPU20393 Ercs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?
NPU20364 Ercs(B)—Erythrocyte Ok ^a antigen; arb.num.(proc.) = ?	NPU20394 Ercs(B)—Erythrocyte Tc ^a antigen; arb.num.(proc.) = ?
NPU20365 Ercs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?	NPU20395 Ercs(B)—Erythrocyte Tc ^b antigen; arb.num.(proc.) = ?
NPU20366 Ercs(B)—Erythrocyte Os ^a antigen; arb.num.(proc.) = ?	NPU20396 Ercs(B)—Erythrocyte Tc ^c antigen; arb.num.(proc.) = ?
NPU20367 Ercs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?	NPU20397 Ercs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?
NPU20368 Ercs(B)—Erythrocyte Rb ^a antigen; arb.num.(proc.) = ?	NPU20398 Ercs(B)—Erythrocyte Tr ^a antigen; arb.num.(proc.) = ?
NPU20369 Ercs(B)—Erythrocyte Rg1 antigen; arb.num.(proc.) = ?	NPU20399 Ercs(B)—Erythrocyte TSEN antigen; arb.num.(proc.) = ?
NPU20370 Ercs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.) = ?	NPU20400 Ercs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?
NPU20371 Ercs(B)—Erythrocyte Rh29 antigen; arb.num.(proc.) = ?	NPU20401 Ercs(B)—Erythrocyte Ui ^a antigen; arb.num.(proc.) = ?

NPU20402 Ercs(B)—Erythrocyte UMC antigen;
arb.num.(proc.) = ?
NPU20403 Ercs(B)—Erythrocyte V antigen;
arb.num.(proc.) = ?
NPU20404 Ercs(B)—Erythrocyte Vg^a antigen;
arb.num.(proc.) = ?
NPU20405 Ercs(B)—Erythrocyte Vil antigen;
arb.num.(proc.) = ?
NPU20406 Ercs(B)—Erythrocyte VLAN antigen;
arb.num.(proc.) = ?
NPU20407 Ercs(B)—Erythrocyte Vr antigen;
arb.num.(proc.) = ?
NPU20408 Ercs(B)—Erythrocyte VS antigen;
arb.num.(proc.) = ?
NPU20409 Ercs(B)—Erythrocyte Vw antigen;
arb.num.(proc.) = ?
NPU20410 Ercs(B)—Erythrocyte WARR antigen;
arb.num.(proc.) = ?
NPU20411 Ercs(B)—Erythrocyte Wb antigen;
arb.num.(proc.) = ?
NPU20412 Ercs(B)—Erythrocyte Wd^a antigen;
arb.num.(proc.) = ?
NPU20413 Ercs(B)—Erythrocyte WES^a antigen;
arb.num.(proc.) = ?
NPU20414 Ercs(B)—Erythrocyte WES^b antigen;
arb.num.(proc.) = ?
NPU20415 Ercs(B)—Erythrocyte WH antigen;
arb.num.(proc.) = ?
NPU20416 Ercs(B)—Erythrocyte Wr^a antigen;
arb.num.(proc.) = ?
NPU20417 Ercs(B)—Erythrocyte Wr^b antigen;
arb.num.(proc.) = ?
NPU20418 Ercs(B)—Erythrocyte Wu antigen;
arb.num.(proc.) = ?
NPU20419 Ercs(B)—Erythrocyte Xg^a antigen;
arb.num.(proc.) = ?
NPU20420 Ercs(B)—Erythrocyte Yk^a antigen;
arb.num.(proc.) = ?
NPU20421 Ercs(B)—Erythrocyte Yt^a antigen;
arb.num.(proc.) = ?
NPU20422 Ercs(B)—Erythrocyte Yt^b antigen;
arb.num.(proc.) = ?

Erythrocytes(Blood)—

Erythrocyte antigen;
taxon(AB0; Rhesus D; procedure)
NPU01945
Ercs(B)—Erythrocyte antigen; taxon(AB0; Rh D;
proc.) = ?

Erythrocytes(Blood)—

Erythrocyte antigen;
taxon(procedure)
NPU01946
Ercs(B)—Erythrocyte antigen; taxon(proc.) = ?

Plasma—

Erythrocyte Au^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20433

P—Erythrocyte Au^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Au^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20434
P—Erythrocyte Au^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Au^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU20885
P—Erythrocyte Au^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Au^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU20886
P—Erythrocyte Au^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Au^a antigen;
arbitrary number(procedure)
NPU20204
Ercs(B)—Erythrocyte Au^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Au^b antibody;
arbitrary concentration(20 °C; procedure)
NPU20435
P—Erythrocyte Au^b antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Au^b antibody;
arbitrary concentration(37 °C; procedure)
NPU20436
P—Erythrocyte Au^b antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Au^b antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU20887
P—Erythrocyte Au^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—	P—Erythrocyte BARC antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte Au^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20888 P—Erythrocyte Au ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Au^b antigen; arbitrary number(procedure) NPU20205 Ercs(B)—Erythrocyte Au ^b antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte B antibody; arbitrary concentration(20 °C; procedure) NPU20437 P—Erythrocyte B antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte B antibody; arbitrary concentration(37 °C; procedure) NPU20438 P—Erythrocyte B antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte B antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20899 P—Erythrocyte B antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte B antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20890 P—Erythrocyte B antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte BARC antigen; arbitrary number(procedure) NPU20206 Ercs(B)—Erythrocyte BARC antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Be^a antibody; arbitrary concentration(20 °C; procedure) NPU20441 P—Erythrocyte Be ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Be^a antibody; arbitrary concentration(37 °C; procedure) NPU20442 P—Erythrocyte Be ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Be^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20893 P—Erythrocyte Be ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Be^a antibody;	

**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20894
P—Erythrocyte Be^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Be^a antigen;
arbitrary number(procedure)
NPU20207
Ercs(B)—Erythrocyte Be^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte BLe^b antibody;
arbitrary concentration(20 °C; procedure)
NPU20443
P—Erythrocyte BLe^b antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte BLe^b antibody;
arbitrary concentration(37 °C; procedure)
NPU20444
P—Erythrocyte BLe^b antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte BLe^b antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20895
P—Erythrocyte BLe^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte BLe^b antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20896
P—Erythrocyte BLe^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte BLe^b antigen;
arbitrary number(procedure)
NPU20208
Ercs(B)—Erythrocyte BLe^b antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte BOW antibody;
arbitrary concentration(20 °C; procedure)
NPU20445
P—Erythrocyte BOW antibody; arb.c.(20 °C;
proc.) = ?

Plasma—
Erythrocyte BOW antibody;
arbitrary concentration(37 °C; procedure)
NPU20446
P—Erythrocyte BOW antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte BOW antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20897
P—Erythrocyte BOW antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte BOW antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20898
P—Erythrocyte BOW antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte BOW antigen;
arbitrary number(procedure)
NPU20209
Ercs(B)—Erythrocyte BOW antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Bp^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20447
P—Erythrocyte Bp^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Bp^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20448
P—Erythrocyte Bp^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Bp^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20899
P—Erythrocyte Bp^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Bp^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre

NPU20900

P—Erythrocyte Bp^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Bp^a antigen;**

arbitrary number(procedure)

NPU20210

Ercs(B)—Erythrocyte Bp^a antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte C antibody;**

arbitrary concentration(20 °C; procedure)

NPU20449

P—Erythrocyte C antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte c antibody;**

arbitrary concentration(20 °C; procedure)

NPU20450

P—Erythrocyte c antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte C antibody;**

arbitrary concentration(37 °C; procedure)

NPU20451

P—Erythrocyte C antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte c antibody;**

arbitrary concentration(37 °C; procedure)

NPU20452

P—Erythrocyte c antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte C antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20901

P—Erythrocyte C antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte c antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20902

P—Erythrocyte c antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte C antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20903

P—Erythrocyte C antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte c antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20904

P—Erythrocyte c antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte C antigen;**

arbitrary number(procedure)

NPU20211

Ercs(B)—Erythrocyte C antigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—**Erythrocyte c antigen;**

arbitrary number(procedure)

NPU20212

Ercs(B)—Erythrocyte c antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte C^G antibody;**

arbitrary concentration(20 °C; procedure)

NPU20461

P—Erythrocyte C^G antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte C^G antibody;**

arbitrary concentration(37 °C; procedure)

NPU20462

P—Erythrocyte C^G antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte C^G antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20913

P—Erythrocyte C^G antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte C^G antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20914

P—Erythrocyte C^G antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte C^G antigen;
arbitrary number(procedure)

NPU20217

Ercs(B)—Erythrocyte C^G antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte C^W antibody;
arbitrary concentration(20 °C; procedure)

NPU20489

P—Erythrocyte C^W antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte C^W antibody;
arbitrary concentration(37 °C; procedure)

NPU20490

P—Erythrocyte C^W antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte C^W antibody;
arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20941

P—Erythrocyte C^W antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte C^W antibody;
arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20942

P—Erythrocyte C^W antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte C^W antigen;
arbitrary number(procedure)

NPU20231

Ercs(B)—Erythrocyte C^W antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte C^X antibody;
arbitrary concentration(20 °C; procedure)

NPU20491

P—Erythrocyte C^X antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte C^X antibody;
arbitrary concentration(37 °C; procedure)

NPU20492

P—Erythrocyte C^X antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte C^X antibody;
arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20943

P—Erythrocyte C^X antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte C^X antibody;
arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20944

P—Erythrocyte C^X antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte C^X antigen;
arbitrary number(procedure)

NPU20232

Ercs(B)—Erythrocyte C^X antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte CD99 antibody;
arbitrary concentration(20 °C; procedure)

NPU20453

P—Erythrocyte CD99 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte CD99 antibody;
arbitrary concentration(37 °C; procedure)

NPU20454

P—Erythrocyte CD99 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte CD99 antibody;
arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU20905

P—Erythrocyte CD99 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte CD99 antibody;
arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU20906

P—Erythrocyte CD99 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—	
Erythrocyte CD99 antigen;	arbitrary substance concentration(20 °C; procedure)
arbitrary number(procedure)	NPU20213
Ercs(B)—Erythrocyte CD99 antigen;	P—Erythrocyte CE antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Ce antibody;	arbitrary substance concentration(20 °C; procedure)
arbitrary concentration(20 °C; procedure)	NPU20455
P—Erythrocyte Ce antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte CE antibody;	arbitrary substance concentration(20 °C; procedure)
arbitrary concentration(20 °C; procedure)	NPU20456
P—Erythrocyte CE antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte cE antibody;	arbitrary substance concentration(20 °C; procedure)
arbitrary concentration(20 °C; procedure)	NPU20457
P—Erythrocyte cE antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Ce antibody;	arbitrary substance concentration(37 °C; procedure)
arbitrary concentration(37 °C; procedure)	NPU20458
P—Erythrocyte Ce antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte CE antibody;	arbitrary substance concentration(37 °C; procedure)
arbitrary concentration(37 °C; procedure)	NPU20459
P—Erythrocyte CE antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte cE antibody;	arbitrary substance concentration(37 °C; procedure)
arbitrary concentration(37 °C; procedure)	NPU20460
P—Erythrocyte cE antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Ce antibody;	arbitrary substance concentration(20 °C; procedure)
arbitrary number(procedure)	NPU20907
P—Erythrocyte Ce antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte CE antibody;	arbitrary number(procedure)
arbitrary number(procedure)	Ercs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?
Erythrocytes(Blood)—	
Erythrocyte CE antigen;	
arbitrary number(procedure)	NPU20215
Ercs(B)—Erythrocyte CE antigen; arb.num.(proc.) = ?	
Erythrocytes(Blood)—	
Erythrocyte cE antigen;	
arbitrary number(procedure)	

NPU20216

Ercs(B)—Erythrocyte cE antigen; arb.num.(proc.)
= ?

Plasma—**Erythrocyte Ch1 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20463

P—Erythrocyte Ch1 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—**Erythrocyte Ch1 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20464

P—Erythrocyte Ch1 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—**Erythrocyte Ch1 antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20915

P—Erythrocyte Ch1 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Ch1 antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20916

P—Erythrocyte Ch1 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Ch1 antigen;**

arbitrary number(procedure)

NPU20218

Ercs(B)—Erythrocyte Ch1 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Ch2 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20465

P—Erythrocyte Ch2 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—**Erythrocyte Ch2 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20466

P—Erythrocyte Ch2 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—**Erythrocyte Ch2 antibody;**

arbitrary concentration(37 °C; procedure)

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU20917

P—Erythrocyte Ch2 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Ch2 antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU20918

P—Erythrocyte Ch2 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Ch2 antigen;**

arbitrary number(procedure)

NPU20219

Ercs(B)—Erythrocyte Ch2 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Ch3 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20467

P—Erythrocyte Ch3 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—**Erythrocyte Ch3 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20468

P—Erythrocyte Ch3 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—**Erythrocyte Ch3 antibody;**

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU20919

P—Erythrocyte Ch3 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Ch3 antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU20920

P—Erythrocyte Ch3 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Ch3 antigen;**

arbitrary number(procedure)

NPU20220

Ercs(B)—Erythrocyte Ch3 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Ch4 antibody;
arbitrary concentration(20 °C; procedure)
NPU20469
P—Erythrocyte Ch4 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Ch4 antibody;
arbitrary concentration(37 °C; procedure)
NPU20470
P—Erythrocyte Ch4 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Ch4 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU20921
P—Erythrocyte Ch4 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ch4 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU20922
P—Erythrocyte Ch4 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ch4 antigen;
arbitrary number(procedure)
NPU20221
Ercs(B)—Erythrocyte Ch4 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Ch5 antibody;
arbitrary concentration(20 °C; procedure)
NPU20471
P—Erythrocyte Ch5 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Ch5 antibody;
arbitrary concentration(37 °C; procedure)
NPU20472
P—Erythrocyte Ch5 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Ch5 antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20923

P—Erythrocyte Ch5 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ch5 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU20924

P—Erythrocyte Ch5 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ch5 antigen;
arbitrary number(procedure)
NPU20222

Ercs(B)—Erythrocyte Ch5 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Ch6 antibody;
arbitrary concentration(20 °C; procedure)
NPU20473
P—Erythrocyte Ch6 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Ch6 antibody;
arbitrary concentration(37 °C; procedure)
NPU20474
P—Erythrocyte Ch6 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Ch6 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU20925
P—Erythrocyte Ch6 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ch6 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU20926
P—Erythrocyte Ch6 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ch6 antigen;
arbitrary number(procedure)
NPU20223
Ercs(B)—Erythrocyte Ch6 antigen;
arb.num.(proc.) = ?

Plasma—	P—Erythrocyte c-like antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte Cl^a antibody; arbitrary concentration(20 °C; procedure)	
NPU20475	
P—Erythrocyte Cl ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Cl^a antibody; arbitrary concentration(37 °C; procedure)	
NPU20476	
P—Erythrocyte Cl ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Cl^a antibody; arbitrary substance concentration(20 °C; procedure)	
NPU20927	
P—Erythrocyte Cl ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Cl^a antibody; arbitrary substance concentration(37 °C; procedure)	
NPU20928	
P—Erythrocyte Cl ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Cl^a antigen; arbitrary number(procedure)	
NPU20224	
Ercs(B)—Erythrocyte Cl ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte c-like antibody; arbitrary concentration(20 °C; procedure)	
NPU20477	
P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte c-like antibody; arbitrary concentration(37 °C; procedure)	
NPU20478	
P—Erythrocyte c-like antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte c-like antibody; arbitrary concentration(20 °C; procedure)	
NPU20929	
P—Erythrocyte c-like antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte c-like antibody; arbitrary substance concentration(20 °C; procedure)	
NPU20930	
P—Erythrocyte c-like antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte c-like antigen; arbitrary number(procedure)	
NPU20225	
Ercs(B)—Erythrocyte c-like antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Co^a antibody; arbitrary concentration(20 °C; procedure)	
NPU20481	
P—Erythrocyte Co ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Co^a antibody; arbitrary concentration(37 °C; procedure)	
NPU20482	
P—Erythrocyte Co ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Co^a antibody; arbitrary substance concentration(20 °C; procedure)	
NPU20933	
P—Erythrocyte Co ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Co^a antibody; arbitrary substance concentration(37 °C; procedure)	
NPU20934	
P—Erythrocyte Co ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Co^a antigen; arbitrary number(procedure)	
NPU20227	
Ercs(B)—Erythrocyte Co ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Co^b antibody;	

arbitrary concentration(20 °C; procedure)	Plasma—
NPU20483	Erythrocyte Co3 antibody;
P—Erythrocyte Co ^b antibody; arb.c.(20 °C; proc.)	arbitrary substance concentration(37 °C;
= ?	procedure)
Plasma—	arbitrary unit/litre
Erythrocyte Co^b antibody;	NPU20932
arbitrary concentration(37 °C; procedure)	P—Erythrocyte Co3 antibody; arb.subst.c.(37 °C;
NPU20484	proc.) = ? arb.unit/l
P—Erythrocyte Co ^b antibody; arb.c.(37 °C; proc.)	Erythrocytes(Blood)—
= ?	Erythrocyte Co3 antigen;
Plasma—	arbitrary number(procedure)
Erythrocyte Co^b antibody;	NPU20226
arbitrary substance concentration(20 °C;	Ercs(B)—Erythrocyte Co3 antigen;
procedure)	arb.num.(proc.) = ?
arbitrary unit/litre	Plasma—
NPU20935	Erythrocyte Cr^a antibody;
P—Erythrocyte Co ^b antibody; arb.subst.c.(20 °C;	arbitrary concentration(20 °C; procedure)
proc.) = ? arb.unit/l	NPU20485
Plasma—	P—Erythrocyte Cr ^a antibody; arb.c.(20 °C; proc.)
Erythrocyte Co^b antibody;	= ?
arbitrary substance concentration(37 °C;	Plasma—
procedure)	Erythrocyte Cr^a antibody;
arbitrary unit/litre	arbitrary concentration(37 °C; procedure)
NPU20936	NPU20486
P—Erythrocyte Co ^b antibody; arb.subst.c.(37 °C;	P—Erythrocyte Cr ^a antibody; arb.c.(37 °C; proc.)
proc.) = ? arb.unit/l	= ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Co^b antigen;	Erythrocyte Cr^a antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C;
NPU20228	procedure)
Ercs(B)—Erythrocyte Co ^b antigen;	arbitrary unit/litre
arb.num.(proc.) = ?	NPU20937
Plasma—	P—Erythrocyte Cr ^a antibody; arb.subst.c.(20 °C;
Erythrocyte Co3 antibody;	proc.) = ? arb.unit/l
arbitrary concentration(20 °C; procedure)	Plasma—
NPU20479	Erythrocyte Cr^a antibody;
P—Erythrocyte Co3 antibody; arb.c.(20 °C; proc.)	arbitrary substance concentration(37 °C;
= ?	procedure)
Plasma—	arbitrary unit/litre
Erythrocyte Co3 antibody;	NPU20938
arbitrary concentration(37 °C; procedure)	P—Erythrocyte Cr ^a antibody; arb.subst.c.(37 °C;
NPU20480	proc.) = ? arb.unit/l
P—Erythrocyte Co3 antibody; arb.c.(37 °C; proc.)	Erythrocytes(Blood)—
= ?	Erythrocyte Cr^a antigen;
Plasma—	arbitrary number(procedure)
Erythrocyte Co3 antibody;	NPU20229
arbitrary substance concentration(20 °C;	Ercs(B)—Erythrocyte Cr ^a antigen; arb.num.(proc.)
procedure)	= ?
arbitrary unit/litre	Plasma—
NPU20931	Erythrocyte Crawford antibody;
P—Erythrocyte Co3 antibody; arb.subst.c.(20 °C;	arbitrary concentration(20 °C; procedure)
proc.) = ? arb.unit/l	NPU20487

P—Erythrocyte Crawford antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Crawford antibody;
arbitrary concentration(37 °C; procedure)

NPU20488

P—Erythrocyte Crawford antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Crawford antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20939

P—Erythrocyte Crawford antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Crawford antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20940

P—Erythrocyte Crawford antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Crawford antigen;
arbitrary number(procedure)

NPU20230

Ercs(B)—Erythrocyte Crawford antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte D antibody;
arbitrary concentration(20 °C; procedure)

NPU20495

P—Erythrocyte D antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte D antibody;
arbitrary concentration(37 °C; procedure)

NPU20496

P—Erythrocyte D antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte D antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20947

P—Erythrocyte D antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte D antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20948

P—Erythrocyte D antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte D antigen;

arbitrary number(procedure)

NPU21917

Ercs(B)—Erythrocyte D antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte D^w antibody;

arbitrary concentration(20 °C; procedure)

NPU20513

P—Erythrocyte D^w antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte D^w antibody;

arbitrary concentration(37 °C; procedure)

NPU20514

P—Erythrocyte D^w antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte D^w antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20965

P—Erythrocyte D^w antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte D^w antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20966

P—Erythrocyte D^w antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte D^w antigen;

arbitrary number(procedure)

NPU20242

Ercs(B)—Erythrocyte D^w antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte DANE antibody;

arbitrary concentration(20 °C; procedure)

NPU20493

P—Erythrocyte DANE antibody; arb.c.(20 °C; proc.) = ?

Plasma—	NPU20950
Erythrocyte DANE antibody; arbitrary concentration(37 °C; procedure)	P—Erythrocyte Dantu antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
NPU20494	
P—Erythrocyte DANE antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	Erythrocytes(Blood)—
Erythrocyte DANE antibody; arbitrary substance concentration(20 °C; procedure)	Erythrocyte Dantu antigen; arbitrary number(procedure)
arbitrary unit/litre	NPU20234
NPU20945	Ercs(B)—Erythrocyte Dantu antigen; arb.num.(proc.) = ?
P—Erythrocyte DANE antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	Plasma—
Erythrocyte DANE antibody; arbitrary substance concentration(37 °C; procedure)	Erythrocyte Dav antibody; arbitrary concentration(20 °C; procedure)
arbitrary unit/litre	NPU20499
NPU20946	P—Erythrocyte Dav antibody; arb.c.(20 °C; proc.) = ?
P—Erythrocyte DANE antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte DANE antigen; arbitrary number(procedure)	Erythrocyte Dav antibody; arbitrary concentration(37 °C; procedure)
NPU20233	NPU20500
Ercs(B)—Erythrocyte DANE antigen; arb.num.(proc.) = ?	P—Erythrocyte Dav antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Dantu antibody; arbitrary concentration(20 °C; procedure)	Erythrocyte Dav antibody; arbitrary substance concentration(20 °C; procedure)
NPU20497	arbitrary unit/litre
P—Erythrocyte Dantu antibody; arb.c.(20 °C; proc.) = ?	NPU20951
Plasma—	P—Erythrocyte Dav antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte Dantu antibody; arbitrary concentration(37 °C; procedure)	
NPU20498	
P—Erythrocyte Dantu antibody; arb.c.(37 °C; proc.) = ?	Erythrocytes(Blood)—
Plasma—	Erythrocyte Dav antigen; arbitrary number(procedure)
Erythrocyte Dantu antibody; arbitrary substance concentration(20 °C; procedure)	NPU20235
arbitrary unit/litre	Ercs(B)—Erythrocyte Dav antigen; arb.num.(proc.) = ?
NPU20949	
P—Erythrocyte Dantu antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Plasma—
Plasma—	Erythrocyte Dh^a antibody; arbitrary concentration(20 °C; procedure)
Erythrocyte Dantu antibody; arbitrary substance concentration(37 °C; procedure)	NPU20501
arbitrary unit/litre	P—Erythrocyte Dh ^a antibody; arb.c.(20 °C; proc.) = ?
NPU20950	
P—Erythrocyte Dantu antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Plasma—
Plasma—	Erythrocyte Dh^a antibody; arbitrary concentration(37 °C; procedure)
Erythrocyte Dantu antibody; arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	

NPU20502

P—Erythrocyte Dh^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Dh^a antibody;**

arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre

NPU20953

P—Erythrocyte Dh^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Dh^a antibody;**

arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre

NPU20954

P—Erythrocyte Dh^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Dh^a antigen;**
arbitrary number(procedure)**NPU20236**

Ercs(B)—Erythrocyte Dh^a antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Di^a antibody;**

arbitrary concentration(20 °C; procedure)
NPU20503

P—Erythrocyte Di^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Di^a antibody;**

arbitrary concentration(37 °C; procedure)
NPU20504

P—Erythrocyte Di^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Di^a antibody;**

arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre

NPU20955

P—Erythrocyte Di^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Di^a antibody;**

arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre

NPU20956

P—Erythrocyte Di^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Di^a antigen;**
arbitrary number(procedure)**NPU20237**

Ercs(B)—Erythrocyte Di^a antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte Di^b antibody;**

arbitrary concentration(20 °C; procedure)

NPU20505

P—Erythrocyte Di^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Di^b antibody;**

arbitrary concentration(37 °C; procedure)
NPU20506

P—Erythrocyte Di^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Di^b antibody;**

arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre

NPU20957

P—Erythrocyte Di^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Di^b antibody;**

arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre

NPU20958

P—Erythrocyte Di^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Di^b antigen;**
arbitrary number(procedure)**NPU20238**

Ercs(B)—Erythrocyte Di^b antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte Do^a antibody;**

arbitrary concentration(20 °C; procedure)

NPU20507

P—Erythrocyte Do^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Do^a antibody;**

arbitrary concentration(37 °C; procedure)
NPU20508

P—Erythrocyte Do^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—	NPU20240
Erythrocyte Do^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20959 P—Erythrocyte Do ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Ercs(B)—Erythrocyte Do ^b antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Do^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20960 P—Erythrocyte Do ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Dr^a antibody; arbitrary concentration(20 °C; procedure) NPU20511 P—Erythrocyte Dr ^a antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Do^a antigen; arbitrary number(procedure) NPU20239 Ercs(B)—Erythrocyte Do ^a antigen; arb.num.(proc.) = ?	Erythrocyte Dr^a antibody; arbitrary concentration(37 °C; procedure) NPU20512 P—Erythrocyte Dr ^a antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Do^b antibody; arbitrary concentration(20 °C; procedure) NPU20509 P—Erythrocyte Do ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Dr ^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20963 P—Erythrocyte Dr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Do^b antibody; arbitrary concentration(37 °C; procedure) NPU20510 P—Erythrocyte Do ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Dr^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20964 P—Erythrocyte Dr ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Do^b antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20961 P—Erythrocyte Do ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Dr^a antigen; arbitrary number(procedure) NPU20241 Ercs(B)—Erythrocyte Dr ^a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Do^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20962 P—Erythrocyte Do ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte E antibody; arbitrary concentration(20 °C; procedure) NPU20515 P—Erythrocyte E antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Do^b antigen; arbitrary number(procedure)	Erythrocyte e antibody; arbitrary concentration(20 °C; procedure) NPU20516 P—Erythrocyte e antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
	Erythrocyte E antibody; arbitrary concentration(37 °C; procedure)

NPU20517

P—Erythrocyte E antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte e antibody;**

arbitrary concentration(37 °C; procedure)

NPU20518

P—Erythrocyte e antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte E antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20967

P—Erythrocyte E antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte e antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20968

P—Erythrocyte e antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte E antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20969

P—Erythrocyte E antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte e antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20970

P—Erythrocyte e antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte E antigen;**

arbitrary number(procedure)

NPU20243

Ercs(B)—Erythrocyte E antigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—**Erythrocyte e antigen;**

arbitrary number(procedure)

NPU20244

Ercs(B)—Erythrocyte e antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte E^W antibody;
arbitrary concentration(20 °C; procedure)

NPU20537

P—Erythrocyte E^W antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte E^W antibody;
arbitrary concentration(37 °C; procedure)

NPU20538

P—Erythrocyte E^W antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte E^W antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20989

P—Erythrocyte E^W antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte E^W antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20990

P—Erythrocyte E^W antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte E^W antigen;
arbitrary number(procedure)

NPU20254

Ercs(B)—Erythrocyte E^W antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary concentration(20 °C; procedure)

NPU20519

P—Erythrocyte ELO antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary concentration(37 °C; procedure)

NPU20520

P—Erythrocyte ELO antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte ELO antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20971

P—Erythrocyte ELO antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte ELO antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20972

P—Erythrocyte ELO antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ELO antigen;

arbitrary number(procedure)

NPU20245

Ercs(B)—Erythrocyte ELO antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte En^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20521

P—Erythrocyte En^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte En^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20522

P—Erythrocyte En^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte En^a antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20973

P—Erythrocyte En^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte En^a antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20974

P—Erythrocyte En^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte En^a antigen;

arbitrary number(procedure)

NPU20246

Ercs(B)—Erythrocyte En^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte ENAV antibody;

arbitrary concentration(20 °C; procedure)

NPU20523

P—Erythrocyte ENAV antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte ENAV antibody;

arbitrary concentration(37 °C; procedure)

NPU20524

P—Erythrocyte ENAV antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte ENAV antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20975

P—Erythrocyte ENAV antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte ENAV antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU20976

P—Erythrocyte ENAV antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ENAV antigen;

arbitrary number(procedure)

NPU20247

Ercs(B)—Erythrocyte ENAV antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte ENEH antibody;

arbitrary concentration(20 °C; procedure)

NPU20525

P—Erythrocyte ENEH antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte ENEH antibody;

arbitrary concentration(37 °C; procedure)

NPU20526

P—Erythrocyte ENEH antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte ENEH antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU20977

P—Erythrocyte ENEH antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—	P—Erythrocyte ENKT antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte ENEH antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20978 P—Erythrocyte ENEH antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte ENKT antibody; arbitrary concentration(37 °C; procedure) NPU20530 P—Erythrocyte ENKT antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte ENEH antigen; arbitrary number(procedure) NPU20248 Ercs(B)—Erythrocyte ENEH antigen; arb.num.(proc.) = ?	Erythrocyte ENKT antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20981 P—Erythrocyte ENKT antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte ENEP antibody; arbitrary concentration(20 °C; procedure) NPU20527 P—Erythrocyte ENEP antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte ENKT antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20982 P—Erythrocyte ENKT antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte ENEP antibody; arbitrary concentration(37 °C; procedure) NPU20528 P—Erythrocyte ENEP antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte ENKT antigen; arbitrary number(procedure) NPU20250 Ercs(B)—Erythrocyte ENKT antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte ENEP antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20979 P—Erythrocyte ENEP antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte ERIK antibody; arbitrary concentration(20 °C; procedure) NPU20531 P—Erythrocyte ERIK antibody; arb.c.(20 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte ENEP antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU20980 P—Erythrocyte ENEP antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte ERIK antibody; arbitrary concentration(37 °C; procedure) NPU20532 P—Erythrocyte ERIK antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte ENEP antigen; arbitrary number(procedure) NPU20249 Ercs(B)—Erythrocyte ENEP antigen; arb.num.(proc.) = ?	Erythrocyte ERIK antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU20983 P—Erythrocyte ERIK antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte ENKT antibody; arbitrary concentration(20 °C; procedure) NPU20529	Erythrocyte ERIK antibody;

**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20984
P—Erythrocyte ERIK antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte ERIK antigen;
arbitrary number(procedure)
NPU20251
Ercs(B)—Erythrocyte ERIK antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Es^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20533
P—Erythrocyte Es^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Es^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20534
P—Erythrocyte Es^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Es^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20985
P—Erythrocyte Es^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Es^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20986
P—Erythrocyte Es^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Es^a antigen;
arbitrary number(procedure)
NPU20252
Ercs(B)—Erythrocyte Es^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Evans antibody;
arbitrary concentration(20 °C; procedure)
NPU20535
P—Erythrocyte Evans antibody; arb.c.(20 °C; proc.) = ?

Plasma—
Erythrocyte Evans antibody;
arbitrary concentration(37 °C; procedure)
NPU20536
P—Erythrocyte Evans antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Evans antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20987
P—Erythrocyte Evans antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Evans antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20988
P—Erythrocyte Evans antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Evans antigen;
arbitrary number(procedure)
NPU20253
Ercs(B)—Erythrocyte Evans antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte f antibody;
arbitrary concentration(20 °C; procedure)
NPU20539
P—Erythrocyte f antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte f antibody;
arbitrary concentration(37 °C; procedure)
NPU20540
P—Erythrocyte f antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte f antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU20991
P—Erythrocyte f antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte f antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU20992

P—Erythrocyte f antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte f antigen;
arbitrary number(procedure)

NPU20255

Ercs(B)—Erythrocyte f antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Far antibody;
arbitrary concentration(20 °C; procedure)

NPU20541

P—Erythrocyte Far antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Far antibody;
arbitrary concentration(37 °C; procedure)

NPU20542

P—Erythrocyte Far antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Far antibody;
**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU20993

P—Erythrocyte Far antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Far antibody;
**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU20994

P—Erythrocyte Far antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Far antigen;
arbitrary number(procedure)

NPU20256

Ercs(B)—Erythrocyte Far antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte FPTT antibody;
arbitrary concentration(20 °C; procedure)

NPU20543

P—Erythrocyte FPTT antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte FPTT antibody;
arbitrary concentration(37 °C; procedure)

NPU20544

P—Erythrocyte FPTT antibody; arb.c.(37 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte FPTT antibody;
**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU20995

P—Erythrocyte FPTT antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte FPTT antibody;
**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU20996

P—Erythrocyte FPTT antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte FPTT antigen;
arbitrary number(procedure)

NPU20257

Ercs(B)—Erythrocyte FPTT antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Fr^a antibody;
arbitrary concentration(20 °C; procedure)

NPU20545

P—Erythrocyte Fr^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Fr^a antibody;
arbitrary concentration(37 °C; procedure)

NPU20546

P—Erythrocyte Fr^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Fr^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU20997

P—Erythrocyte Fr^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Fr^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU20998

P—Erythrocyte Fr^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—	Plasma—
Erythrocyte Fr^a antigen; arbitrary number(procedure)	Erythrocyte Fy^b antibody; arbitrary substance concentration(20 °C; procedure)
NPU20258	arbitrary unit/litre
Ercs(B)—Erythrocyte Fr ^a antigen; arb.num.(proc.) = ?	NPU21009
Plasma—	P—Erythrocyte Fy^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte Fy^a antibody; arbitrary concentration(20 °C; procedure)	Plasma—
NPU20555	Erythrocyte Fy^b antibody; arbitrary substance concentration(37 °C; procedure)
P—Erythrocyte Fy ^a antibody; arb.c.(20 °C; proc.) = ?	arbitrary unit/litre
Plasma—	NPU21010
Erythrocyte Fy^a antibody; arbitrary concentration(37 °C; procedure)	P—Erythrocyte Fy^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
NPU20556	Erythrocytes(Blood)—
P—Erythrocyte Fy ^a antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Fy^b antigen; arbitrary number(procedure)
Plasma—	NPU20264
Erythrocyte Fy^a antibody; arbitrary substance concentration(20 °C; procedure)	Ercs(B)—Erythrocyte Fy ^b antigen; arb.num.(proc.) = ?
arbitrary unit/litre	Plasma—
NPU21007	Erythrocyte Fy3 antibody; arbitrary concentration(20 °C; procedure)
P—Erythrocyte Fy ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	NPU20547
Plasma—	P—Erythrocyte Fy3 antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte Fy^a antibody; arbitrary substance concentration(37 °C; procedure)	Plasma—
NPU21008	Erythrocyte Fy3 antibody; arbitrary concentration(37 °C; procedure)
P—Erythrocyte Fy ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	NPU20548
Erythrocytes(Blood)—	P—Erythrocyte Fy3 antibody; arb.c.(37 °C; proc.) = ?
Erythrocyte Fy^a antigen; arbitrary number(procedure)	Plasma—
NPU20263	Erythrocyte Fy3 antibody; arbitrary substance concentration(20 °C; procedure)
Ercs(B)—Erythrocyte Fy ^a antigen; arb.num.(proc.) = ?	arbitrary unit/litre
Plasma—	NPU20999
Erythrocyte Fy^b antibody; arbitrary concentration(20 °C; procedure)	P—Erythrocyte Fy3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
NPU20557	Plasma—
P—Erythrocyte Fy ^b antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Fy3 antibody; arbitrary substance concentration(37 °C; procedure)
Plasma—	arbitrary unit/litre
Erythrocyte Fy^b antibody; arbitrary concentration(37 °C; procedure)	NPU21000
NPU20558	P—Erythrocyte Fy3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
P—Erythrocyte Fy ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocytes(Blood)—
	Erythrocyte Fy3 antigen; arbitrary number(procedure)

NPU20259

Ercs(B)—Erythrocyte Fy3 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Fy4 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20549

P—Erythrocyte Fy4 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Fy4 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20550

P—Erythrocyte Fy4 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Fy4 antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21001

P—Erythrocyte Fy4 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Fy4 antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21002

P—Erythrocyte Fy4 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Fy4 antigen;**

arbitrary number(procedure)

NPU20260

Ercs(B)—Erythrocyte Fy4 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Fy5 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20551

P—Erythrocyte Fy5 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Fy5 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20552

P—Erythrocyte Fy5 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Fy5 antibody;**

arbitrary concentration(37 °C; procedure)

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21003

P—Erythrocyte Fy5 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Fy5 antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21004

P—Erythrocyte Fy5 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Fy5 antigen;**

arbitrary number(procedure)

NPU20261

Ercs(B)—Erythrocyte Fy5 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Fy6 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20553

P—Erythrocyte Fy6 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Fy6 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20554

P—Erythrocyte Fy6 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Fy6 antibody;**

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21005

P—Erythrocyte Fy6 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Fy6 antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21006

P—Erythrocyte Fy6 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Fy6 antigen;**

arbitrary number(procedure)

NPU20262

Ercs(B)—Erythrocyte Fy6 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte G antibody;

arbitrary concentration(20 °C; procedure)

NPU20559

P—Erythrocyte G antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte G antibody;

arbitrary concentration(37 °C; procedure)

NPU20560

P—Erythrocyte G antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte G antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21011

P—Erythrocyte G antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte G antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21012

P—Erythrocyte G antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte G antigen;

arbitrary number(procedure)

NPU20265

Ercs(B)—Erythrocyte G antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Ge2 antibody;

arbitrary concentration(20 °C; procedure)

NPU20561

P—Erythrocyte Ge2 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Ge2 antibody;

arbitrary concentration(37 °C; procedure)

NPU20562

P—Erythrocyte Ge2 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Ge2 antibody;

arbitrary substance concentration(20 °C;
procedure)

procedure)

arbitrary unit/litre

NPU21013

P—Erythrocyte Ge2 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ge2 antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21014

P—Erythrocyte Ge2 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ge2 antigen;

arbitrary number(procedure)

NPU20266

Ercs(B)—Erythrocyte Ge2 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Ge3 antibody;

arbitrary concentration(20 °C; procedure)

NPU20563

P—Erythrocyte Ge3 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Ge3 antibody;

arbitrary concentration(37 °C; procedure)

NPU20564

P—Erythrocyte Ge3 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Ge3 antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21015

P—Erythrocyte Ge3 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ge3 antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21016

P—Erythrocyte Ge3 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ge3 antigen;

arbitrary number(procedure)

NPU20267

Ercs(B)—Erythrocyte Ge3 antigen;
arb.num.(proc.) = ?

Plasma—	P—Erythrocyte Go ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte Ge4 antibody; arbitrary concentration(20 °C; procedure) NPU20565 P—Erythrocyte Ge4 antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Ge4 antibody; arbitrary concentration(37 °C; procedure) NPU20566 P—Erythrocyte Ge4 antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Ge4 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21017 P—Erythrocyte Ge4 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Ge4 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21018 P—Erythrocyte Ge4 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Go^a antigen; arbitrary number(procedure) NPU20269 Ercs(B)—Erythrocyte Go ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Gy^a antibody; arbitrary concentration(20 °C; procedure) NPU20569 P—Erythrocyte Gy ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Gy^a antibody; arbitrary concentration(37 °C; procedure) NPU20570 P—Erythrocyte Gy ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Gy^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21021 P—Erythrocyte Gy ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Gy^a antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21022 P—Erythrocyte Gy ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Gy^a antigen; arbitrary number(procedure) NPU20270 Ercs(B)—Erythrocyte Gy ^a antigen; arb.num.(proc.) = ?	

Plasma—	P—Erythrocyte HAG antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte H antibody; arbitrary concentration(20 °C; procedure)	
NPU20573	
P—Erythrocyte H antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte H antibody; arbitrary concentration(37 °C; procedure)	
NPU20574	
P—Erythrocyte H antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte H antibody; arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21025	
P—Erythrocyte H antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte H antibody; arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21026	
P—Erythrocyte H antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte H antigen; arbitrary number(procedure)	
NPU20272	
Ercs(B)—Erythrocyte H antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte HAG antibody; arbitrary concentration(20 °C; procedure)	
NPU20571	
P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte HAG antibody; arbitrary concentration(37 °C; procedure)	
NPU20572	
P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte HAG antibody; arbitrary concentration(20 °C; procedure)	
NPU21027	
P—Erythrocyte HAG antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte HAG antibody; arbitrary concentration(37 °C; procedure)	
NPU21028	
P—Erythrocyte HAG antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte HAG antibody; arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21023	
Ercs(B)—Erythrocyte HAG antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte He antigen; arbitrary number(procedure)	
NPU20273	
Ercs(B)—Erythrocyte He antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Hg^a antibody;	

arbitrary concentration(20 °C; procedure)

NPU20577

P—Erythrocyte Hg^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hg^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20578

P—Erythrocyte Hg^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hg^a antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21029

P—Erythrocyte Hg^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hg^a antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21030

P—Erythrocyte Hg^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hg^a antigen;

arbitrary number(procedure)

NPU20274

Ercs(B)—Erythrocyte Hg^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hil antibody;

arbitrary concentration(20 °C; procedure)

NPU20579

P—Erythrocyte Hil antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hil antibody;

arbitrary concentration(37 °C; procedure)

NPU20580

P—Erythrocyte Hil antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hil antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21031

P—Erythrocyte Hil antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hil antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21032

P—Erythrocyte Hil antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hil antigen;

arbitrary number(procedure)

NPU20275

Ercs(B)—Erythrocyte Hil antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hop antibody;

arbitrary concentration(20 °C; procedure)

NPU20581

P—Erythrocyte Hop antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hop antibody;

arbitrary concentration(37 °C; procedure)

NPU20582

P—Erythrocyte Hop antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hop antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21033

P—Erythrocyte Hop antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hop antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21034

P—Erythrocyte Hop antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hop antigen;

arbitrary number(procedure)

NPU20276

Ercs(B)—Erythrocyte Hop antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hr antibody;

arbitrary concentration(20 °C; procedure)

NPU20583

P—Erythrocyte Hr antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hr antibody;

arbitrary concentration(37 °C; procedure)

NPU20584

P—Erythrocyte Hr antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hr antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21035

P—Erythrocyte Hr antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21036

P—Erythrocyte Hr antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hr antigen;

arbitrary number(procedure)

NPU20277

Ercs(B)—Erythrocyte Hr antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hr_o antibody;

arbitrary concentration(20 °C; procedure)

NPU20591

P—Erythrocyte Hr_o antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hr_o antibody;

arbitrary concentration(37 °C; procedure)

NPU20592

P—Erythrocyte Hr_o antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hr_o antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21043

P—Erythrocyte Hr_o antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr_o antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21044

P—Erythrocyte Hr_o antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hr_o antigen;

arbitrary number(procedure)

NPU20281

Ercs(B)—Erythrocyte Hr_o antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte hr^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20585

P—Erythrocyte hr^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte hr^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20586

P—Erythrocyte hr^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte hr^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20587

P—Erythrocyte hr^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte hr^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20588

P—Erythrocyte hr^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte hr^b antibody;

arbitrary substance concentration(20 °C; procedure)

NPU21037

P—Erythrocyte hr^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte hr^b antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21038

P—Erythrocyte Hr^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr^b antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21039

P—Erythrocyte Hr^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr^b antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21040

P—Erythrocyte Hr^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hr^b antigen;

arbitrary number(procedure)

NPU20278

Ercs(B)—Erythrocyte Hr^b antigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—

Erythrocyte Hr^b antigen;

arbitrary number(procedure)

NPU20279

Ercs(B)—Erythrocyte Hr^b antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hr^{H} antibody;

arbitrary concentration(20 °C; procedure)

NPU20589

P—Erythrocyte Hr^{H} antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hr^{H} antibody;

arbitrary concentration(37 °C; procedure)

NPU20590

P—Erythrocyte Hr^{H} antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hr^{H} antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21041

P—Erythrocyte Hr^{H} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr^{H} antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21042

P—Erythrocyte Hr^{H} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hr^{S} antigen;

arbitrary number(procedure)

NPU20280

Ercs(B)—Erythrocyte Hr^{S} antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Hr^{S} antibody;

arbitrary concentration(20 °C; procedure)

NPU20593

P—Erythrocyte Hr^{S} antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Hr^{S} antibody;

arbitrary concentration(37 °C; procedure)

NPU20594

P—Erythrocyte Hr^{S} antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Hr^{S} antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21045

P—Erythrocyte Hr^{S} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Hr^{S} antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21046

P—Erythrocyte Hr^{S} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Hr^{S} antigen;

arbitrary number(procedure)

NPU20282

Ercs(B)—Erythrocyte Hr^{S} antigen; arb.num.(proc.) = ?

Plasma—	P—Erythrocyte Hy antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte Hut antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20595	
P—Erythrocyte Hut antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Hut antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20596	
P—Erythrocyte Hut antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Hut antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21047	
P—Erythrocyte Hut antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Hut antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21048	
P—Erythrocyte Hut antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Hut antigen;	
arbitrary number(procedure)	
NPU20283	
Ercs(B)—Erythrocyte Hut antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Hy antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20597	
P—Erythrocyte Hy antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Hy antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20598	
P—Erythrocyte Hy antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Hy antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21049	
P—Erythrocyte Hy antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte IFC antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20284	
P—Erythrocyte IFC antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte IFC antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20600	
P—Erythrocyte IFC antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte IFC antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21051	
P—Erythrocyte IFC antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte IFC antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21052	
P—Erythrocyte IFC antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte IFC antigen;	
arbitrary number(procedure)	
NPU20285	
Ercs(B)—Erythrocyte IFC antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte In^a antibody;	

arbitrary concentration(20 °C; procedure)

NPU20601

P—Erythrocyte In^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte In^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20602

P—Erythrocyte In^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte In^a antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21053

P—Erythrocyte In^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte In^a antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21054

P—Erythrocyte In^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte In^a antigen;

arbitrary number(procedure)

NPU20286

Ercs(B)—Erythrocyte In^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte In^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20603

P—Erythrocyte In^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte In^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20604

P—Erythrocyte In^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte In^b antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21055

P—Erythrocyte In^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte In^b antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21056

P—Erythrocyte In^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte In^b antigen;

arbitrary number(procedure)

NPU20287

Ercs(B)—Erythrocyte In^b antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte JAL antibody;

arbitrary concentration(20 °C; procedure)

NPU20605

P—Erythrocyte JAL antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte JAL antibody;

arbitrary concentration(37 °C; procedure)

NPU20606

P—Erythrocyte JAL antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte JAL antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21057

P—Erythrocyte JAL antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte JAL antibody;

arbitrary substance concentration(37 °C; procedure)

NPU21058

P—Erythrocyte JAL antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte JAL antigen;

arbitrary number(procedure)

NPU20288

Ercs(B)—Erythrocyte JAL antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Jk^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20609

P—Erythrocyte Jk^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Jk^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20610
P—Erythrocyte Jk^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Jk^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21061
P—Erythrocyte Jk^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Jk^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21062
P—Erythrocyte Jk^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Jk^a antigen;
arbitrary number(procedure)
NPU20290
Ercs(B)—Erythrocyte Jk^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Jk^b antibody;
arbitrary concentration(20 °C; procedure)
NPU20611
P—Erythrocyte Jk^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Jk^b antibody;
arbitrary concentration(37 °C; procedure)
NPU20612
P—Erythrocyte Jk^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Jk^b antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21063
P—Erythrocyte Jk^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Jk^b antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21064
P—Erythrocyte Jk^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Jk^b antigen;
arbitrary number(procedure)
NPU20291
Ercs(B)—Erythrocyte Jk^b antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Jk3 antibody;
arbitrary concentration(20 °C; procedure)
NPU20607
P—Erythrocyte Jk3 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Jk3 antibody;
arbitrary concentration(37 °C; procedure)
NPU20608
P—Erythrocyte Jk3 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Jk3 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21059
P—Erythrocyte Jk3 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Jk3 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21060
P—Erythrocyte Jk3 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Jk3 antigen;
arbitrary number(procedure)
NPU20289
Ercs(B)—Erythrocyte Jk3 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Jn^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20613

P—Erythrocyte Jn^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Jn^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20614
P—Erythrocyte Jn^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Jn^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21065
P—Erythrocyte Jn^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Jn^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21066
P—Erythrocyte Jn^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Jn^a antigen;
arbitrary number(procedure)
NPU20292
Ercs(B)—Erythrocyte Jn^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Jo^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20615
P—Erythrocyte Jo^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Jo^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20616
P—Erythrocyte Jo^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Jo^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21067
P—Erythrocyte Jo^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Jo^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21068
P—Erythrocyte Jo^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Jo^a antigen;
arbitrary number(procedure)
NPU20293
Ercs(B)—Erythrocyte Jo^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Js^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20617
P—Erythrocyte Js^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Js^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20618
P—Erythrocyte Js^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Js^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21069
P—Erythrocyte Js^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Js^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21070
P—Erythrocyte Js^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Js^a antigen;
arbitrary number(procedure)
NPU20294
Ercs(B)—Erythrocyte Js^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Js^b antibody;
arbitrary concentration(20 °C; procedure)
NPU20619

P—Erythrocyte Js^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Js^b antibody;
arbitrary concentration(37 °C; procedure)
NPU20620
P—Erythrocyte Js^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Js^b antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21071
P—Erythrocyte Js^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Js^b antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21072
P—Erythrocyte Js^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Js^b antigen;
arbitrary number(procedure)
NPU20295
Ercs(B)—Erythrocyte Js^b antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte K antibody;
arbitrary concentration(20 °C; procedure)
NPU20643
P—Erythrocyte K antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte k antibody;
arbitrary concentration(20 °C; procedure)
NPU20644
P—Erythrocyte k antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K antibody;
arbitrary concentration(37 °C; procedure)
NPU20645
P—Erythrocyte K antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte k antibody;
arbitrary concentration(37 °C; procedure)

NPU20646

P—Erythrocyte k antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU210⁹/5

P—Erythrocyte K antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte k antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU210⁹/6

P—Erythrocyte k antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte K antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU210⁹/7

P—Erythrocyte K antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte k antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU210⁹/8
P—Erythrocyte k antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K antigen;
arbitrary number(procedure)
NPU20307
Ercs(B)—Erythrocyte K antigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—

Erythrocyte k antigen;
arbitrary number(procedure)
NPU20308
Ercs(B)—Erythrocyte k antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte K11 antibody;
arbitrary concentration(20 °C; procedure)
NPU20621
P—Erythrocyte K11 antibody; arb.c.(20 °C; proc.) = ?

Plasma—	arbitrary unit/litre
Erythrocyte K11 antibody;	NPU21076
arbitrary concentration(37 °C; procedure)	P—Erythrocyte K12 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
NPU20622	
P—Erythrocyte K11 antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	Erythrocytes(Blood)—
Erythrocyte K11 antibody;	Erythrocyte K12 antigen;
arbitrary substance concentration(20 °C; procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU20297
NPU21073	Ercs(B)—Erythrocyte K12 antigen; arb.num.(proc.) = ?
P—Erythrocyte K11 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	Plasma—
Erythrocyte K11 antibody;	Erythrocyte K13 antibody;
arbitrary substance concentration(37 °C; procedure)	arbitrary concentration(20 °C; procedure)
arbitrary unit/litre	NPU20625
NPU21074	P—Erythrocyte K13 antibody; arb.c.(20 °C; proc.) = ?
P—Erythrocyte K11 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	Plasma—
Erythrocyte K11 antigen;	Erythrocyte K13 antibody;
arbitrary number(procedure)	arbitrary concentration(37 °C; procedure)
NPU20296	NPU20626
Ercs(B)—Erythrocyte K11 antigen; arb.num.(proc.) = ?	P—Erythrocyte K13 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K12 antibody;	Erythrocyte K13 antibody;
arbitrary concentration(20 °C; procedure)	arbitrary substance concentration(20 °C; procedure)
NPU20623	arbitrary unit/litre
P—Erythrocyte K12 antibody; arb.c.(20 °C; proc.) = ?	NPU21077
Plasma—	P—Erythrocyte K13 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte K12 antibody;	
arbitrary concentration(37 °C; procedure)	Plasma—
NPU20624	Erythrocyte K13 antibody;
P—Erythrocyte K12 antibody; arb.c.(37 °C; proc.) = ?	arbitrary substance concentration(37 °C; procedure)
Plasma—	arbitrary unit/litre
Erythrocyte K12 antibody;	NPU21078
arbitrary substance concentration(20 °C; procedure)	P—Erythrocyte K13 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
arbitrary unit/litre	
NPU21075	
P—Erythrocyte K12 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocytes(Blood)—
Plasma—	Erythrocyte K13 antigen;
Erythrocyte K12 antibody;	arbitrary number(procedure)
arbitrary substance concentration(37 °C; procedure)	NPU20298
arbitrary unit/litre	Ercs(B)—Erythrocyte K13 antigen; arb.num.(proc.) = ?
NPU21076	
P—Erythrocyte K12 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Plasma—
Plasma—	Erythrocyte K14 antibody;
Erythrocyte K12 antibody;	arbitrary concentration(20 °C; procedure)
arbitrary substance concentration(37 °C; procedure)	NPU20627
arbitrary unit/litre	P—Erythrocyte K14 antibody; arb.c.(20 °C; proc.) = ?
NPU21077	
P—Erythrocyte K12 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Plasma—
Plasma—	Erythrocyte K14 antibody;
Erythrocyte K12 antibody;	
arbitrary substance concentration(37 °C; procedure)	

arbitrary concentration(37 °C; procedure)

NPU20628

P—Erythrocyte K14 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K14 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21079

P—Erythrocyte K14 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte K14 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21080

P—Erythrocyte K14 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K14 antigen;

arbitrary number(procedure)

NPU20299

Ercs(B)—Erythrocyte K14 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte K16 antibody;

arbitrary concentration(20 °C; procedure)

NPU20629

P—Erythrocyte K16 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K16 antibody;

arbitrary concentration(37 °C; procedure)

NPU20630

P—Erythrocyte K16 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K16 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21081

P—Erythrocyte K16 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte K16 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21082

P—Erythrocyte K16 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K16 antigen;

arbitrary number(procedure)

NPU20300

Ercs(B)—Erythrocyte K16 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte K17 antibody;

arbitrary concentration(20 °C; procedure)

NPU20631

P—Erythrocyte K17 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K17 antibody;

arbitrary concentration(37 °C; procedure)

NPU20632

P—Erythrocyte K17 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K17 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21083

P—Erythrocyte K17 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte K17 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21084

P—Erythrocyte K17 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K17 antigen;

arbitrary number(procedure)

NPU20301

Ercs(B)—Erythrocyte K17 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte K18 antibody;

arbitrary concentration(20 °C; procedure)

NPU20633

P—Erythrocyte K18 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K18 antibody;

arbitrary concentration(37 °C; procedure)

NPU20634

P—Erythrocyte K18 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K18 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21085
P—Erythrocyte K18 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte K18 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21086
P—Erythrocyte K18 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K18 antigen;
arbitrary number(procedure)
NPU20302
Ercs(B)—Erythrocyte K18 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte K19 antibody;
arbitrary concentration(20 °C; procedure)
NPU20635
P—Erythrocyte K19 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K19 antibody;
arbitrary concentration(37 °C; procedure)
NPU20636
P—Erythrocyte K19 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K19 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21087
P—Erythrocyte K19 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte K19 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21088
P—Erythrocyte K19 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K19 antigen;
arbitrary number(procedure)
NPU20303
Ercs(B)—Erythrocyte K19 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte K22 antibody;
arbitrary concentration(20 °C; procedure)
NPU20637
P—Erythrocyte K22 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K22 antibody;
arbitrary concentration(37 °C; procedure)
NPU20638
P—Erythrocyte K22 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte K22 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21089
P—Erythrocyte K22 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte K22 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21090
P—Erythrocyte K22 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte K22 antigen;
arbitrary number(procedure)
NPU20304
Ercs(B)—Erythrocyte K22 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte K23 antibody;
arbitrary concentration(20 °C; procedure)
NPU20639
P—Erythrocyte K23 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte K23 antibody;
arbitrary concentration(37 °C; procedure)
NPU20640
P—Erythrocyte K23 antibody; arb.c.(37 °C; proc.) = ?

Plasma—	NPU20306
Erythrocyte K23 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/1 P—Erythrocyte K23 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Ercs(B)—Erythrocyte K24 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte K23 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU210⁹/2 P—Erythrocyte K23 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Km antibody; arbitrary concentration(20 °C; procedure) NPU20647 P—Erythrocyte Km antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K23 antigen; arbitrary number(procedure) NPU20305 Ercs(B)—Erythrocyte K23 antigen; arb.num.(proc.) = ?	Erythrocyte Km antibody; arbitrary concentration(37 °C; procedure) NPU20648 P—Erythrocyte Km antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary concentration(20 °C; procedure) NPU20641 P—Erythrocyte K24 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Km antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/9 P—Erythrocyte Km antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary concentration(37 °C; procedure) NPU20642 P—Erythrocyte K24 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Km antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21100 P—Erythrocyte Km antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte K24 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU210⁹/3 P—Erythrocyte K24 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Km antigen; arbitrary number(procedure) NPU20309 Ercs(B)—Erythrocyte Km antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte K24 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU210⁹/4 P—Erythrocyte K24 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Kn^a antibody; arbitrary concentration(20 °C; procedure) NPU20649 P—Erythrocyte Kn ^a antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte K24 antigen; arbitrary number(procedure)	Erythrocyte Kn^a antibody; arbitrary concentration(37 °C; procedure) NPU20650 P—Erythrocyte Kn ^a antibody; arb.c.(37 °C; proc.) = ?
	Plasma—
	Erythrocyte Kn^a antibody; arbitrary number(procedure)

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21101

P—Erythrocyte Kn^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Kn^a antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21102

P—Erythrocyte Kn^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Kn^a antigen;

arbitrary number(procedure)

NPU20310

Ercs(B)—Erythrocyte Kn^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Kn^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20651

P—Erythrocyte Kn^b antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Kn^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20652

P—Erythrocyte Kn^b antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Kn^b antibody;

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21103

P—Erythrocyte Kn^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Kn^b antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21104

P—Erythrocyte Kn^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Kn^b antigen;

arbitrary number(procedure)

NPU20311

Ercs(B)—Erythrocyte Kn^b antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Kp^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20653

P—Erythrocyte Kp^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20654

P—Erythrocyte Kp^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^a antibody;

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21105

P—Erythrocyte Kp^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Kp^a antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21106

P—Erythrocyte Kp^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Kp^a antigen;

arbitrary number(procedure)

NPU20312

Ercs(B)—Erythrocyte Kp^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Kp^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20655

P—Erythrocyte Kp^b antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20656

P—Erythrocyte Kp^b antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^b antibody;

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21107

P—Erythrocyte Kp^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Kp^b antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21108

P—Erythrocyte Kp^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Kp^b antigen;

arbitrary number(procedure)

NPU20313

Ercs(B)—Erythrocyte Kp^b antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Kp^c antibody;

arbitrary concentration(20 °C; procedure)

NPU20657

P—Erythrocyte Kp^c antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^c antibody;

arbitrary concentration(37 °C; procedure)

NPU20658

P—Erythrocyte Kp^c antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Kp^c antibody;

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21109/

P—Erythrocyte Kp^c antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Kp^c antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21110

P—Erythrocyte Kp^c antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Kp^c antigen;

arbitrary number(procedure)

NPU20314

Ercs(B)—Erythrocyte Kp^c antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte KREP antibody;

arbitrary concentration(20 °C; procedure)

NPU20659

P—Erythrocyte KREP antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte KREP antibody;

arbitrary concentration(37 °C; procedure)

NPU20660

P—Erythrocyte KREP antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte KREP antibody;

**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre

NPU21111

P—Erythrocyte KREP antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte KREP antibody;

**arbitrary substance concentration(37 °C;
procedure)**

arbitrary unit/litre

NPU21112

P—Erythrocyte KREP antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte KREP antigen;

arbitrary number(procedure)

NPU20315

Ercs(B)—Erythrocyte KREP antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Ku antibody;

arbitrary concentration(20 °C; procedure)

NPU20661

P—Erythrocyte Ku antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Ku antibody;

arbitrary concentration(37 °C; procedure)

NPU20662

P—Erythrocyte Ku antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Ku antibody;

**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21113
P—Erythrocyte Ku antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—
Erythrocyte Ku antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21114
P—Erythrocyte Ku antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Ku antigen;
arbitrary number(procedure)
NPU20316
Ercs(B)—Erythrocyte Ku antigen; arb.num.(proc.)
= ?

Plasma—
Erythrocyte Kx antibody;
arbitrary concentration(20 °C; procedure)
NPU20663
P—Erythrocyte Kx antibody; arb.c.(20 °C; proc.) =
?

Plasma—
Erythrocyte Kx antibody;
arbitrary concentration(37 °C; procedure)
NPU20664
P—Erythrocyte Kx antibody; arb.c.(37 °C; proc.) =
?

Plasma—
Erythrocyte Kx antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21115
P—Erythrocyte Kx antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—
Erythrocyte Kx antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21116
P—Erythrocyte Kx antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Kx antigen;
arbitrary number(procedure)
NPU20317

Ercs(B)—Erythrocyte Kx antigen; arb.num.(proc.)
= ?

Plasma—
Erythrocyte Le^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20665
P—Erythrocyte Le^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—
Erythrocyte Le^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20666
P—Erythrocyte Le^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—
Erythrocyte Le^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21117
P—Erythrocyte Le^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—
Erythrocyte Le^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21118
P—Erythrocyte Le^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—
Erythrocyte Le^a antigen;
arbitrary number(procedure)
NPU20318
Ercs(B)—Erythrocyte Le^a antigen; arb.num.(proc.)
= ?

Plasma—
Erythrocyte Le^{ab} antibody;
arbitrary concentration(20 °C; procedure)
NPU20667
P—Erythrocyte Le^{ab} antibody; arb.c.(20 °C; proc.)
= ?

Plasma—
Erythrocyte Le^{ab} antibody;
arbitrary concentration(37 °C; procedure)
NPU20668
P—Erythrocyte Le^{ab} antibody; arb.c.(37 °C; proc.)
= ?

Plasma—
Erythrocyte Le^{ab} antibody;
**arbitrary substance concentration(20 °C;
procedure)**

arbitrary unit/litre	Plasma—
NPU21119	Erythrocyte Le^{bH} antibody;
P—Erythrocyte Le ^{ab} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	arbitrary concentration(20 °C; procedure)
Plasma—	NPU20671
Erythrocyte Le^{ab} antibody;	P—Erythrocyte Le ^{bH} antibody; arb.c.(20 °C; proc.)
arbitrary substance concentration(37 °C; procedure)	= ?
arbitrary unit/litre	Plasma—
NPU21120	Erythrocyte Le^{bH} antibody;
P—Erythrocyte Le ^{ab} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	arbitrary concentration(37 °C; procedure)
Erythrocytes(Blood)—	NPU20672
Erythrocyte Le^{ab} antigen;	P—Erythrocyte Le ^{bH} antibody; arb.c.(37 °C; proc.)
arbitrary number(procedure)	= ?
NPU20319	Plasma—
Ercs(B)—Erythrocyte Le ^{ab} antigen; arb.num.(proc.) = ?	Erythrocyte Le^{bH} antibody;
arbitrary unit/litre	arbitrary substance concentration(20 °C; procedure)
NPU21123	arbitrary unit/litre
P—Erythrocyte Le ^{bH} antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Plasma—
Plasma—	Erythrocyte Le^{bH} antibody;
Erythrocyte Le^b antibody;	arbitrary substance concentration(37 °C; procedure)
arbitrary concentration(20 °C; procedure)	arbitrary unit/litre
NPU20669	NPU21124
P—Erythrocyte Le ^b antibody; arb.c.(20 °C; proc.)	P—Erythrocyte Le ^{bH} antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
= ?	Erythrocytes(Blood)—
Plasma—	Erythrocyte Le^{bH} antigen;
Erythrocyte Le^b antibody;	arbitrary number(procedure)
arbitrary concentration(37 °C; procedure)	NPU20321
NPU20670	Ercs(B)—Erythrocyte Le ^{bH} antigen; arb.num.(proc.) = ?
P—Erythrocyte Le ^b antibody; arb.c.(37 °C; proc.)	Plasma—
= ?	Erythrocyte Ls^a antibody;
Plasma—	arbitrary concentration(20 °C; procedure)
Erythrocyte Le^b antibody;	NPU20673
arbitrary substance concentration(20 °C; procedure)	P—Erythrocyte Ls ^a antibody; arb.c.(20 °C; proc.)
arbitrary unit/litre	= ?
NPU21121	Plasma—
P—Erythrocyte Le ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Ls^a antibody;
Plasma—	arbitrary concentration(37 °C; procedure)
Erythrocyte Le^b antibody;	NPU20674
arbitrary substance concentration(37 °C; procedure)	P—Erythrocyte Ls ^a antibody; arb.c.(37 °C; proc.)
arbitrary unit/litre	= ?
NPU21122	Plasma—
P—Erythrocyte Le ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Ls^a antibody;
Erythrocytes(Blood)—	arbitrary substance concentration(20 °C; procedure)
Erythrocyte Le^b antigen;	NPU21125
arbitrary number(procedure)	arbitrary unit/litre
NPU20320	Plasma—
Ercs(B)—Erythrocyte Le ^b antigen; arb.num.(proc.)	Erythrocyte Ls^a antibody;
= ?	arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre	NPU21126

P—Erythrocyte Ls^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ls^a antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21126

P—Erythrocyte Ls^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ls^a antigen;
arbitrary number(procedure)

NPU20322

Ercs(B)—Erythrocyte Ls^a antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte Lu^a antibody;
arbitrary concentration(20 °C; procedure)

NPU20703

P—Erythrocyte Lu^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Lu^a antibody;
arbitrary concentration(37 °C; procedure)

NPU20704

P—Erythrocyte Lu^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu^a antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21155

P—Erythrocyte Lu^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu^a antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21156

P—Erythrocyte Lu^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu^a antigen;
arbitrary number(procedure)

NPU20337

Ercs(B)—Erythrocyte Lu^a antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte Lu^b antibody;
arbitrary concentration(20 °C; procedure)

NPU20705

P—Erythrocyte Lu^b antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Lu^b antibody;
arbitrary concentration(37 °C; procedure)

NPU20706

P—Erythrocyte Lu^b antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu^b antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21157

P—Erythrocyte Lu^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu^b antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21158

P—Erythrocyte Lu^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu^b antigen;
arbitrary number(procedure)

NPU20338

Ercs(B)—Erythrocyte Lu^b antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte Lu11 antibody;
arbitrary concentration(20 °C; procedure)

NPU20675

P—Erythrocyte Lu11 antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte Lu11 antibody;
arbitrary concentration(37 °C; procedure)

NPU20676

P—Erythrocyte Lu11 antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte Lu11 antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21127

P—Erythrocyte Lu11 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu11 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21128

P—Erythrocyte Lu11 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu11 antigen;

arbitrary number(procedure)

NPU20323

Ercs(B)—Erythrocyte Lu11 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu12 antibody;

arbitrary concentration(20 °C; procedure)

NPU20677

P—Erythrocyte Lu12 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Lu12 antibody;

arbitrary concentration(37 °C; procedure)

NPU20678

P—Erythrocyte Lu12 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Lu12 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21129

P—Erythrocyte Lu12 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu12 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21130

P—Erythrocyte Lu12 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu12 antigen;

arbitrary number(procedure)

NPU20324

Ercs(B)—Erythrocyte Lu12 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu13 antibody;

arbitrary concentration(20 °C; procedure)

NPU20679

P—Erythrocyte Lu13 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Lu13 antibody;

arbitrary concentration(37 °C; procedure)

NPU20680

P—Erythrocyte Lu13 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Lu13 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21131

P—Erythrocyte Lu13 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu13 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21132

P—Erythrocyte Lu13 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu13 antigen;

arbitrary number(procedure)

NPU20325

Ercs(B)—Erythrocyte Lu13 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu14 antibody;

arbitrary concentration(20 °C; procedure)

NPU20681

P—Erythrocyte Lu14 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Lu14 antibody;

arbitrary concentration(37 °C; procedure)

NPU20682

P—Erythrocyte Lu14 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Lu14 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21133

P—Erythrocyte Lu14 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	P—Erythrocyte Lu17 antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte Lu14 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21134 P—Erythrocyte Lu14 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Lu14 antigen; arbitrary number(procedure) NPU20326 Ercs(B)—Erythrocyte Lu14 antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Lu16 antibody; arbitrary concentration(20 °C; procedure) NPU20683 P—Erythrocyte Lu16 antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Lu16 antibody; arbitrary concentration(37 °C; procedure) NPU20684 P—Erythrocyte Lu16 antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Lu16 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21135 P—Erythrocyte Lu16 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Lu16 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21136 P—Erythrocyte Lu16 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Lu16 antigen; arbitrary number(procedure) NPU20327 Ercs(B)—Erythrocyte Lu16 antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Lu17 antibody; arbitrary concentration(20 °C; procedure) NPU20685	
Plasma—	
Erythrocyte Lu17 antibody; arbitrary concentration(37 °C; procedure) NPU20686 P—Erythrocyte Lu17 antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Lu17 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21137 P—Erythrocyte Lu17 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Lu17 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21138 P—Erythrocyte Lu17 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Lu17 antigen; arbitrary number(procedure) NPU20328 Ercs(B)—Erythrocyte Lu17 antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Lu20 antibody; arbitrary concentration(20 °C; procedure) NPU20687 P—Erythrocyte Lu20 antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Lu20 antibody; arbitrary concentration(37 °C; procedure) NPU20688 P—Erythrocyte Lu20 antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Lu20 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21139 P—Erythrocyte Lu20 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Lu20 antibody;	

**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21140
P—Erythrocyte Lu20 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu20 antigen;
arbitrary number(procedure)
NPU20329
Ercs(B)—Erythrocyte Lu20 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu3 antibody;
arbitrary concentration(20 °C; procedure)
NPU20689
P—Erythrocyte Lu3 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Lu3 antibody;
arbitrary concentration(37 °C; procedure)
NPU20690
P—Erythrocyte Lu3 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu3 antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21141
P—Erythrocyte Lu3 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu3 antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21142
P—Erythrocyte Lu3 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu3 antigen;
arbitrary number(procedure)
NPU20330
Ercs(B)—Erythrocyte Lu3 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu4 antibody;
arbitrary concentration(20 °C; procedure)
NPU20691
P—Erythrocyte Lu4 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—
Erythrocyte Lu4 antibody;
arbitrary concentration(37 °C; procedure)
NPU20692
P—Erythrocyte Lu4 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu4 antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21143
P—Erythrocyte Lu4 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu4 antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21144
P—Erythrocyte Lu4 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu4 antigen;
arbitrary number(procedure)
NPU20331
Ercs(B)—Erythrocyte Lu4 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Lu5 antibody;
arbitrary concentration(20 °C; procedure)
NPU20693
P—Erythrocyte Lu5 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Lu5 antibody;
arbitrary concentration(37 °C; procedure)
NPU20694
P—Erythrocyte Lu5 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu5 antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21145
P—Erythrocyte Lu5 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu5 antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre

NPU21146

P—Erythrocyte Lu5 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Lu5 antigen;**

arbitrary number(procedure)

NPU20332

Ercs(B)—Erythrocyte Lu5 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Lu6 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20695

P—Erythrocyte Lu6 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Lu6 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20696

P—Erythrocyte Lu6 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Lu6 antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21147

P—Erythrocyte Lu6 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Lu6 antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21148

P—Erythrocyte Lu6 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Lu6 antigen;**

arbitrary number(procedure)

NPU20333

Ercs(B)—Erythrocyte Lu6 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Lu7 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20697

P—Erythrocyte Lu7 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Lu7 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20698

P—Erythrocyte Lu7 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Lu7 antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21149

P—Erythrocyte Lu7 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Lu7 antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21150

P—Erythrocyte Lu7 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Lu7 antigen;**

arbitrary number(procedure)

NPU20334

Ercs(B)—Erythrocyte Lu7 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Lu8 antibody;**

arbitrary concentration(20 °C; procedure)

NPU20699

P—Erythrocyte Lu8 antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Lu8 antibody;**

arbitrary concentration(37 °C; procedure)

NPU20700

P—Erythrocyte Lu8 antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Lu8 antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21151

P—Erythrocyte Lu8 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Lu8 antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21152

P—Erythrocyte Lu8 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu8 antigen;
arbitrary number(procedure)
NPU20335

Ercs(B)—Erythrocyte Lu8 antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte Lu9 antibody;**

arbitrary concentration(20 °C; procedure)
NPU20701
P—Erythrocyte Lu9 antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Lu9 antibody;
arbitrary concentration(37 °C; procedure)

NPU20702
P—Erythrocyte Lu9 antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Lu9 antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre

NPU21153
P—Erythrocyte Lu9 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Lu9 antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre

NPU21154
P—Erythrocyte Lu9 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Lu9 antigen;
arbitrary number(procedure)
NPU20336

Ercs(B)—Erythrocyte Lu9 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte LW^a antibody;
arbitrary concentration(20 °C; procedure)

NPU20707
P—Erythrocyte LW^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte LW^a antibody;
arbitrary concentration(37 °C; procedure)

NPU20708
P—Erythrocyte LW^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte LW^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre

NPU21159

P—Erythrocyte LW^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte LW^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre

NPU21160

P—Erythrocyte LW^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte LW^a antigen;
arbitrary number(procedure)

NPU20339

Ercs(B)—Erythrocyte LW^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte LW^{ab} antibody;
arbitrary concentration(20 °C; procedure)

NPU20709

P—Erythrocyte LW^{ab} antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte LW^{ab} antibody;
arbitrary concentration(37 °C; procedure)

NPU20710

P—Erythrocyte LW^{ab} antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte LW^{ab} antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre

NPU21161

P—Erythrocyte LW^{ab} antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte LW^{ab} antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre

NPU21162

P—Erythrocyte LW^{ab} antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte LW^{ab} antigen;
arbitrary number(procedure)

NPU20340

Ercs(B)—Erythrocyte LW^{ab} antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte LW^b antibody;**

arbitrary concentration(20 °C; procedure)

NPU20711

P—Erythrocyte LW^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte LW^b antibody;**

arbitrary concentration(37 °C; procedure)

NPU20712

P—Erythrocyte LW^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte LW^b antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21163

P—Erythrocyte LW^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte LW^b antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21164

P—Erythrocyte LW^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte LW^b antigen;**

arbitrary number(procedure)

NPU20341

Ercs(B)—Erythrocyte LW^b antigen;
arb.num.(proc.) = ?

Plasma—**Erythrocyte M antibody;**

arbitrary concentration(20 °C; procedure)

NPU20713

P—Erythrocyte M antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte M antibody;**

arbitrary concentration(37 °C; procedure)

NPU20714

P—Erythrocyte M antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte M antibody;**

arbitrary concentration(20 °C; procedure)

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21165

P—Erythrocyte M antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte M antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21166

P—Erythrocyte M antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte M antigen;**

arbitrary number(procedure)

NPU20342

Ercs(B)—Erythrocyte M antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte M^c antibody;**

arbitrary concentration(20 °C; procedure)

NPU20719

P—Erythrocyte M^c antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte M^c antibody;**

arbitrary concentration(37 °C; procedure)

NPU20720

P—Erythrocyte M^c antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte M^c antibody;**

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21171

P—Erythrocyte M^c antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte M^c antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21172

P—Erythrocyte M^c antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte M^c antigen;**

arbitrary number(procedure)

NPU20345

Ercs(B)—Erythrocyte M^c antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte M^e antibody;
arbitrary concentration(20 °C; procedure)
NPU20725
 P—Erythrocyte M^e antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte M^e antibody;
arbitrary concentration(37 °C; procedure)
NPU20726
 P—Erythrocyte M^e antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte M^e antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21177
 P—Erythrocyte M^e antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte M^e antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21178
 P—Erythrocyte M^e antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte M^e antigen;
arbitrary number(procedure)
NPU20348
 Ercs(B)—Erythrocyte M^e antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte M^G antibody;
arbitrary concentration(20 °C; procedure)
NPU20729
 P—Erythrocyte M^G antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte M^G antibody;
arbitrary concentration(37 °C; procedure)
NPU20730
 P—Erythrocyte M^G antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte M^G antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21181

P—Erythrocyte M^G antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte M^G antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21182
 P—Erythrocyte M^G antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte M^G antigen;
arbitrary number(procedure)
NPU20350
 Ercs(B)—Erythrocyte M^G antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte M^V antibody;
arbitrary concentration(20 °C; procedure)
NPU20745
 P—Erythrocyte M^V antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte M^V antibody;
arbitrary concentration(37 °C; procedure)
NPU20746
 P—Erythrocyte M^V antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte M^V antibody;
arbitrary substance concentration(20 °C; procedure)
arbitrary unit/litre
NPU21197

P—Erythrocyte M^V antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte M^V antibody;
arbitrary substance concentration(37 °C; procedure)
arbitrary unit/litre
NPU21198
 P—Erythrocyte M^V antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte M^V antigen;
arbitrary number(procedure)
NPU20358

Ercs(B)—Erythrocyte M^v antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte MAR antibody;
arbitrary concentration(20 °C; procedure)

NPU20715

P—Erythrocyte MAR antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte MAR antibody;
arbitrary concentration(37 °C; procedure)

NPU20716

P—Erythrocyte MAR antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte MAR antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre

NPU21167

P—Erythrocyte MAR antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte MAR antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21168

P—Erythrocyte MAR antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte MAR antigen;
arbitrary number(procedure)

NPU20343

Ercs(B)—Erythrocyte MAR antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte MARS antibody;
arbitrary concentration(20 °C; procedure)

NPU20717

P—Erythrocyte MARS antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte MARS antibody;
arbitrary concentration(37 °C; procedure)

NPU20718

P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte MARS antibody;

arbitrary concentration(37 °C; procedure)

NPU20719

P—Erythrocyte MARS antibody; arb.c.(37 °C; proc.) = ?

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21169

P—Erythrocyte MARS antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte MARS antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21170

P—Erythrocyte MARS antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte MARS antigen;

arbitrary number(procedure)

NPU20344

Ercs(B)—Erythrocyte MARS antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte McC^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20721

P—Erythrocyte McC^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte McC^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20722

P—Erythrocyte McC^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte McC^a antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21173

P—Erythrocyte McC^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte McC^a antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21174

P—Erythrocyte McC^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte McC^a antigen;

arbitrary number(procedure)

NPU20346

Ercs(B)—Erythrocyte McC ^a antigen; arb.num.(proc.) = ?	arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21179 P—Erythrocyte MER2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma— Erythrocyte McC^b antibody; arbitrary concentration(20 °C; procedure) NPU20723 P—Erythrocyte McC ^b antibody; arb.c.(20 °C; proc.) = ?	Plasma— Erythrocyte MER2 antibody; arbitrary substance concentration(37 °C; procedure) NPU21180 P—Erythrocyte MER2 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma— Erythrocyte McC^b antibody; arbitrary concentration(37 °C; procedure) NPU20724 P—Erythrocyte McC ^b antibody; arb.c.(37 °C; proc.) = ?	Erythrocytes(Blood)— Erythrocyte MER2 antigen; arbitrary number(procedure) NPU20349 Ercs(B)—Erythrocyte MER2 antigen; arb.num.(proc.) = ?
Plasma— Erythrocyte McC^b antibody; arbitrary substance concentration(20 °C; procedure) NPU21175 P—Erythrocyte McC ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Plasma— Erythrocyte Mi^a antibody; arbitrary concentration(20 °C; procedure) NPU20731 P—Erythrocyte Mi ^a antibody; arb.c.(20 °C; proc.) = ?
Plasma— Erythrocyte McC^b antibody; arbitrary substance concentration(37 °C; procedure) NPU21176 P—Erythrocyte McC ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Plasma— Erythrocyte Mi^a antibody; arbitrary concentration(37 °C; procedure) NPU20732 P—Erythrocyte Mi ^a antibody; arb.c.(37 °C; proc.) = ?
Erythrocytes(Blood)— Erythrocyte McC^b antigen; arbitrary number(procedure) NPU20347 Ercs(B)—Erythrocyte McC ^b antigen; arb.num.(proc.) = ?	Plasma— Erythrocyte Mi^a antibody; arbitrary substance concentration(20 °C; procedure) NPU21183 P—Erythrocyte Mi ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma— Erythrocyte MER2 antibody; arbitrary concentration(20 °C; procedure) NPU20727 P—Erythrocyte MER2 antibody; arb.c.(20 °C; proc.) = ?	Plasma— Erythrocyte Mi^a antibody; arbitrary substance concentration(37 °C; procedure) NPU21184 P—Erythrocyte Mi ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma— Erythrocyte MER2 antibody; arbitrary concentration(37 °C; procedure) NPU20728 P—Erythrocyte MER2 antibody; arb.c.(37 °C; proc.) = ?	Erythrocytes(Blood)— Erythrocyte Mi^a antigen; arbitrary number(procedure) NPU20351
Plasma— Erythrocyte MER2 antibody;	

Ercs(B)—Erythrocyte Mi^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte MINY antibody;
arbitrary concentration(20 °C; procedure)

NPU20733

P—Erythrocyte MINY antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte MINY antibody;
arbitrary concentration(37 °C; procedure)

NPU20734

P—Erythrocyte MINY antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte MINY antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21185

P—Erythrocyte MINY antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte MINY antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21186

P—Erythrocyte MINY antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte MINY antigen;
arbitrary number(procedure)

NPU20352

Ercs(B)—Erythrocyte MINY antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Mit antibody;
arbitrary concentration(20 °C; procedure)

NPU20735

P—Erythrocyte Mit antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Mit antibody;
arbitrary concentration(37 °C; procedure)

NPU20736

P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Mit antibody;

arbitrary concentration(37 °C; procedure)

NPU21187

P—Erythrocyte Mit antibody; arb.c.(37 °C; proc.) = ? arb.unit/l

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21187

P—Erythrocyte Mit antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Mit antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21188

P—Erythrocyte Mit antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Mit antigen;

arbitrary number(procedure)

NPU20353

Ercs(B)—Erythrocyte Mit antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Mo^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20737

P—Erythrocyte Mo^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Mo^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20738

P—Erythrocyte Mo^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Mo^a antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21189

P—Erythrocyte Mo^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Mo^a antibody;

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21190

P—Erythrocyte Mo^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Mo^a antigen;

arbitrary number(procedure)

NPU20354

Ercs(B)—Erythrocyte Mo^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Mt^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20739
P—Erythrocyte Mt^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Mt^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20740
P—Erythrocyte Mt^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Mt^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21191
P—Erythrocyte Mt^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Mt^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21192
P—Erythrocyte Mt^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Mt^a antigen;
arbitrary number(procedure)
NPU20355
Ercs(B)—Erythrocyte Mt^a antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte Mur antibody;
arbitrary concentration(20 °C; procedure)
NPU20741
P—Erythrocyte Mur antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Mur antibody;
arbitrary concentration(37 °C; procedure)
NPU20742
P—Erythrocyte Mur antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Mur antibody;

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21193

P—Erythrocyte Mur antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Mur antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21194
P—Erythrocyte Mur antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Mur antigen;
arbitrary number(procedure)
NPU20356
Ercs(B)—Erythrocyte Mur antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte MUT antibody;
arbitrary concentration(20 °C; procedure)
NPU20743
P—Erythrocyte MUT antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte MUT antibody;
arbitrary concentration(37 °C; procedure)
NPU20744
P—Erythrocyte MUT antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte MUT antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21195
P—Erythrocyte MUT antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte MUT antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21196
P—Erythrocyte MUT antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte MUT antigen;
arbitrary number(procedure)
NPU20357

Ercs(B)—Erythrocyte MUT antigen;
arb.num.(proc.) = ?

arbitrary unit/litre

NPU21201

P—Erythrocyte NFLD antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte N antibody;

arbitrary concentration(20 °C; procedure)

NPU20747

P—Erythrocyte N antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte N antibody;

arbitrary concentration(37 °C; procedure)

NPU20748

P—Erythrocyte N antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte N antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21199

P—Erythrocyte N antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte N antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21200

P—Erythrocyte N antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte N antigen;

arbitrary number(procedure)

NPU20359

Ercs(B)—Erythrocyte N antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte NFLD antibody;

arbitrary concentration(20 °C; procedure)

NPU20749

P—Erythrocyte NFLD antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte NFLD antibody;

arbitrary concentration(37 °C; procedure)

NPU20750

P—Erythrocyte NFLD antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte NFLD antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

Erythrocyte NFLD antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21202

P—Erythrocyte NFLD antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte NFLD antigen;

arbitrary number(procedure)

NPU20360

Ercs(B)—Erythrocyte NFLD antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Nob antibody;

arbitrary concentration(20 °C; procedure)

NPU20751

P—Erythrocyte Nob antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Nob antibody;

arbitrary concentration(37 °C; procedure)

NPU20752

P—Erythrocyte Nob antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Nob antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21203

P—Erythrocyte Nob antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Nob antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21204

P—Erythrocyte Nob antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Nob antigen;

arbitrary number(procedure)

NPU20361

Ercs(B)—Erythrocyte Nob antigen; arb.num.(proc.) = ?

Plasma—	
Erythrocyte Nou antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20753	
P—Erythrocyte Nou antibody; arb.c.(20 °C; proc.)	= ?
 Plasma—	
Erythrocyte Nou antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20754	
P—Erythrocyte Nou antibody; arb.c.(37 °C; proc.)	= ?
 Plasma—	
Erythrocyte Nou antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21205	
P—Erythrocyte Nou antibody; arb.subst.c.(20 °C; proc.)	= ? arb.unit/l
 Plasma—	
Erythrocyte Nou antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21206	
P—Erythrocyte Nou antibody; arb.subst.c.(37 °C; proc.)	= ? arb.unit/l
 Erythrocytes(Blood)—	
Erythrocyte Nou antigen;	
arbitrary number(procedure)	
NPU20362	
Ercs(B)—Erythrocyte Nou antigen;	
arb.num.(proc.)	= ?
 Plasma—	
Erythrocyte Ny^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20755	
P—Erythrocyte Ny ^a antibody; arb.c.(20 °C; proc.)	= ?
 Plasma—	
Erythrocyte Ny^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20756	
P—Erythrocyte Ny ^a antibody; arb.c.(37 °C; proc.)	= ?
 Plasma—	
Erythrocyte Ny^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU21207	
P—Erythrocyte Ny ^a antibody; arb.c.(20 °C; proc.)	= ?
 Plasma—	
Erythrocyte Ny^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU21208	
P—Erythrocyte Ny ^a antibody; arb.subst.c.(37 °C; proc.)	= ? arb.unit/l
 Erythrocytes(Blood)—	
Erythrocyte Ny^a antigen;	
arbitrary number(procedure)	
NPU20363	
Ercs(B)—Erythrocyte Ny ^a antigen;	
arb.num.(proc.)	= ?
 Plasma—	
Erythrocyte Ok^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20757	
P—Erythrocyte Ok ^a antibody; arb.c.(20 °C; proc.)	= ?
 Plasma—	
Erythrocyte Ok^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20758	
P—Erythrocyte Ok ^a antibody; arb.c.(37 °C; proc.)	= ?
 Plasma—	
Erythrocyte Ok^a antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21209	
P—Erythrocyte Ok ^a antibody; arb.subst.c.(20 °C; proc.)	= ? arb.unit/l
 Plasma—	
Erythrocyte Ok^a antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21210	
P—Erythrocyte Ok ^a antibody; arb.subst.c.(37 °C; proc.)	= ? arb.unit/l
 Erythrocytes(Blood)—	
Erythrocyte Ok^a antigen;	
arbitrary number(procedure)	
NPU20364	
Ercs(B)—Erythrocyte Ok ^a antigen;	
arb.num.(proc.)	= ?

Plasma—

Erythrocyte Or antibody;
arbitrary concentration(20 °C; procedure)
NPU20759
P—Erythrocyte Or antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Or antibody;
arbitrary concentration(37 °C; procedure)
NPU20760
P—Erythrocyte Or antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Or antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21211
**P—Erythrocyte Or antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l**

Plasma—

Erythrocyte Or antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21212
**P—Erythrocyte Or antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l**

Erythrocytes(Blood)—

Erythrocyte Or antigen;
arbitrary number(procedure)
NPU20365
Ercs(B)—Erythrocyte Or antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Os^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20761
P—Erythrocyte Os^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Os^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20762
P—Erythrocyte Os^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Os^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21213

**P—Erythrocyte Os^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l**

Plasma—

Erythrocyte Os^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21214
**P—Erythrocyte Os^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l**

Erythrocytes(Blood)—

Erythrocyte Os^a antigen;
arbitrary number(procedure)
NPU20366
**Ercs(B)—Erythrocyte Os^a antigen;
arb.num.(proc.) = ?**

Plasma—

Erythrocyte P1 antibody;
arbitrary concentration(20 °C; procedure)
NPU20763
P—Erythrocyte P1 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte P1 antibody;
arbitrary concentration(37 °C; procedure)
NPU20764
P—Erythrocyte P1 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte P1 antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21215
**P—Erythrocyte P1 antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l**

Plasma—

Erythrocyte P1 antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21216
**P—Erythrocyte P1 antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l**

Erythrocytes(Blood)—

Erythrocyte P1 antigen;
arbitrary number(procedure)
NPU20367
Ercs(B)—Erythrocyte P1 antigen; arb.num.(proc.) = ?

Plasma—	
Erythrocyte Rb^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20765	
P—Erythrocyte Rb ^a antibody; arb.c.(20 °C; proc.)	= ?
Plasma—	
Erythrocyte Rb^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20766	
P—Erythrocyte Rb ^a antibody; arb.c.(37 °C; proc.)	= ?
Plasma—	
Erythrocyte Rb^a antibody;	
arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21217	
P—Erythrocyte Rb ^a antibody; arb.subst.c.(20 °C; proc.)	= ? arb.unit/l
Plasma—	
Erythrocyte Rb^a antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21218	
P—Erythrocyte Rb ^a antibody; arb.subst.c.(37 °C; proc.)	= ? arb.unit/l
Erythrocytes(Blood)—	
Erythrocyte Rb^a antigen;	
arbitrary number(procedure)	
NPU20368	
Ercs(B)—Erythrocyte Rb ^a antigen; arb.num.(proc.)	= ?
Plasma—	
Erythrocyte Rg1 antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20767	
P—Erythrocyte Rg1 antibody; arb.c.(20 °C; proc.)	= ?
Plasma—	
Erythrocyte Rg1 antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20768	
P—Erythrocyte Rg1 antibody; arb.c.(37 °C; proc.)	= ?
Plasma—	
Erythrocyte Rg1 antibody;	
arbitrary concentration(20 °C; procedure)	
NPU21221	
P—Erythrocyte Rg1 antibody; arb.subst.c.(20 °C; proc.)	= ? arb.unit/l
Plasma—	
Erythrocyte Rg2 antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20770	
P—Erythrocyte Rg2 antibody; arb.c.(37 °C; proc.)	= ?
Plasma—	
Erythrocyte Rg2 antibody;	
arbitrary concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21221	
P—Erythrocyte Rg2 antibody; arb.subst.c.(20 °C; proc.)	= ? arb.unit/l
Plasma—	
Erythrocyte Rg2 antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21222	
P—Erythrocyte Rg2 antibody; arb.subst.c.(37 °C; proc.)	= ? arb.unit/l
Erythrocytes(Blood)—	
Erythrocyte Rg2 antigen;	
arbitrary number(procedure)	
NPU20370	
Ercs(B)—Erythrocyte Rg2 antigen; arb.num.(proc.)	= ?
Plasma—	
Erythrocyte Rh29 antibody;	

arbitrary concentration(20 °C; procedure)

NPU20771

P—Erythrocyte Rh29 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh29 antibody;

arbitrary concentration(37 °C; procedure)

NPU20772

P—Erythrocyte Rh29 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh29 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21223

P—Erythrocyte Rh29 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh29 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21224

P—Erythrocyte Rh29 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh29 antigen;

arbitrary number(procedure)

NPU20371

Ercs(B)—Erythrocyte Rh29 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh32 antibody;

arbitrary concentration(20 °C; procedure)

NPU20773

P—Erythrocyte Rh32 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh32 antibody;

arbitrary concentration(37 °C; procedure)

NPU20774

P—Erythrocyte Rh32 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh32 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21225

P—Erythrocyte Rh32 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh32 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21226

P—Erythrocyte Rh32 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh32 antigen;

arbitrary number(procedure)

NPU20372

Ercs(B)—Erythrocyte Rh32 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh33 antibody;

arbitrary concentration(20 °C; procedure)

NPU20775

P—Erythrocyte Rh33 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh33 antibody;

arbitrary concentration(37 °C; procedure)

NPU20776

P—Erythrocyte Rh33 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh33 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21227

P—Erythrocyte Rh33 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh33 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21228

P—Erythrocyte Rh33 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh33 antigen;

arbitrary number(procedure)

NPU20373

Ercs(B)—Erythrocyte Rh33 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh35 antibody;

arbitrary concentration(20 °C; procedure)

NPU20777

P—Erythrocyte Rh35 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh35 antibody;
arbitrary concentration(37 °C; procedure)

NPU20778

P—Erythrocyte Rh35 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh35 antibody;
arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21229

P—Erythrocyte Rh35 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh35 antibody;
arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21230

P—Erythrocyte Rh35 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh35 antigen;

arbitrary number(procedure)

NPU20374

Ercs(B)—Erythrocyte Rh35 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh39 antibody;
arbitrary concentration(20 °C; procedure)

NPU20779

P—Erythrocyte Rh39 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh39 antibody;
arbitrary concentration(37 °C; procedure)

NPU20780

P—Erythrocyte Rh39 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh39 antibody;
arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21231

P—Erythrocyte Rh39 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh39 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21232

P—Erythrocyte Rh39 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh39 antigen;

arbitrary number(procedure)

NPU20375

Ercs(B)—Erythrocyte Rh39 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh41 antibody;

arbitrary concentration(20 °C; procedure)

NPU20781

P—Erythrocyte Rh41 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh41 antibody;

arbitrary concentration(37 °C; procedure)

NPU20782

P—Erythrocyte Rh41 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Rh41 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21233

P—Erythrocyte Rh41 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh41 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21234

P—Erythrocyte Rh41 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh41 antigen;

arbitrary number(procedure)

NPU20376

Ercs(B)—Erythrocyte Rh41 antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Rh42 antibody;

arbitrary concentration(20 °C; procedure)

NPU20783

P—Erythrocyte Rh42 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Rh39 antibody;

Plasma—

Erythrocyte Rh42 antibody;
arbitrary concentration(37 °C; procedure)
NPU20784
 P—Erythrocyte Rh42 antibody; arb.c.(37 °C;
 proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh42 antibody;
**arbitrary substance concentration(20 °C;
 procedure)**
arbitrary unit/litre
NPU21235
 P—Erythrocyte Rh42 antibody; arb.subst.c.(20
 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Rh42 antibody;
**arbitrary substance concentration(37 °C;
 procedure)**
arbitrary unit/litre
NPU21236
 P—Erythrocyte Rh42 antibody; arb.subst.c.(37
 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Rh42 antigen;
arbitrary number(procedure)
NPU20377
 Ercs(B)—Erythrocyte Rh42 antigen;
 arb.num.(proc.) = ?

Plasma—

Erythrocyte Ri^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20785
 P—Erythrocyte Ri^a antibody; arb.c.(20 °C; proc.)
 = ?

Plasma—

Erythrocyte Ri^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20786
 P—Erythrocyte Ri^a antibody; arb.c.(37 °C; proc.)
 = ?

Plasma—

Erythrocyte Ri^a antibody;
**arbitrary substance concentration(20 °C;
 procedure)**
arbitrary unit/litre
NPU21237
 P—Erythrocyte Ri^a antibody; arb.subst.c.(20 °C;
 proc.) = ? arb.unit/l

Plasma—

Erythrocyte Ri^a antibody;
**arbitrary substance concentration(37 °C;
 procedure)**
arbitrary unit/litre

NPU21238

P—Erythrocyte Ri^a antibody; arb.subst.c.(37 °C;
 proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Ri^a antigen;
arbitrary number(procedure)
NPU20378
 Ercs(B)—Erythrocyte Ri^a antigen; arb.num.(proc.)
 = ?

Plasma—

Erythrocyte Riv antibody;
arbitrary concentration(20 °C; procedure)
NPU20787
 P—Erythrocyte Riv antibody; arb.c.(20 °C; proc.)
 = ?

Plasma—

Erythrocyte Riv antibody;
arbitrary concentration(37 °C; procedure)
NPU20788
 P—Erythrocyte Riv antibody; arb.c.(37 °C; proc.)
 = ?

Plasma—

Erythrocyte Riv antibody;
**arbitrary substance concentration(20 °C;
 procedure)**
arbitrary unit/litre
NPU21239
 P—Erythrocyte Riv antibody; arb.subst.c.(20 °C;
 proc.) = ? arb.unit/l

Plasma—

Erythrocyte Riv antibody;
**arbitrary substance concentration(37 °C;
 procedure)**
arbitrary unit/litre
NPU21240

P—Erythrocyte Riv antibody; arb.subst.c.(37 °C;
 proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Riv antigen;
arbitrary number(procedure)
NPU20379
 Ercs(B)—Erythrocyte Riv antigen; arb.num.(proc.)
 = ?

Plasma—

Erythrocyte S antibody;
arbitrary concentration(20 °C; procedure)
NPU20789
 P—Erythrocyte S antibody; arb.c.(20 °C; proc.)
 = ?

Plasma—

Erythrocyte s antibody;
arbitrary concentration(20 °C; procedure)

NPU20790	Erythrocytes(Blood)—
P—Erythrocyte s antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte s antigen; arbitrary number(procedure)
Plasma—	NPU20381
Erythrocyte S antibody; arbitrary concentration(37 °C; procedure)	Ercs(B)—Erythrocyte s antigen; arb.num.(proc.) = ?
NPU20791	Plasma—
P—Erythrocyte S antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte s^D antibody; arbitrary concentration(20 °C; procedure)
Plasma—	NPU20801
Erythrocyte s antibody; arbitrary concentration(37 °C; procedure)	P—Erythrocyte s ^D antibody; arb.c.(20 °C; proc.) = ?
NPU20792	Plasma—
P—Erythrocyte s antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte s^D antibody; arbitrary concentration(37 °C; procedure)
Plasma—	NPU20802
Erythrocyte S antibody; arbitrary substance concentration(20 °C; procedure)	P—Erythrocyte s ^D antibody; arb.c.(37 °C; proc.) = ?
NPU21241	Plasma—
P—Erythrocyte S antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte s^D antibody; arbitrary substance concentration(20 °C; procedure)
Plasma—	NPU21253
Erythrocyte s antibody; arbitrary substance concentration(20 °C; procedure)	P—Erythrocyte s ^D antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
NPU21242	Plasma—
P—Erythrocyte s antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte s^D antibody; arbitrary substance concentration(37 °C; procedure)
Plasma—	NPU21254
Erythrocyte S antibody; arbitrary substance concentration(37 °C; procedure)	P—Erythrocyte s ^D antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
NPU21243	Erythrocytes(Blood)—
P—Erythrocyte S antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte s^D antigen; arbitrary number(procedure)
Plasma—	NPU20386
Erythrocyte s antibody; arbitrary substance concentration(37 °C; procedure)	Ercs(B)—Erythrocyte s ^D antigen; arb.num.(proc.) = ?
NPU21244	Plasma—
P—Erythrocyte s antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte SAT antibody; arbitrary concentration(20 °C; procedure)
Erythrocytes(Blood)—	NPU20793
Erythrocyte S antigen; arbitrary number(procedure)	P—Erythrocyte SAT antibody; arb.c.(20 °C; proc.) = ?
NPU20380	Plasma—
Ercs(B)—Erythrocyte S antigen; arb.num.(proc.) = ?	Erythrocyte SAT antibody; arbitrary concentration(37 °C; procedure)
	NPU20794
	P—Erythrocyte SAT antibody; arb.c.(37 °C; proc.) = ?

Plasma—	NPU20383
Erythrocyte SAT antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21245 P—Erythrocyte SAT antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Ercs(B)—Erythrocyte Sc1 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte SAT antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21246 P—Erythrocyte SAT antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Sc2 antibody; arbitrary concentration(20 °C; procedure) NPU20797 P—Erythrocyte Sc2 antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte SAT antigen; arbitrary number(procedure) NPU20382 Ercs(B)—Erythrocyte SAT antigen; arb.num.(proc.) = ?	Erythrocyte Sc2 antibody; arbitrary concentration(37 °C; procedure) NPU20798 P—Erythrocyte Sc2 antibody; arb.c.(37 °C; proc.) = ?
Plasma—	Plasma—
Erythrocyte Sc1 antibody; arbitrary concentration(20 °C; procedure) NPU20795 P—Erythrocyte Sc1 antibody; arb.c.(20 °C; proc.) = ?	Erythrocyte Sc2 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21249 P—Erythrocyte Sc2 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Plasma—	Plasma—
Erythrocyte Sc1 antibody; arbitrary concentration(37 °C; procedure) NPU20796 P—Erythrocyte Sc1 antibody; arb.c.(37 °C; proc.) = ?	Erythrocyte Sc2 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21250 P—Erythrocyte Sc2 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l
Plasma—	Erythrocytes(Blood)—
Erythrocyte Sc1 antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21247 P—Erythrocyte Sc1 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	Erythrocyte Sc2 antigen; arbitrary number(procedure) NPU20384 Ercs(B)—Erythrocyte Sc2 antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
Erythrocyte Sc1 antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21248 P—Erythrocyte Sc1 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	Erythrocyte Sc3 antibody; arbitrary concentration(20 °C; procedure) NPU20799 P—Erythrocyte Sc3 antibody; arb.c.(20 °C; proc.) = ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Sc1 antigen; arbitrary number(procedure)	Erythrocyte Sc3 antibody; arbitrary concentration(37 °C; procedure) NPU20800 P—Erythrocyte Sc3 antibody; arb.c.(37 °C; proc.) = ?

arbitrary substance concentration(20 °C; procedure)	Ercs(B)—Erythrocyte Sec antigen; arb.num.(proc.) = ?
arbitrary unit/litre	
NPU21251	
P—Erythrocyte Sc3 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Sc3 antibody;	
arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21252	
P—Erythrocyte Sc3 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Sc3 antigen;	
arbitrary number(procedure)	
NPU20385	
Ercs(B)—Erythrocyte Sc3 antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Sec antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20803	
P—Erythrocyte Sec antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Sec antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20804	
P—Erythrocyte Sec antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Sec antibody;	
arbitrary substance concentration(20 °C; procedure)	
NPU21255	
P—Erythrocyte Sec antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Sec antibody;	
arbitrary substance concentration(37 °C; procedure)	
NPU21256	
P—Erythrocyte Sec antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Sec antigen;	
arbitrary number(procedure)	
NPU20387	
Ercs(B)—Erythrocyte Si ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Si^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20805	
P—Erythrocyte Si ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Si^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20806	
P—Erythrocyte Si ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Si^a antibody;	
arbitrary substance concentration(20 °C; procedure)	
NPU21257	
P—Erythrocyte Si ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Si^a antibody;	
arbitrary substance concentration(37 °C; procedure)	
NPU21258	
P—Erythrocyte Si ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Si^a antigen;	
arbitrary number(procedure)	
NPU20388	
Ercs(B)—Erythrocyte Si ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte St^a antibody;	
arbitrary concentration(20 °C; procedure)	
NPU20807	
P—Erythrocyte St ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte St^a antibody;	
arbitrary concentration(37 °C; procedure)	
NPU20808	
P—Erythrocyte St ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte St^a antibody;	
arbitrary substance concentration(20 °C; procedure)	

arbitrary unit/litre

NPU21259

P—Erythrocyte St^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte St^a antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21260

P—Erythrocyte St^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte St^a antigen;

arbitrary number(procedure)

NPU20389

Ercs(B)—Erythrocyte St^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte STEM antibody;

arbitrary concentration(20 °C; procedure)

NPU20809

P—Erythrocyte STEM antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte STEM antibody;

arbitrary concentration(37 °C; procedure)

NPU20810

P—Erythrocyte STEM antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte STEM antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21261

P—Erythrocyte STEM antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte STEM antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21262

P—Erythrocyte STEM antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte STEM antigen;

arbitrary number(procedure)

NPU20390

Ercs(B)—Erythrocyte STEM antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Sw^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20813

P—Erythrocyte Sw^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Sw^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20814

P—Erythrocyte Sw^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Sw^a antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21265

P—Erythrocyte Sw^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Sw^a antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21266

P—Erythrocyte Sw^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Sw^a antigen;

arbitrary number(procedure)

NPU20392

Ercs(B)—Erythrocyte Sw^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte SW1 antibody;

arbitrary concentration(20 °C; procedure)

NPU20811

P—Erythrocyte SW1 antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte SW1 antibody;

arbitrary concentration(37 °C; procedure)

NPU20812

P—Erythrocyte SW1 antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte SW1 antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21263

P—Erythrocyte SW1 antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte SW1 antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21264

P—Erythrocyte SW1 antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte SW1 antigen;

arbitrary number(procedure)

NPU20391

Ercs(B)—Erythrocyte SW1 antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Tar antibody;

arbitrary concentration(20 °C; procedure)

NPU20815

P—Erythrocyte Tar antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Tar antibody;

arbitrary concentration(37 °C; procedure)

NPU20816

P—Erythrocyte Tar antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Tar antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21267

P—Erythrocyte Tar antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Tar antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21268

P—Erythrocyte Tar antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Tar antigen;

arbitrary number(procedure)

NPU20393

Ercs(B)—Erythrocyte Tar antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Tc^a antibody;

arbitrary concentration(20 °C; procedure)

NPU20817

P—Erythrocyte Tc^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Tc^a antibody;

arbitrary concentration(37 °C; procedure)

NPU20818

P—Erythrocyte Tc^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Tc^a antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21269

P—Erythrocyte Tc^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte Tc^a antibody;

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21270

P—Erythrocyte Tc^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Tc^a antigen;

arbitrary number(procedure)

NPU20394

Ercs(B)—Erythrocyte Tc^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Tc^b antibody;

arbitrary concentration(20 °C; procedure)

NPU20819

P—Erythrocyte Tc^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Tc^b antibody;

arbitrary concentration(37 °C; procedure)

NPU20820

P—Erythrocyte Tc^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Tc^b antibody;

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21271

P—Erythrocyte Tc^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—	P—Erythrocyte TOU antibody; arb.c.(20 °C; proc.) = ?
Erythrocyte Tc^b antibody; arbitrary substance concentration(37 °C; procedure) arbitrary unit/litre NPU21272 P—Erythrocyte Tc ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Tc^b antigen; arbitrary number(procedure) NPU20395 Ercs(B)—Erythrocyte Tc ^b antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Tc^c antibody; arbitrary concentration(20 °C; procedure) NPU20821 P—Erythrocyte Tc ^c antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Tc^c antibody; arbitrary concentration(37 °C; procedure) NPU20822 P—Erythrocyte Tc ^c antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Tc^c antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21273 P—Erythrocyte Tc ^c antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Tc^c antibody; arbitrary substance concentration(37 °C; procedure) NPU21274 P—Erythrocyte Tc ^c antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte TOU antigen; arbitrary number(procedure) NPU20397 Ercs(B)—Erythrocyte TOU antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Tr^a antibody; arbitrary concentration(20 °C; procedure) NPU20825 P—Erythrocyte Tr ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Tr^a antibody; arbitrary concentration(37 °C; procedure) NPU20826 P—Erythrocyte Tr ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Tr^a antibody; arbitrary substance concentration(20 °C; procedure) arbitrary unit/litre NPU21277 P—Erythrocyte Tr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Tr^a antibody; arbitrary concentration(20 °C; procedure) NPU20823	

**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21278
P—Erythrocyte Tr^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Tr^a antigen;
arbitrary number(procedure)
NPU20398
Ercs(B)—Erythrocyte Tr^a antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte TSEN antibody;
arbitrary concentration(20 °C; procedure)
NPU20827
P—Erythrocyte TSEN antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte TSEN antibody;
arbitrary concentration(37 °C; procedure)
NPU20828
P—Erythrocyte TSEN antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte TSEN antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21279
P—Erythrocyte TSEN antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte TSEN antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21280
P—Erythrocyte TSEN antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte TSEN antigen;
arbitrary number(procedure)
NPU20399
Ercs(B)—Erythrocyte TSEN antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte U antibody;
arbitrary concentration(20 °C; procedure)
NPU20829
P—Erythrocyte U antibody; arb.c.(20 °C; proc.)
?

Plasma—

Erythrocyte U antibody;
arbitrary concentration(37 °C; procedure)
NPU20830
P—Erythrocyte U antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte U antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21281
P—Erythrocyte U antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte U antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre
NPU21282
P—Erythrocyte U antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte U antigen;
arbitrary number(procedure)
NPU20400
Ercs(B)—Erythrocyte U antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte UI^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20831
P—Erythrocyte UI^a antibody; arb.c.(20 °C; proc.)
=?

Plasma—

Erythrocyte UI^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20832
P—Erythrocyte UI^a antibody; arb.c.(37 °C; proc.)
=?

Plasma—

Erythrocyte UI^a antibody;
**arbitrary substance concentration(20 °C;
procedure)**
arbitrary unit/litre
NPU21283
P—Erythrocyte UI^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte UI^a antibody;
**arbitrary substance concentration(37 °C;
procedure)**
arbitrary unit/litre

NPU21284

P—Erythrocyte UI^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte UI^a antigen;**

arbitrary number(procedure)

NPU20401

Ercs(B)—Erythrocyte UI^a antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte UMC antibody;**

arbitrary concentration(20 °C; procedure)

NPU20833

P—Erythrocyte UMC antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte UMC antibody;**

arbitrary concentration(37 °C; procedure)

NPU20834

P—Erythrocyte UMC antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte UMC antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21285

P—Erythrocyte UMC antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte UMC antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21286

P—Erythrocyte UMC antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte UMC antigen;**

arbitrary number(procedure)

NPU20402

Ercs(B)—Erythrocyte UMC antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte V antibody;**

arbitrary concentration(20 °C; procedure)

NPU20835

P—Erythrocyte V antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte V antibody;**

arbitrary concentration(37 °C; procedure)

NPU20836

P—Erythrocyte V antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte V antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21287

P—Erythrocyte V antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte V antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21288

P—Erythrocyte V antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte V antigen;**

arbitrary number(procedure)

NPU20403

Ercs(B)—Erythrocyte V antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte Vg^a antibody;**

arbitrary concentration(20 °C; procedure)

NPU20837

P—Erythrocyte Vg^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Vg^a antibody;**

arbitrary concentration(37 °C; procedure)

NPU20838

P—Erythrocyte Vg^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Vg^a antibody;**

arbitrary substance concentration(20 °C; procedure)

arbitrary unit/litre

NPU21289

P—Erythrocyte Vg^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte Vg^a antibody;**

arbitrary substance concentration(37 °C; procedure)

arbitrary unit/litre

NPU21290

P—Erythrocyte Vg^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Vg^a antigen;
arbitrary number(procedure)
NPU20404

Ercs(B)—Erythrocyte Vg^a antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte Vil antibody;**

arbitrary concentration(20 °C; procedure)
NPU20839

P—Erythrocyte Vil antibody; arb.c.(20 °C; proc.) = ?

Plasma—**Erythrocyte Vil antibody;**

arbitrary concentration(37 °C; procedure)
NPU20840

P—Erythrocyte Vil antibody; arb.c.(37 °C; proc.) = ?

Plasma—**Erythrocyte Vil antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21291

P—Erythrocyte Vil antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Vil antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21292

P—Erythrocyte Vil antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Vil antigen;
arbitrary number(procedure)

NPU20405

Ercs(B)—Erythrocyte Vil antigen; arb.num.(proc.) = ?

Plasma—**Erythrocyte VLAN antibody;**

arbitrary concentration(20 °C; procedure)

NPU20841

P—Erythrocyte VLAN antibody; arb.c.(20 °C;
proc.) = ?

Plasma—**Erythrocyte VLAN antibody;**

arbitrary concentration(37 °C; procedure)

NPU20842

P—Erythrocyte VLAN antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte VLAN antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre
NPU21293

P—Erythrocyte VLAN antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte VLAN antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre
NPU21294

P—Erythrocyte VLAN antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte VLAN antigen;

arbitrary number(procedure)

NPU20406

Ercs(B)—Erythrocyte VLAN antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Vr antibody;
arbitrary concentration(20 °C; procedure)

NPU20843

P—Erythrocyte Vr antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Vr antibody;
arbitrary concentration(37 °C; procedure)

NPU20844

P—Erythrocyte Vr antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Vr antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21295

P—Erythrocyte Vr antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Vr antibody;
arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21296

P—Erythrocyte Vr antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Vr antigen;

arbitrary number(procedure)

NPU20407

Ercs(B)—Erythrocyte Vr antigen; arb.num.(proc.)
= ?

Plasma—**Erythrocyte VS antibody;**

arbitrary concentration(20 °C; procedure)

NPU20845

P—Erythrocyte VS antibody; arb.c.(20 °C; proc.)
= ?

Plasma—**Erythrocyte VS antibody;**

arbitrary concentration(37 °C; procedure)

NPU20846

P—Erythrocyte VS antibody; arb.c.(37 °C; proc.)
= ?

Plasma—**Erythrocyte VS antibody;**

arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21297

P—Erythrocyte VS antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte VS antibody;**

arbitrary substance concentration(37 °C;
procedure)

arbitrary unit/litre

NPU21298

P—Erythrocyte VS antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte VS antigen;**

arbitrary number(procedure)

NPU20408

Ercs(B)—Erythrocyte VS antigen; arb.num.(proc.)
= ?

Plasma—**Erythrocyte Vw antibody;**

arbitrary concentration(20 °C; procedure)

NPU20847

P—Erythrocyte Vw antibody; arb.c.(20 °C; proc.)
= ?

Plasma—**Erythrocyte Vw antibody;**

arbitrary concentration(37 °C; procedure)

NPU20848

P—Erythrocyte Vw antibody; arb.c.(37 °C; proc.)
= ?

Plasma—**Erythrocyte Vw antibody;**

arbitrary concentration(20 °C; procedure)

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21299

P—Erythrocyte Vw antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—**Erythrocyte Vw antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21300

P—Erythrocyte Vw antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte Vw antigen;**

arbitrary number(procedure)

NPU20409

Ercs(B)—Erythrocyte Vw antigen; arb.num.(proc.)
= ?

Plasma—**Erythrocyte WARR antibody;**

arbitrary concentration(20 °C; procedure)

NPU20849

P—Erythrocyte WARR antibody; arb.c.(20 °C;
proc.) = ?

Plasma—**Erythrocyte WARR antibody;**

arbitrary concentration(37 °C; procedure)

NPU20850

P—Erythrocyte WARR antibody; arb.c.(37 °C;
proc.) = ?

Plasma—**Erythrocyte WARR antibody;**

arbitrary substance concentration(20 °C;

procedure)

arbitrary unit/litre

NPU21301

P—Erythrocyte WARR antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—**Erythrocyte WARR antibody;**

arbitrary substance concentration(37 °C;

procedure)

arbitrary unit/litre

NPU21302

P—Erythrocyte WARR antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—**Erythrocyte WARR antigen;**

arbitrary number(procedure)

NPU20410

Ercs(B)—Erythrocyte WARR antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte Wb antibody;
arbitrary concentration(20 °C; procedure)
NPU20851
P—Erythrocyte Wb antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Wb antibody;
arbitrary concentration(37 °C; procedure)
NPU20852
P—Erythrocyte Wb antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Wb antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21303
P—Erythrocyte Wb antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Wb antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21304
P—Erythrocyte Wb antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Wb antigen;
arbitrary number(procedure)
NPU20411
Ercs(B)—Erythrocyte Wb antigen; arb.num.(proc.)
= ?

Plasma—

Erythrocyte Wd^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20853
P—Erythrocyte Wd^a antibody; arb.c.(20 °C; proc.)
= ?

Plasma—

Erythrocyte Wd^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20854
P—Erythrocyte Wd^a antibody; arb.c.(37 °C; proc.)
= ?

Plasma—

Erythrocyte Wd^a antibody;
arbitrary substance concentration(20 °C;
procedure)

arbitrary unit/litre

NPU21305

P—Erythrocyte Wd^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Wd^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21306
P—Erythrocyte Wd^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Wd^a antigen;
arbitrary number(procedure)
NPU20412
Ercs(B)—Erythrocyte Wd^a antigen;
arb.num.(proc.) = ?

Plasma—

Erythrocyte WES^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20855
P—Erythrocyte WES^a antibody; arb.c.(20 °C;
proc.) = ?

Plasma—

Erythrocyte WES^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20856
P—Erythrocyte WES^a antibody; arb.c.(37 °C;
proc.) = ?

Plasma—

Erythrocyte WES^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21307
P—Erythrocyte WES^a antibody; arb.subst.c.(20
°C; proc.) = ? arb.unit/l

Plasma—

Erythrocyte WES^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21308
P—Erythrocyte WES^a antibody; arb.subst.c.(37
°C; proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte WES^a antigen;
arbitrary number(procedure)
NPU20413
Ercs(B)—Erythrocyte WES^a antigen;
arb.num.(proc.) = ?

Plasma—	P—Erythrocyte WH antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l
Erythrocyte WES^b antibody; arbitrary concentration(20 °C; procedure)	
NPU20857	
P—Erythrocyte WES ^b antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte WES^b antibody; arbitrary concentration(37 °C; procedure)	
NPU20858	
P—Erythrocyte WES ^b antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte WES^b antibody; arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21309	
P—Erythrocyte WES ^b antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte WES^b antibody; arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21310	
P—Erythrocyte WES ^b antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte WES^b antigen; arbitrary number(procedure)	
NPU20414	
Ercs(B)—Erythrocyte WES ^b antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte WH antibody; arbitrary concentration(20 °C; procedure)	
NPU20859	
P—Erythrocyte WH antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte WH antibody; arbitrary concentration(37 °C; procedure)	
NPU20860	
P—Erythrocyte WH antibody; arb.c.(37 °C; proc.) = ?	
Erythrocytes(Blood)—	
Erythrocyte Wr^a antibody; arbitrary concentration(20 °C; procedure)	
NPU20861	
P—Erythrocyte Wr ^a antibody; arb.c.(20 °C; proc.) = ?	
Plasma—	
Erythrocyte Wr^a antibody; arbitrary concentration(37 °C; procedure)	
NPU20862	
P—Erythrocyte Wr ^a antibody; arb.c.(37 °C; proc.) = ?	
Plasma—	
Erythrocyte Wr^a antibody; arbitrary substance concentration(20 °C; procedure)	
arbitrary unit/litre	
NPU21313	
P—Erythrocyte Wr ^a antibody; arb.subst.c.(20 °C; proc.) = ? arb.unit/l	
Plasma—	
Erythrocyte Wr^a antibody; arbitrary substance concentration(37 °C; procedure)	
arbitrary unit/litre	
NPU21314	
P—Erythrocyte Wr ^a antibody; arb.subst.c.(37 °C; proc.) = ? arb.unit/l	
Erythrocytes(Blood)—	
Erythrocyte Wr^a antigen; arbitrary number(procedure)	
NPU20416	
Ercs(B)—Erythrocyte Wr ^a antigen; arb.num.(proc.) = ?	
Plasma—	
Erythrocyte Wr^b antibody;	

arbitrary concentration(20 °C; procedure)	Plasma—
NPU20863	Erythrocyte Wu antibody;
P—Erythrocyte Wr ^b antibody; arb.c.(20 °C; proc.)	arbitrary substance concentration(37 °C;
= ?	procedure)
Plasma—	arbitrary unit/litre
Erythrocyte Wr^b antibody;	NPU21318
arbitrary concentration(37 °C; procedure)	P—Erythrocyte Wu antibody; arb.subst.c.(37 °C;
NPU20864	proc.) = ? arb.unit/l
P—Erythrocyte Wr ^b antibody; arb.c.(37 °C; proc.)	Erythrocytes(Blood)—
= ?	Erythrocyte Wu antigen;
Plasma—	arbitrary number(procedure)
Erythrocyte Wr^b antibody;	NPU20418
arbitrary substance concentration(20 °C;	Ercs(B)—Erythrocyte Wu antigen; arb.num.(proc.)
procedure)	= ?
arbitrary unit/litre	Plasma—
NPU21315	Erythrocyte Xg^a antibody;
P—Erythrocyte Wr ^b antibody; arb.subst.c.(20 °C;	arbitrary concentration(20 °C; procedure)
proc.) = ? arb.unit/l	NPU20867
Plasma—	P—Erythrocyte Xg ^a antibody; arb.c.(20 °C; proc.)
Erythrocyte Wr^b antibody;	= ?
arbitrary substance concentration(37 °C;	Plasma—
procedure)	Erythrocyte Xg^a antibody;
arbitrary unit/litre	arbitrary concentration(37 °C; procedure)
NPU21316	NPU20868
P—Erythrocyte Wr ^b antibody; arb.subst.c.(37 °C;	P—Erythrocyte Xg ^a antibody; arb.c.(37 °C; proc.)
proc.) = ? arb.unit/l	= ?
Erythrocytes(Blood)—	Plasma—
Erythrocyte Wr^b antigen;	Erythrocyte Xg^a antibody;
arbitrary number(procedure)	arbitrary substance concentration(20 °C;
NPU20417	procedure)
Ercs(B)—Erythrocyte Wr ^b antigen;	arbitrary unit/litre
arb.num.(proc.) = ?	NPU21319
Plasma—	P—Erythrocyte Xg ^a antibody; arb.subst.c.(20 °C;
Erythrocyte Wu antibody;	proc.) = ? arb.unit/l
arbitrary concentration(20 °C; procedure)	Plasma—
NPU20865	Erythrocyte Xg^a antibody;
P—Erythrocyte Wu antibody; arb.c.(20 °C; proc.)	arbitrary substance concentration(37 °C;
= ?	procedure)
Plasma—	arbitrary unit/litre
Erythrocyte Wu antibody;	NPU21320
arbitrary concentration(37 °C; procedure)	P—Erythrocyte Xg ^a antibody; arb.subst.c.(37 °C;
NPU20866	proc.) = ? arb.unit/l
P—Erythrocyte Wu antibody; arb.c.(37 °C; proc.)	Erythrocytes(Blood)—
= ?	Erythrocyte Xg^a antigen;
Plasma—	arbitrary number(procedure)
Erythrocyte Wu antibody;	NPU20419
arbitrary substance concentration(20 °C;	Ercs(B)—Erythrocyte Xg ^a antigen;
procedure)	arb.num.(proc.) = ?
arbitrary unit/litre	Plasma—
NPU21317	Erythrocyte Yk^a antibody;
P—Erythrocyte Wu antibody; arb.subst.c.(20 °C;	arbitrary concentration(20 °C; procedure)
proc.) = ? arb.unit/l	NPU20869

P—Erythrocyte Yk^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Yk^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20870
P—Erythrocyte Yk^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Yk^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21321
P—Erythrocyte Yk^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Yk^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21322
P—Erythrocyte Yk^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Yk^a antigen;
arbitrary number(procedure)
NPU20420
Ercs(B)—Erythrocyte Yk^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Yt^a antibody;
arbitrary concentration(20 °C; procedure)
NPU20871
P—Erythrocyte Yt^a antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Yt^a antibody;
arbitrary concentration(37 °C; procedure)
NPU20872
P—Erythrocyte Yt^a antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Yt^a antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21323
P—Erythrocyte Yt^a antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Yt^a antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21324
P—Erythrocyte Yt^a antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Yt^a antigen;
arbitrary number(procedure)
NPU20421
Ercs(B)—Erythrocyte Yt^a antigen; arb.num.(proc.) = ?

Plasma—

Erythrocyte Yt^b antibody;
arbitrary concentration(20 °C; procedure)
NPU20873
P—Erythrocyte Yt^b antibody; arb.c.(20 °C; proc.) = ?

Plasma—

Erythrocyte Yt^b antibody;
arbitrary concentration(37 °C; procedure)
NPU20874
P—Erythrocyte Yt^b antibody; arb.c.(37 °C; proc.) = ?

Plasma—

Erythrocyte Yt^b antibody;
arbitrary substance concentration(20 °C;
procedure)
arbitrary unit/litre
NPU21325
P—Erythrocyte Yt^b antibody; arb.subst.c.(20 °C;
proc.) = ? arb.unit/l

Plasma—

Erythrocyte Yt^b antibody;
arbitrary substance concentration(37 °C;
procedure)
arbitrary unit/litre
NPU21326
P—Erythrocyte Yt^b antibody; arb.subst.c.(37 °C;
proc.) = ? arb.unit/l

Erythrocytes(Blood)—

Erythrocyte Yt^b antigen;
arbitrary number(procedure)
NPU20422
Ercs(B)—Erythrocyte Yt^b antigen; arb.num.(proc.) = ?

Erythrocytes(Blood)—

Erythrocytes;
compatibility(Plasma; donationID; absent
present)
NPU21754

Ercs(B)—Erythrocytes; compatibility(P; donationID; absent present) = ?	Lkcs(B)—HLA class II antigen; taxon(list) NPU21385 Lkcs(B)—HLA-DP antigen; taxon = ? NPU21386 Lkcs(B)—HLA-DQ antigen; taxon = ? NPU21387 Lkcs(B)—HLA-DR antigen; taxon = ?
Plasma—	Leukocytes(Blood)—
HLA antibody;	HLA-A antigen;
arbitrary concentration(procedure)	taxon
NPU21366	NPU21375
P—HLA antibody; arb.c.(proc.) = ?	Lkcs(B)—HLA-A antigen; taxon = ?
Plasma—	Leukocytes(Blood)—
HLA class antibody;	HLA-B antigen(B16);
taxon(list)	arbitrary number(procedure)
NPU21367	NPU21370
P—HLA class antibody; taxon(list)	Lkcs(B)—HLA-B antigen(B16); arb.num.(proc.) = ?
NPU21368 P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody) = ?	Leukocytes(Blood)—
NPU21369 P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?	HLA-B antigen(B27);
Plasma—	arbitrary number(procedure)
HLA class I antibody;	NPU21371
number fraction(panel; procedure)	Lkcs(B)—HLA-B antigen(B27); arb.num.(proc.) = ?
NPU21407	Leukocytes(Blood)—
P—HLA class I antibody; num.fr.(panel; proc.) = ?	HLA-B antigen(B38);
Plasma—	arbitrary number(procedure)
HLA class I antibody;	NPU21372
taxon(HLA-A HLA-B HLA-C antibody)	Lkcs(B)—HLA-B antigen(B38); arb.num.(proc.) = ?
NPU21368	Leukocytes(Blood)—
P—HLA class I antibody; taxon(HLA-A HLA-B HLA-C antibody) = ?	HLA-B antigen(B39);
Leukocytes(Blood)—	arbitrary number(procedure)
HLA class I antigen;	NPU21373
taxon(list)	Lkcs(B)—HLA-B antigen(B39); arb.num.(proc.) = ?
NPU21374	Leukocytes(Blood)—
Lkcs(B)—HLA class I antigen; taxon(list)	HLA-B antigen;
NPU21375 Lkcs(B)—HLA-A antigen; taxon = ?	taxon
NPU21376 Lkcs(B)—HLA-B antigen; taxon = ?	NPU21376
NPU21377 Lkcs(B)—HLA-C antigen; taxon = ?	Lkcs(B)—HLA-B antigen; taxon = ?
Plasma—	Leukocytes(Blood)—
HLA class II antibody;	HLA-C antigen;
number fraction(panel; procedure)	taxon
NPU21408	NPU21377
P—HLA class II antibody; num.fr.(panel; proc.) = ?	Lkcs(B)—HLA-C antigen; taxon = ?
Plasma—	Leukocytes(Blood)—
HLA class II antibody;	HLA-DP antigen;
taxon(HLA-DR HLA-DQ HLA-DP antibody)	taxon
NPU21369	NPU21385
P—HLA class II antibody; taxon(HLA-DR HLA-DQ HLA-DP antibody) = ?	Lkcs(B)—HLA-DP antigen; taxon = ?
Leukocytes(Blood)—	Leukocytes(Blood)—
HLA class II antigen;	HLA-DQ antigen;
taxon(list)	taxon
NPU21384	NPU21386
	Lkcs(B)—HLA-DQ antigen; taxon = ?

NPU21386

Lkcs(B)—HLA-DQ antigen; taxon = ?

Leukocytes(Blood)—**HLA-DR antigen;**

taxon

NPU21387

Lkcs(B)—HLA-DR antigen; taxon = ?

Plasma—**HNA antibody(Immunoglobulin A);**

arbitrary concentration(list; procedure)

NPU21978

P—HNA antibody(IgA); arb.c.(list; proc.)

NPU21979 P—HNA-1a antibody(IgA);

arb.c.(proc.) = ?

NPU21980 P—HNA-1b antibody(IgA);

arb.c.(proc.) = ?

NPU21981 P—HNA-1c antibody(IgA);

arb.c.(proc.) = ?

NPU21982 P—HNA-2a antibody(IgA);

arb.c.(proc.) = ?

NPU21983 P—HNA-3a antibody(IgA);

arb.c.(proc.) = ?

NPU21984 P—HNA-4a antibody(IgA);

arb.c.(proc.) = ?

NPU21985 P—HNA-5a antibody(IgA);

arb.c.(proc.) = ?

Plasma—**HNA antibody(Immunoglobulin A);**

taxon

NPU21923

P—HNA antibody(IgA); taxon = ?

Plasma—**HNA antibody(Immunoglobulin G);**

arbitrary concentration(list; procedure)

NPU21962

P—HNA antibody(IgG); arb.c.(list; proc.)

NPU21963 P—HNA-1a antibody(IgG);

arb.c.(proc.) = ?

NPU21964 P—HNA-1b antibody(IgG);

arb.c.(proc.) = ?

NPU21965 P—HNA-1c antibody(IgG);

arb.c.(proc.) = ?

NPU21966 P—HNA-2a antibody(IgG);

arb.c.(proc.) = ?

NPU21967 P—HNA-3a antibody(IgG);

arb.c.(proc.) = ?

NPU21968 P—HNA-4a antibody(IgG);

arb.c.(proc.) = ?

NPU21969 P—HNA-5a antibody(IgG);

arb.c.(proc.) = ?

Plasma—**HNA antibody(Immunoglobulin G);**

taxon

NPU21922

P—HNA antibody(IgG); taxon = ?

Plasma—**HNA antibody(Immunoglobulin M);**

arbitrary concentration(list; procedure)

NPU21970

P—HNA antibody(IgM); arb.c.(list; proc.)

NPU21971 P—HNA-1a antibody(IgM);

arb.c.(proc.) = ?

NPU21972 P—HNA-1b antibody(IgM);

arb.c.(proc.) = ?

NPU21973 P—HNA-1c antibody(IgM);

arb.c.(proc.) = ?

NPU21974 P—HNA-2a antibody(IgM);

arb.c.(proc.) = ?

NPU21975 P—HNA-3a antibody(IgM);

arb.c.(proc.) = ?

NPU21976 P—HNA-4a antibody(IgM);

arb.c.(proc.) = ?

NPU21977 P—HNA-5a antibody(IgM);

arb.c.(proc.) = ?

Plasma—**HNA antibody(Immunoglobulin M);**

taxon

NPU21924

P—HNA antibody(IgM); taxon = ?

Plasma—**HNA antibody;**

arbitrary concentration(list; procedure)

NPU21764

P—HNA antibody; arb.c.(list; proc.)

NPU21765 P—HNA-1a antibody; arb.c.(proc.) = ?

NPU21766 P—HNA-1b antibody; arb.c.(proc.) = ?

NPU21767 P—HNA-1c antibody; arb.c.(proc.) = ?

NPU21768 P—HNA-2a antibody; arb.c.(proc.) = ?

NPU21769 P—HNA-3a antibody; arb.c.(proc.) = ?

NPU21770 P—HNA-4a antibody; arb.c.(proc.) = ?

NPU21771 P—HNA-5a antibody; arb.c.(proc.) = ?

Plasma—**HNA antibody;**

arbitrary concentration(procedure)

NPU21919

P—HNA antibody; arb.c.(proc.) = ?

Plasma—**HNA antibody;**

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21925

P—HNA antibody; arb.subst.c.(proc.) = ?

arb.unit/l

Plasma—**HNA antibody;**

taxon

NPU21921

P—HNA antibody; taxon = ?

Neutrophilocytes(Blood)—	Plasma—
HNA antigen;	HNA-1a antibody(Immunoglobulin M);
arbitrary number(list; procedure)	arbitrary substance concentration(procedure)
NPU21772	arbitrary unit/litre
Ntrcs(B)—HNA antigen; arb.num.(list; proc.)	NPU21988
NPU21773 Ntrcs(B)—HNA-1a antigen;	P—HNA-1a antibody(IgM); arb.subst.c.(proc.) = ?
arb.num.(proc.) = ?	arb.unit/l
NPU21774 Ntrcs(B)—HNA-1b antigen;	Plasma—
arb.num.(proc.) = ?	HNA-1a antibody;
NPU21775 Ntrcs(B)—HNA-1c antigen;	arbitrary concentration(procedure)
arb.num.(proc.) = ?	NPU21765
NPU21776 Ntrcs(B)—HNA-2a antigen;	P—HNA-1a antibody; arb.c.(proc.) = ?
arb.num.(proc.) = ?	Plasma—
NPU21777 Ntrcs(B)—HNA-3a antigen;	HNA-1a antibody;
arb.num.(proc.) = ?	arbitrary substance concentration(procedure)
NPU21778 Ntrcs(B)—HNA-4a antigen;	arbitrary unit/litre
arb.num.(proc.) = ?	NPU21989
NPU21779 Ntrcs(B)—HNA-5a antigen;	P—HNA-1a antibody; arb.subst.c.(proc.) = ?
arb.num.(proc.) = ?	arb.unit/l
Neutrophilocytes(Blood)—	Neutrophilocytes(Blood)—
HNA antigen;	HNA-1a antigen;
taxon	arbitrary number(procedure)
NPU21920	NPU21773
Ntrcs(B)—HNA antigen; taxon = ?	Ntrcs(B)—HNA-1a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin A);	HNA-1b antibody(Immunoglobulin A);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21979	NPU21980
P—HNA-1a antibody(IgA); arb.c.(proc.) = ?	P—HNA-1b antibody(IgA); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin A);	HNA-1b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21986	NPU21990
P—HNA-1a antibody(IgA); arb.subst.c.(proc.) = ?	P—HNA-1b antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin G);	HNA-1b antibody(Immunoglobulin G);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21963	NPU21964
P—HNA-1a antibody(IgG); arb.c.(proc.) = ?	P—HNA-1b antibody(IgG); arb.c.(proc.) = ?
Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin G);	HNA-1b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	arbitrary unit/litre
NPU21987	NPU21991
P—HNA-1a antibody(IgG); arb.subst.c.(proc.) = ?	P—HNA-1b antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l	arb.unit/l
Plasma—	Plasma—
HNA-1a antibody(Immunoglobulin M);	HNA-1b antibody(Immunoglobulin M);
arbitrary concentration(procedure)	arbitrary concentration(procedure)
NPU21971	NPU21972
P—HNA-1a antibody(IgM); arb.c.(proc.) = ?	

P—HNA-1b antibody(IgM); arb.c.(proc.) = ?

Plasma—

HNA-1b antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21992

P—HNA-1b antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HNA-1b antibody;

arbitrary concentration(procedure)

NPU21766

P—HNA-1b antibody; arb.c.(proc.) = ?

Plasma—

HNA-1b antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21993

P—HNA-1b antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Neutrophilocytes(Blood)—

HNA-1b antigen;

arbitrary number(procedure)

NPU21774

Ntrcs(B)—HNA-1b antigen; arb.num.(proc.) = ?

Plasma—

HNA-1c antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21981

P—HNA-1c antibody(IgA); arb.c.(proc.) = ?

Plasma—

HNA-1c antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21998

P—HNA-1c antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HNA-1c antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21965

P—HNA-1c antibody(IgG); arb.c.(proc.) = ?

Plasma—

HNA-1c antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21999

P—HNA-1c antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HNA-1c antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21973

P—HNA-1c antibody(IgM); arb.c.(proc.) = ?

Plasma—

HNA-1c antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU22000

P—HNA-1c antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HNA-1c antibody;

arbitrary concentration(procedure)

NPU21767

P—HNA-1c antibody; arb.c.(proc.) = ?

Plasma—

HNA-1c antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU22001

P—HNA-1c antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Neutrophilocytes(Blood)—

HNA-1c antigen;

arbitrary number(procedure)

NPU21775

Ntrcs(B)—HNA-1c antigen; arb.num.(proc.) = ?

Plasma—

HNA-2a antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21982

P—HNA-2a antibody(IgA); arb.c.(proc.) = ?

Plasma—

HNA-2a antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21994

P—HNA-2a antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HNA-2a antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21966

P—HNA-2a antibody(IgG); arb.c.(proc.) = ?

Plasma—

HNA-2a antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21995

P—HNA-2a antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—	P—HNA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
HNA-2a antibody(Immunoglobulin M); arbitrary concentration(procedure)	
NPU21974	P—HNA-2a antibody(IgM); arb.c.(proc.) = ?
Plasma—	
HNA-2a antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21996	P—HNA-2a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	
HNA-2a antibody; arbitrary concentration(procedure)	
NPU21768	P—HNA-2a antibody; arb.c.(proc.) = ?
Plasma—	
HNA-2a antibody; arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21997	P—HNA-2a antibody; arb.subst.c.(proc.) = ? arb.unit/l
Neutrophilocytes(Blood)—	
HNA-2a antigen;	
arbitrary number(procedure)	
NPU21776	Ntrcs(B)—HNA-2a antigen; arb.num.(proc.) = ?
Plasma—	
HNA-3a antibody(Immunoglobulin A); arbitrary concentration(procedure)	
NPU21983	P—HNA-3a antibody(IgA); arb.c.(proc.) = ?
Plasma—	
HNA-3a antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU22002	P—HNA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	
HNA-3a antibody(Immunoglobulin G); arbitrary concentration(procedure)	
NPU21967	P—HNA-3a antibody(IgG); arb.c.(proc.) = ?
Plasma—	
HNA-3a antibody(Immunoglobulin G); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU22003	P—HNA-3a antibody(IgG); arb.c.(proc.) = ?
Plasma—	
HNA-3a antibody(Immunoglobulin M); arbitrary concentration(procedure)	
NPU21975	P—HNA-3a antibody(IgM); arb.c.(proc.) = ?
Plasma—	
HNA-3a antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU22004	P—HNA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	
HNA-3a antibody; arbitrary concentration(procedure)	
NPU21769	P—HNA-3a antibody; arb.c.(proc.) = ?
Plasma—	
HNA-3a antibody; arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU22005	P—HNA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l
Neutrophilocytes(Blood)—	
HNA-3a antigen;	
arbitrary number(procedure)	
NPU21777	Ntrcs(B)—HNA-3a antigen; arb.num.(proc.) = ?
Plasma—	
HNA-4a antibody(Immunoglobulin A); arbitrary concentration(procedure)	
NPU21984	P—HNA-4a antibody(IgA); arb.c.(proc.) = ?
Plasma—	
HNA-4a antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU22006	P—HNA-4a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	
HNA-4a antibody(Immunoglobulin G); arbitrary concentration(procedure)	
NPU21968	P—HNA-4a antibody(IgG); arb.c.(proc.) = ?
Plasma—	
HNA-4a antibody(Immunoglobulin G); arbitrary substance concentration(procedure)	

arbitrary unit/litre	Plasma—
NPU22007	HNA-5a antibody(Immunoglobulin G);
P—HNA-4a antibody(IgG); arb.subst.c.(proc.) = ?	arbitrary substance concentration(procedure)
arb.unit/l	arbitrary unit/litre
Plasma—	NPU22011
HNA-4a antibody(Immunoglobulin M);	P—HNA-5a antibody(IgG); arb.subst.c.(proc.) = ?
arbitrary concentration(procedure)	arb.unit/l
NPU21976	Plasma—
P—HNA-4a antibody(IgM); arb.c.(proc.) = ?	HNA-5a antibody(Immunoglobulin M);
Plasma—	arbitrary concentration(procedure)
HNA-4a antibody(Immunoglobulin M);	NPU21977
arbitrary substance concentration(procedure)	P—HNA-5a antibody(IgM); arb.c.(proc.) = ?
arbitrary unit/litre	Plasma—
NPU22008	HNA-5a antibody(Immunoglobulin M);
P—HNA-4a antibody(IgM); arb.subst.c.(proc.) = ?	arbitrary substance concentration(procedure)
arb.unit/l	arbitrary unit/litre
Plasma—	NPU22012
HNA-4a antibody;	P—HNA-5a antibody(IgM); arb.subst.c.(proc.) = ?
arbitrary concentration(procedure)	arb.unit/l
NPU21770	Plasma—
P—HNA-4a antibody; arb.c.(proc.) = ?	HNA-5a antibody;
Plasma—	arbitrary concentration(procedure)
HNA-4a antibody;	NPU21771
arbitrary substance concentration(procedure)	P—HNA-5a antibody; arb.c.(proc.) = ?
arbitrary unit/litre	Plasma—
NPU22009	HNA-5a antibody;
P—HNA-4a antibody; arb.subst.c.(proc.) = ?	arbitrary substance concentration(procedure)
arb.unit/l	arbitrary unit/litre
Neutrophilocytes(Blood)—	NPU22013
HNA-4a antigen;	P—HNA-5a antibody; arb.subst.c.(proc.) = ?
arbitrary number(procedure)	arb.unit/l
NPU21778	Neutrophilocytes(Blood)—
Ntrcs(B)—HNA-4a antigen; arb.num.(proc.) = ?	HNA-5a antigen;
Plasma—	arbitrary number(procedure)
HNA-5a antibody(Immunoglobulin A);	NPU21779
arbitrary concentration(procedure)	Ntrcs(B)—HNA-5a antigen; arb.num.(proc.) = ?
NPU21985	Plasma—
P—HNA-5a antibody(IgA); arb.c.(proc.) = ?	HPA antibody(Immunoglobulin A);
Plasma—	arbitrary concentration(list; procedure)
HNA-5a antibody(Immunoglobulin A);	NPU21460
arbitrary substance concentration(procedure)	P—HPA antibody(IgA); arb.c.(list; proc.)
arbitrary unit/litre	NPU21461 P—HPA-1a antibody(IgA);
NPU22010	arb.c.(proc.) = ?
P—HNA-5a antibody(IgA); arb.subst.c.(proc.) = ?	NPU21462 P—HPA-1b antibody(IgA);
arb.unit/l	arb.c.(proc.) = ?
Plasma—	NPU21463 P—HPA-2a antibody(IgA);
HNA-5a antibody(Immunoglobulin G);	arb.c.(proc.) = ?
arbitrary concentration(procedure)	NPU21464 P—HPA-2b antibody(IgA);
NPU21969	arb.c.(proc.) = ?
P—HNA-5a antibody(IgG); arb.c.(proc.) = ?	NPU21465 P—HPA-3a antibody(IgA);
	arb.c.(proc.) = ?
	NPU21466 P—HPA-3b antibody(IgA);
	arb.c.(proc.) = ?

NPU21467 P—HPA-4a antibody(IgA);
arb.c.(proc.) = ?
NPU21468 P—HPA-4b antibody(IgA);
arb.c.(proc.) = ?
NPU21469 P—HPA-5a antibody(IgA);
arb.c.(proc.) = ?
NPU21470 P—HPA-5b antibody(IgA);
arb.c.(proc.) = ?
NPU21471 P—HPA-6b antibody(IgA);
arb.c.(proc.) = ?
NPU21893 P—HPA-7b antibody(IgA);
arb.c.(proc.) = ?
NPU21894 P—HPA-8b antibody(IgA);
arb.c.(proc.) = ?
NPU21895 P—HPA-9b antibody(IgA);
arb.c.(proc.) = ?
NPU21896 P—HPA-10b antibody(IgA);
arb.c.(proc.) = ?
NPU21472 P—HPA-unknown antibody(IgA);
arb.c.(proc.) = ?

Plasma—

HPA antibody(Immunoglobulin A);
taxon
NPU21872
P—HPA antibody(IgA); taxon = ?

Plasma—

HPA antibody(Immunoglobulin G);
arbitrary concentration(list; procedure)
NPU21447
P—HPA antibody(IgG); arb.c.(list; proc.)
NPU21448 P—HPA-1a antibody(IgG);
arb.c.(proc.) = ?
NPU21449 P—HPA-1b antibody(IgG);
arb.c.(proc.) = ?
NPU21450 P—HPA-2a antibody(IgG);
arb.c.(proc.) = ?
NPU21451 P—HPA-2b antibody(IgG);
arb.c.(proc.) = ?
NPU21452 P—HPA-3a antibody(IgG);
arb.c.(proc.) = ?
NPU21453 P—HPA-3b antibody(IgG);
arb.c.(proc.) = ?
NPU21454 P—HPA-4a antibody(IgG);
arb.c.(proc.) = ?
NPU21455 P—HPA-4b antibody(IgG);
arb.c.(proc.) = ?
NPU21456 P—HPA-5a antibody(IgG);
arb.c.(proc.) = ?
NPU21457 P—HPA-5b antibody(IgG);
arb.c.(proc.) = ?
NPU21458 P—HPA-6b antibody(IgG);
arb.c.(proc.) = ?
NPU21889 P—HPA-7b antibody(IgG);
arb.c.(proc.) = ?
NPU21890 P—HPA-8b antibody(IgG);
arb.c.(proc.) = ?
NPU21891 P—HPA-9b antibody(IgG);
arb.c.(proc.) = ?

NPU21892 P—HPA-10b antibody(IgG);
arb.c.(proc.) = ?
NPU21459 P—HPA-unknown antibody(IgG);
arb.c.(proc.) = ?

Plasma—

HPA antibody(Immunoglobulin G);
taxon
NPU21871
P—HPA antibody(IgG); taxon = ?

Plasma—

HPA antibody(Immunoglobulin M);
arbitrary concentration(list; procedure)
NPU21473
P—HPA antibody(IgM); arb.c.(list; proc.)
NPU21474 P—HPA-1a antibody(IgM);
arb.c.(proc.) = ?
NPU21475 P—HPA-1b antibody(IgM);
arb.c.(proc.) = ?
NPU21476 P—HPA-2a antibody(IgM);
arb.c.(proc.) = ?
NPU21477 P—HPA-2b antibody(IgM);
arb.c.(proc.) = ?
NPU21478 P—HPA-3a antibody(IgM);
arb.c.(proc.) = ?
NPU21479 P—HPA-3b antibody(IgM);
arb.c.(proc.) = ?
NPU21480 P—HPA-4a antibody(IgM);
arb.c.(proc.) = ?
NPU21481 P—HPA-4b antibody(IgM);
arb.c.(proc.) = ?
NPU21482 P—HPA-5a antibody(IgM);
arb.c.(proc.) = ?
NPU21483 P—HPA-5b antibody(IgM);
arb.c.(proc.) = ?
NPU21484 P—HPA-6b antibody(IgM);
arb.c.(proc.) = ?
NPU21897 P—HPA-7b antibody(IgM);
arb.c.(proc.) = ?
NPU21898 P—HPA-8b antibody(IgM);
arb.c.(proc.) = ?
NPU21899 P—HPA-9b antibody(IgM);
arb.c.(proc.) = ?
NPU21900 P—HPA-10b antibody(IgM);
arb.c.(proc.) = ?
NPU21485 P—HPA-unknown antibody(IgM);
arb.c.(proc.) = ?

Plasma—

HPA antibody(Immunoglobulin M);
taxon
NPU21873
P—HPA antibody(IgM); taxon = ?

Plasma—

HPA antibody;
arbitrary concentration(list; procedure)
NPU21328
P—HPA antibody; arb.c.(list; proc.)

NPU21329 P—HPA-1a antibody; arb.c.(proc.) = ?
 NPU21330 P—HPA-1b antibody; arb.c.(proc.) = ?
 NPU21331 P—HPA-2a antibody; arb.c.(proc.) = ?
 NPU21332 P—HPA-2b antibody; arb.c.(proc.) = ?
 NPU21333 P—HPA-3a antibody; arb.c.(proc.) = ?
 NPU21334 P—HPA-3b antibody; arb.c.(proc.) = ?
 NPU21335 P—HPA-4a antibody; arb.c.(proc.) = ?
 NPU21336 P—HPA-4b antibody; arb.c.(proc.) = ?
 NPU21337 P—HPA-5a antibody; arb.c.(proc.) = ?
 NPU21338 P—HPA-5b antibody; arb.c.(proc.) = ?
 NPU21339 P—HPA-6b antibody; arb.c.(proc.) = ?
 NPU21881 P—HPA-7b antibody; arb.c.(proc.) = ?
 NPU21882 P—HPA-8b antibody; arb.c.(proc.) = ?
 NPU21883 P—HPA-9b antibody; arb.c.(proc.) = ?
 NPU21884 P—HPA-10b antibody; arb.c.(proc.) = ?
 NPU21340 P—HPA-unknown antibody;
 arb.c.(proc.) = ?

Plasma—

HPA antibody;
arbitrary concentration(procedure)
NPU21327
 P—HPA antibody; arb.c.(proc.) = ?

Plasma—

HPA antibody;
arbitrary substance concentration(procedure)
arbitrary unit/litre
 Other term(s): Thrombocyte specific alloantibody;
 Thrombocyte autoantibody. Other term(s):
 Platelet(s) is a full synonym to Thrombocyte(s)
 Authority: ISTH/SSC93
NPU03564
 P—HPA antibody; arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA antibody;
compatibility(donationID; absent present)
NPU21425
 P—HPA antibody; compatibility(donationID;
 absent present) = ?

Plasma—

HPA antibody;
taxon
NPU21870
 P—HPA antibody; taxon = ?

Thrombocytes(Blood)—

HPA antigen;
arbitrary number(list; procedure)
NPU21341
 Trcs(B)—HPA antigen; arb.num.(list; proc.)
 NPU21342 Trcs(B)—HPA-1a antigen;
 arb.num.(proc.) = ?
 NPU21343 Trcs(B)—HPA-1b antigen;
 arb.num.(proc.) = ?

NPU21344 Trcs(B)—HPA-2a antigen;
 arb.num.(proc.) = ?
 NPU21345 Trcs(B)—HPA-2b antigen;
 arb.num.(proc.) = ?
 NPU21346 Trcs(B)—HPA-3a antigen;
 arb.num.(proc.) = ?
 NPU21347 Trcs(B)—HPA-3b antigen;
 arb.num.(proc.) = ?
 NPU21348 Trcs(B)—HPA-4a antigen;
 arb.num.(proc.) = ?
 NPU21349 Trcs(B)—HPA-4b antigen;
 arb.num.(proc.) = ?
 NPU21350 Trcs(B)—HPA-5a antigen;
 arb.num.(proc.) = ?
 NPU21351 Trcs(B)—HPA-5b antigen;
 arb.num.(proc.) = ?
 NPU21352 Trcs(B)—HPA-6b antigen;
 arb.num.(proc.) = ?
 NPU21353 Trcs(B)—HPA-7b antigen;
 arb.num.(proc.) = ?
 NPU21865 Trcs(B)—HPA-8b antigen;
 arb.num.(proc.) = ?
 NPU21866 Trcs(B)—HPA-9b antigen;
 arb.num.(proc.) = ?
 NPU21867 Trcs(B)—HPA-10b antigen;
 arb.num.(proc.) = ?

Thrombocytes(Blood)—

HPA antigen;
taxon
NPU21869
 Trcs(B)—HPA antigen; taxon = ?

Plasma—

HPA-10b antibody(Immunoglobulin A);
arbitrary concentration(procedure)
NPU21896
 P—HPA-10b antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-10b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21908
 P—HPA-10b antibody(IgA); arb.subst.c.(proc.) = ?
 arb.unit/l

Plasma—

HPA-10b antibody(Immunoglobulin G);
arbitrary concentration(procedure)
NPU21892
 P—HPA-10b antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-10b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)
arbitrary unit/litre
NPU21904

P—HPA-10b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	arbitrary substance concentration(procedure) arbitrary unit/litre NPU21486
Plasma—	
HPA-10b antibody(Immunoglobulin M); arbitrary concentration(procedure)	P—HPA-1a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
NPU21900	
P—HPA-10b antibody(IgM); arb.c.(proc.) = ?	
Plasma—	
HPA-10b antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	Plasma—
arbitrary unit/litre	HPA-1a antibody(Immunoglobulin M); arbitrary concentration(procedure)
NPU21912	NPU21474
P—HPA-10b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	P—HPA-1a antibody(IgM); arb.c.(proc.) = ?
Plasma—	
HPA-10b antibody;	Plasma—
arbitrary concentration(procedure)	HPA-1a antibody(Immunoglobulin M); arbitrary substance concentration(procedure)
NPU21884	arbitrary unit/litre
P—HPA-10b antibody; arb.c.(proc.) = ?	NPU21510
Plasma—	P—HPA-1a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
HPA-10b antibody;	
arbitrary substance concentration(procedure)	Plasma—
arbitrary unit/litre	HPA-1a antibody;
NPU21888	arbitrary concentration(procedure)
P—HPA-10b antibody; arb.subst.c.(proc.) = ? arb.unit/l	NPU21329
Thrombocytes(Blood)—	P—HPA-1a antibody; arb.c.(proc.) = ?
HPA-10b antigen;	Plasma—
arbitrary number(procedure)	HPA-1a antibody;
NPU21867	arbitrary substance concentration(procedure)
Trcs(B)—HPA-10b antigen; arb.num.(proc.) = ?	arbitrary unit/litre
Plasma—	NPU21435
HPA-1a antibody(Immunoglobulin A); arbitrary concentration(procedure)	P—HPA-1a antibody; arb.subst.c.(proc.) = ? arb.unit/l
NPU21461	
P—HPA-1a antibody(IgA); arb.c.(proc.) = ?	Thrombocytes(Blood)—
Plasma—	HPA-1a antigen;
HPA-1a antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	arbitrary number(procedure)
arbitrary unit/litre	NPU21342
NPU21498	Trcs(B)—HPA-1a antigen; arb.num.(proc.) = ?
P—HPA-1a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l	Plasma—
Plasma—	HPA-1b antibody(Immunoglobulin A); arbitrary concentration(procedure)
HPA-1a antibody(Immunoglobulin G); arbitrary concentration(procedure)	NPU21462
NPU21448	P—HPA-1b antibody(IgA); arb.c.(proc.) = ?
P—HPA-1a antibody(IgG); arb.c.(proc.) = ?	Plasma—
Plasma—	HPA-1b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)
HPA-1a antibody(Immunoglobulin G);	arbitrary unit/litre
	NPU21499
	P—HPA-1b antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
Plasma—	Plasma—
HPA-1a antibody(Immunoglobulin G); arbitrary concentration(procedure)	HPA-1b antibody(Immunoglobulin G); arbitrary concentration(procedure)
NPU21449	NPU21449
P—HPA-1b antibody(IgG); arb.c.(proc.) = ?	P—HPA-1b antibody(IgG); arb.c.(proc.) = ?

Plasma—	NPU21450
HPA-1b antibody(Immunoglobulin G); arbitrary substance concentration(procedure)	P—HPA-2a antibody(IgG); arb.c.(proc.) = ?
arbitrary unit/litre	
NPU21487	
P—HPA-1b antibody(IgG); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
HPA-1b antibody(Immunoglobulin M); arbitrary concentration(procedure)	HPA-2a antibody(Immunoglobulin G); arbitrary substance concentration(procedure)
NPU21475	arbitrary unit/litre
P—HPA-1b antibody(IgM); arb.c.(proc.) = ?	NPU21488
	P—HPA-2a antibody(IgG); arb.subst.c.(proc.) = ?
	arb.unit/l
Plasma—	Plasma—
HPA-1b antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	HPA-2a antibody(Immunoglobulin M); arbitrary concentration(procedure)
arbitrary unit/litre	NPU21476
NPU21511	P—HPA-2a antibody(IgM); arb.c.(proc.) = ?
P—HPA-1b antibody(IgM); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
HPA-1b antibody; arbitrary concentration(procedure)	HPA-2a antibody(Immunoglobulin M); arbitrary substance concentration(procedure)
NPU21330	arbitrary unit/litre
P—HPA-1b antibody; arb.c.(proc.) = ?	NPU21512
	P—HPA-2a antibody(IgM); arb.subst.c.(proc.) = ?
	arb.unit/l
Plasma—	Plasma—
HPA-1b antibody; arbitrary substance concentration(procedure)	HPA-2a antibody; arbitrary concentration(procedure)
arbitrary unit/litre	NPU21331
NPU21436	P—HPA-2a antibody; arb.c.(proc.) = ?
P—HPA-1b antibody; arb.subst.c.(proc.) = ?	
arb.unit/l	
Thrombocytes(Blood)—	Plasma—
HPA-1b antigen; arbitrary number(procedure)	HPA-2a antibody; arbitrary substance concentration(procedure)
NPU21343	arbitrary unit/litre
Trcs(B)—HPA-1b antigen; arb.num.(proc.) = ?	NPU21437
	P—HPA-2a antibody; arb.subst.c.(proc.) = ?
	arb.unit/l
Plasma—	Plasma—
HPA-2a antibody(Immunoglobulin A); arbitrary concentration(procedure)	HPA-2a antigen; arbitrary number(procedure)
NPU21463	NPU21344
P—HPA-2a antibody(IgA); arb.c.(proc.) = ?	Trcs(B)—HPA-2a antigen; arb.num.(proc.) = ?
Plasma—	Plasma—
HPA-2a antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	HPA-2b antibody(Immunoglobulin A); arbitrary concentration(procedure)
arbitrary unit/litre	NPU21464
NPU21500	P—HPA-2b antibody(IgA); arb.c.(proc.) = ?
P—HPA-2a antibody(IgA); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
HPA-2a antibody(Immunoglobulin G); arbitrary concentration(procedure)	HPA-2b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)
	arbitrary unit/litre
	NPU21501
	P—HPA-2b antibody(IgA); arb.subst.c.(proc.) = ?
	arb.unit/l

Plasma—	
HPA-2b antibody(Immunoglobulin G); arbitrary concentration(procedure)	P—HPA-3a antibody(IgA); arb.subst.c.(proc.) = ? arb.unit/l
NPU21451	
P—HPA-2b antibody(IgG); arb.c.(proc.) = ?	
Plasma—	
HPA-2b antibody(Immunoglobulin G); arbitrary substance concentration(procedure) arbitrary unit/litre	P—HPA-3a antibody(IgG); arb.c.(proc.) = ?
NPU21489	
P—HPA-2b antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l	
Plasma—	
HPA-2b antibody(Immunoglobulin M); arbitrary concentration(procedure)	P—HPA-3a antibody(IgG); arb.subst.c.(proc.) = ? arb.unit/l
NPU21477	
P—HPA-2b antibody(IgM); arb.c.(proc.) = ?	
Plasma—	
HPA-2b antibody(Immunoglobulin M); arbitrary substance concentration(procedure) arbitrary unit/litre	P—HPA-3a antibody(IgM); arb.c.(proc.) = ?
NPU21513	
P—HPA-2b antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l	
Plasma—	
HPA-2b antibody; arbitrary concentration(procedure)	P—HPA-3a antibody(IgM); arb.subst.c.(proc.) = ? arb.unit/l
NPU21332	
P—HPA-2b antibody; arb.c.(proc.) = ?	
Plasma—	
HPA-2b antibody; arbitrary substance concentration(procedure) arbitrary unit/litre	P—HPA-3a antibody; arb.c.(proc.) = ?
NPU21438	
P—HPA-2b antibody; arb.subst.c.(proc.) = ? arb.unit/l	
Thrombocytes(Blood)—	
HPA-2b antigen; arbitrary number(procedure)	P—HPA-3a antibody; arb.subst.c.(proc.) = ? arb.unit/l
NPU21345	
Trcs(B)—HPA-2b antigen; arb.num.(proc.) = ?	
Plasma—	
HPA-3a antibody(Immunoglobulin A); arbitrary concentration(procedure)	P—HPA-3a antibody(IgA); arb.c.(proc.) = ?
NPU21465	
P—HPA-3a antibody(IgA); arb.c.(proc.) = ?	
Plasma—	
HPA-3a antibody(Immunoglobulin A); arbitrary substance concentration(procedure) arbitrary unit/litre	P—HPA-3b antibody(IgA); arb.c.(proc.) = ?
NPU21502	
Plasma—	
HPA-3b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	P—HPA-3b antibody(IgA); arb.c.(proc.) = ?
NPU21466	
P—HPA-3b antibody(IgA); arb.c.(proc.) = ?	
Plasma—	
HPA-3b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	P—HPA-3b antibody(IgA); arb.c.(proc.) = ?
NPU21467	
P—HPA-3b antibody(IgA); arb.c.(proc.) = ?	

arbitrary unit/litre

NPU21503

P—HPA-3b antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-3b antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21453

P—HPA-3b antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-3b antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21491

P—HPA-3b antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-3b antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21479

P—HPA-3b antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-3b antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21515

P—HPA-3b antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-3b antibody;

arbitrary concentration(procedure)

NPU21334

P—HPA-3b antibody; arb.c.(proc.) = ?

Plasma—

HPA-3b antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21440

P—HPA-3b antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-3b antigen;

arbitrary number(procedure)

NPU21347

Trcs(B)—HPA-3b antigen; arb.num.(proc.) = ?

Plasma—

HPA-4a antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21467

P—HPA-4a antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-4a antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21504

P—HPA-4a antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4a antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21454

P—HPA-4a antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-4a antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21492

P—HPA-4a antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4a antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21480

P—HPA-4a antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-4a antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21516

P—HPA-4a antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4a antibody;

arbitrary concentration(procedure)

NPU21335

P—HPA-4a antibody; arb.c.(proc.) = ?

Plasma—

HPA-4a antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21441

P—HPA-4a antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-4a antigen;

arbitrary number(procedure)

NPU21348

Trcs(B)—HPA-4a antigen; arb.num.(proc.) = ?

Plasma—

HPA-4b antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21468

P—HPA-4b antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-4b antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21505

P—HPA-4b antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4b antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21455

P—HPA-4b antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-4b antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21493

P—HPA-4b antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4b antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21481

P—HPA-4b antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-4b antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21517

P—HPA-4b antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-4b antibody;

arbitrary concentration(procedure)

NPU21336

P—HPA-4b antibody; arb.c.(proc.) = ?

Plasma—

HPA-4b antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21442

P—HPA-4b antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-4b antigen;

arbitrary number(procedure)

NPU21349

Trcs(B)—HPA-4b antigen; arb.num.(proc.) = ?

Plasma—

HPA-5a antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21469

P—HPA-5a antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-5a antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21506

P—HPA-5a antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-5a antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21456

P—HPA-5a antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-5a antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21494

P—HPA-5a antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-5a antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21482

P—HPA-5a antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-5a antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21518

P—HPA-5a antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-5a antibody;

arbitrary concentration(procedure)

NPU21337

P—HPA-5a antibody; arb.c.(proc.) = ?

Plasma—

HPA-5a antibody;

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21443

P—HPA-5a antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-5a antigen;

arbitrary number(procedure)

NPU21350

Trcs(B)—HPA-5a antigen; arb.num.(proc.) = ?

Plasma—	Trcs(B)—HPA-5b antigen; arb.num.(proc.) = ?
HPA-5b antibody(Immunoglobulin A); arbitrary concentration(procedure)	
NPU21470	
P—HPA-5b antibody(IgA); arb.c.(proc.) = ?	
Plasma—	
HPA-5b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21507	
P—HPA-5b antibody(IgA); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-5b antibody(Immunoglobulin G); arbitrary concentration(procedure)	
NPU21457	
P—HPA-5b antibody(IgG); arb.c.(proc.) = ?	
Plasma—	
HPA-5b antibody(Immunoglobulin G); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21495	
P—HPA-5b antibody(IgG); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-5b antibody(Immunoglobulin M); arbitrary concentration(procedure)	
NPU21483	
P—HPA-5b antibody(IgM); arb.c.(proc.) = ?	
Plasma—	
HPA-5b antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21519	
P—HPA-5b antibody(IgM); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-5b antibody;	
arbitrary concentration(procedure)	
NPU21338	
P—HPA-5b antibody; arb.c.(proc.) = ?	
Plasma—	
HPA-5b antibody;	
arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21444	
P—HPA-5b antibody; arb.subst.c.(proc.) = ?	
arb.unit/l	
Thrombocytes(Blood)—	
HPA-5b antigen;	
arbitrary number(procedure)	
NPU21351	
Plasma—	
HPA-6b antibody(Immunoglobulin A); arbitrary concentration(procedure)	
NPU21471	
P—HPA-6b antibody(IgA); arb.c.(proc.) = ?	
Plasma—	
HPA-6b antibody(Immunoglobulin A); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21508	
P—HPA-6b antibody(IgA); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-6b antibody(Immunoglobulin G); arbitrary concentration(procedure)	
NPU21458	
P—HPA-6b antibody(IgG); arb.c.(proc.) = ?	
Plasma—	
HPA-6b antibody(Immunoglobulin G); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21496	
P—HPA-6b antibody(IgG); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-6b antibody(Immunoglobulin M); arbitrary concentration(procedure)	
NPU21484	
P—HPA-6b antibody(IgM); arb.c.(proc.) = ?	
Plasma—	
HPA-6b antibody(Immunoglobulin M); arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21520	
P—HPA-6b antibody(IgM); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	
HPA-6b antibody;	
arbitrary concentration(procedure)	
NPU21339	
P—HPA-6b antibody; arb.c.(proc.) = ?	
Plasma—	
HPA-6b antibody;	
arbitrary substance concentration(procedure)	
arbitrary unit/litre	
NPU21445	
P—HPA-6b antibody; arb.subst.c.(proc.) = ?	
arb.unit/l	
Thrombocytes(Blood)—	
HPA-6b antigen;	

arbitrary number(procedure)	Thrombocytes(Blood)—
NPU21352	HPA-7b antigen;
Trcs(B)—HPA-6b antigen; arb.num.(proc.) = ?	arbitrary number(procedure)
Plasma—	NPU21353
HPA-7b antibody(Immunoglobulin A);	Trcs(B)—HPA-7b antigen; arb.num.(proc.) = ?
arbitrary concentration(procedure)	
NPU21893	
P—HPA-7b antibody(IgA); arb.c.(proc.) = ?	
Plasma—	Plasma—
HPA-7b antibody(Immunoglobulin A);	HPA-8b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)	arbitrary concentration(procedure)
arbitrary unit/litre	NPU21894
NPU21905	P—HPA-8b antibody(IgA); arb.c.(proc.) = ?
P—HPA-7b antibody(IgA); arb.subst.c.(proc.) = ?	
arb.unit/l	
Plasma—	Plasma—
HPA-7b antibody(Immunoglobulin G);	HPA-8b antibody(Immunoglobulin G);
arbitrary concentration(procedure)	arbitrary substance concentration(procedure)
NPU21889	arbitrary unit/litre
P—HPA-7b antibody(IgG); arb.c.(proc.) = ?	NPU21906
Plasma—	P—HPA-8b antibody(IgA); arb.subst.c.(proc.) = ?
HPA-7b antibody(Immunoglobulin G);	arb.unit/l
arbitrary substance concentration(procedure)	
arbitrary unit/litre	Plasma—
NPU21901	HPA-8b antibody(Immunoglobulin G);
P—HPA-7b antibody(IgG); arb.subst.c.(proc.) = ?	arbitrary concentration(procedure)
arb.unit/l	NPU21890
Plasma—	P—HPA-8b antibody(IgG); arb.c.(proc.) = ?
HPA-7b antibody(Immunoglobulin M);	
arbitrary concentration(procedure)	Plasma—
NPU21897	HPA-8b antibody(Immunoglobulin G);
P—HPA-7b antibody(IgM); arb.c.(proc.) = ?	arbitrary substance concentration(procedure)
Plasma—	arbitrary unit/litre
HPA-7b antibody(Immunoglobulin M);	NPU21902
arbitrary substance concentration(procedure)	P—HPA-8b antibody(IgG); arb.subst.c.(proc.) = ?
arbitrary unit/litre	arb.unit/l
NPU21909	
P—HPA-7b antibody(IgM); arb.subst.c.(proc.) = ?	Plasma—
arb.unit/l	HPA-8b antibody(Immunoglobulin M);
Plasma—	arbitrary concentration(procedure)
HPA-7b antibody;	NPU21898
arbitrary concentration(procedure)	P—HPA-8b antibody(IgM); arb.c.(proc.) = ?
NPU21881	
P—HPA-7b antibody; arb.c.(proc.) = ?	Plasma—
Plasma—	HPA-8b antibody(Immunoglobulin M);
HPA-7b antibody;	arbitrary substance concentration(procedure)
arbitrary substance concentration(procedure)	arbitrary unit/litre
arbitrary unit/litre	NPU21910
NPU21885	P—HPA-8b antibody(IgM); arb.subst.c.(proc.) = ?
P—HPA-7b antibody; arb.subst.c.(proc.) = ?	arb.unit/l
arb.unit/l	
Plasma—	Plasma—
HPA-8b antibody;	HPA-8b antibody;
arbitrary substance concentration(procedure)	arbitrary concentration(procedure)
arbitrary unit/litre	NPU21882
NPU21886	P—HPA-8b antibody; arb.c.(proc.) = ?
P—HPA-8b antibody; arb.subst.c.(proc.) = ?	
arb.unit/l	Plasma—
HPA-8b antibody;	HPA-8b antibody;
arbitrary substance concentration(procedure)	arbitrary substance concentration(procedure)
arbitrary unit/litre	NPU21886

P—HPA-8b antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-8b antigen;

arbitrary number(procedure)

NPU21865

Trcs(B)—HPA-8b antigen; arb.num.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin A);
arbitrary concentration(procedure)

NPU21895

P—HPA-9b antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin A);
arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21907

P—HPA-9b antibody(IgA); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-9b antibody(Immunoglobulin G);
arbitrary concentration(procedure)

NPU21891

P—HPA-9b antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin G);
arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21903

P—HPA-9b antibody(IgG); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-9b antibody(Immunoglobulin M);
arbitrary concentration(procedure)

NPU21899

P—HPA-9b antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-9b antibody(Immunoglobulin M);
arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21911

P—HPA-9b antibody(IgM); arb.subst.c.(proc.) = ?
arb.unit/l

Plasma—

HPA-9b antibody;
arbitrary concentration(procedure)

NPU21883

P—HPA-9b antibody; arb.c.(proc.) = ?

Plasma—

HPA-9b antibody;
arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21887

P—HPA-9b antibody; arb.subst.c.(proc.) = ?
arb.unit/l

Thrombocytes(Blood)—

HPA-9b antigen;

arbitrary number(procedure)

NPU21866

Trcs(B)—HPA-9b antigen; arb.num.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin A);

arbitrary concentration(procedure)

NPU21472

P—HPA-unknown antibody(IgA); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin A);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21509

P—HPA-unknown antibody(IgA);
arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody(Immunoglobulin G);

arbitrary concentration(procedure)

NPU21459

P—HPA-unknown antibody(IgG); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin G);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21497

P—HPA-unknown antibody(IgG);
arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody(Immunoglobulin M);

arbitrary concentration(procedure)

NPU21485

P—HPA-unknown antibody(IgM); arb.c.(proc.) = ?

Plasma—

HPA-unknown antibody(Immunoglobulin M);

arbitrary substance concentration(procedure)

arbitrary unit/litre

NPU21521

P—HPA-unknown antibody(IgM);
arb.subst.c.(proc.) = ? arb.unit/l

Plasma—

HPA-unknown antibody;

arbitrary concentration(procedure)

NPU21340

P—HPA-unknown antibody; arb.c.(proc.) = ?

Plasma—	Thrombocytes(Blood)—
HPA-unknown antibody;	Immunoglobulin A;
arbitrary substance concentration(procedure)	entitic number
arbitrary unit/litre	NPU20068
NPU21446	Trcs(B)—Immunoglobulin A; entitic num. = ?
P—HPA-unknown antibody; arb.subst.c.(proc.) =	
? arb.unit/l	
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
<i>M</i> = 160 000 g/mol	NPU20003
Other term(s): IgA	Ercs(B)—Immunoglobulin G; arb.entitic
NPU01947	num.(proc.) = ? arb.unit
Ercs(B)—Immunoglobulin A; arb.entitic	
num.(proc.) = ? arb.unit	
Neutrophilocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21943	NPU21944
Ntrcs(B)—Immunoglobulin A; arb.entitic	Ntrcs(B)—Immunoglobulin G; arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU20057	NPU20058
Trcs(B)—Immunoglobulin A; arb.entitic	Trcs(B)—Immunoglobulin G; arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20028	<i>M</i> = 160 000 g/mol
Ercs(B)—Immunoglobulin A; arb.num.(proc.) = ?	Other term(s): IgG
Thrombocytes(Blood)—	NPU04070
Immunoglobulin A;	Ercs(B)—Immunoglobulin G; arb.num.(proc.) = ?
arbitrary number(procedure)	
NPU20046	
Trcs(B)—Immunoglobulin A; arb.num.(proc.) = ?	
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
entitic number	arbitrary number(procedure)
<i>M</i> = 160 000 g/mol	NPU20047
Other term(s): IgA	Trcs(B)—Immunoglobulin G; arb.num.(proc.) = ?
NPU02475	
Ercs(B)—Immunoglobulin A; entitic num. = ?	
Neutrophilocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin A;	Immunoglobulin G;
entitic number	entitic number
NPU21955	<i>M</i> = 160 000 g/mol
Ntrcs(B)—Immunoglobulin A; entitic num. = ?	Other term(s): IgG
Thrombocytes(Blood)—	NPU01948
Immunoglobulin G;	Ercs(B)—Immunoglobulin G; entitic num. = ?
entitic number	
NPU21956	
Ntrcs(B)—Immunoglobulin G; entitic num. = ?	

entitic number	Erythrocytes(Blood)—
NPU20069	Immunoglobulin G2;
Trcs(B)—Immunoglobulin G; entitic num. = ?	arbitrary entitic number(procedure)
	arbitrary unit
	$M = 146\ 000 \text{ g/mol}$
NPU04067	NPU04067
Ercs(B)—Immunoglobulin G1; arb.entitic	Ercs(B)—Immunoglobulin G2; arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21946	NPU21946
Ntrcs(B)—Immunoglobulin G1; arb.entitic	Ntrcs(B)—Immunoglobulin G2; arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU20059	NPU20060
Trcs(B)—Immunoglobulin G1; arb.entitic	Trcs(B)—Immunoglobulin G2; arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20030	NPU20031
Ercs(B)—Immunoglobulin G1; arb.num.(proc.) = ?	Ercs(B)—Immunoglobulin G2; arb.num.(proc.) = ?
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20048	NPU20049
Trcs(B)—Immunoglobulin G1; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin G2; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
entitic number	entitic number
NPU01949	$M = 146\ 000 \text{ g/mol}$
Ercs(B)—Immunoglobulin G1; entitic num. = ?	NPU01950
Neutrophilocytes(Blood)—	Ercs(B)—Immunoglobulin G2; entitic num. = ?
Immunoglobulin G1;	
entitic number	
NPU21957	
Ntrcs(B)—Immunoglobulin G1; entitic num. = ?	
Thrombocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin G1;	Immunoglobulin G2;
entitic number	entitic number
NPU20070	NPU21958
Trcs(B)—Immunoglobulin G1; entitic num. = ?	Ntrcs(B)—Immunoglobulin G2; entitic num. = ?
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G2;
arbitrary entitic number(procedure)	entitic number
arbitrary unit	NPU20071
	Trcs(B)—Immunoglobulin G2; entitic num. = ?

$M = 170\ 000 \text{ g/mol}$	Neutrophilocytes(Blood)—
NPU04068	Immunoglobulin G4;
Ercs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit	arbitrary entitic number(procedure)
	arbitrary unit
NPU21948	Ntrcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21947	NPU20062
Ntrcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit	Trcs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary entitic number(procedure)	arbitrary number(procedure)
arbitrary unit	
NPU20061	NPU20033
Trcs(B)—Immunoglobulin G3; arb.entitic num.(proc.) = ? arb.unit	Ercs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20032	NPU20051
Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin G4; arb.num.(proc.) = ?
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
arbitrary number(procedure)	entitic number
NPU20050	$M = 146\ 000 \text{ g/mol}$
Trcs(B)—Immunoglobulin G3; arb.num.(proc.) = ?	NPU01952
Erythrocytes(Blood)—	Ercs(B)—Immunoglobulin G4; entitic num. = ?
Immunoglobulin G3;	Neutrophilocytes(Blood)—
entitic number	Immunoglobulin G4;
$M = 170\ 000 \text{ g/mol}$	entitic number
NPU01951	NPU21960
Ercs(B)—Immunoglobulin G3; entitic num. = ?	Ntrcs(B)—Immunoglobulin G4; entitic num. = ?
Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin G4;
entitic number	entitic number
NPU21959	NPU20073
Ntrcs(B)—Immunoglobulin G3; entitic num. = ?	Trcs(B)—Immunoglobulin G4; entitic num. = ?
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin G3;	Immunoglobulin M;
entitic number	arbitrary entitic number(procedure)
NPU20072	arbitrary unit
Trcs(B)—Immunoglobulin G3; entitic num. = ?	$M = 950\ 000 \text{ g/mol}$
Erythrocytes(Blood)—	Other term(s): IgM
Immunoglobulin G4;	NPU02487
arbitrary entitic number(procedure)	Ercs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit
arbitrary unit	
$M = 146\ 000 \text{ g/mol}$	
NPU04069	Neutrophilocytes(Blood)—
Ercs(B)—Immunoglobulin G4; arb.entitic num.(proc.) = ? arb.unit	Immunoglobulin M;
	arbitrary entitic number(procedure)

arbitrary unit	Thrombocytes(Blood)—
NPU21949	Immunoglobulin;
Ntrcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit	arbitrary entitic number(procedure)
	arbitrary unit
	NPU20179
	Trcs(B)—Immunoglobulin; arb.entitic num.(proc.) = ? arb.unit
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary entitic number(procedure)	arbitrary number(procedure)
NPU20063	NPU20175
Trcs(B)—Immunoglobulin M; arb.entitic num.(proc.) = ? arb.unit	Ercs(B)—Immunoglobulin; arb.num.(proc.) = ?
Erythrocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary number(procedure)	arbitrary number(procedure)
NPU20034	NPU20178
Ercs(B)—Immunoglobulin M; arb.num.(proc.) = ?	Trcs(B)—Immunoglobulin; arb.num.(proc.) = ?
Thrombocytes(Blood)—	Erythrocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
arbitrary number(procedure)	entitic number
NPU20052	NPU20177
Trcs(B)—Immunoglobulin M; arb.num.(proc.) = ?	Ercs(B)—Immunoglobulin; entitic num. = ?
Erythrocytes(Blood)—	Neutrophilocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
entitic number	entitic number
M = 950 000 g/mol	NPU21954
NPU01953	Ntrcs(B)—Immunoglobulin; entitic num. = ?
Ercs(B)—Immunoglobulin M; entitic num. = ?	
Neutrophilocytes(Blood)—	Thrombocytes(Blood)—
Immunoglobulin M;	Immunoglobulin;
entitic number	entitic number
NPU21961	NPU20180
Ntrcs(B)—Immunoglobulin M; entitic num. = ?	Trcs(B)—Immunoglobulin; entitic num. = ?
Thrombocytes(Blood)—	Culture(Lymphocytes; Blood)—
Immunoglobulin M;	Lymphocyte stimulation(antigen);
entitic number	relative number concentration(list;
NPU20074	stimulated/unstimulated; procedure)
Trcs(B)—Immunoglobulin M; entitic num. = ?	NPU21413
	Culture(Lymcs; B)—Lymphocyte stimulation(Ag);
	rel.num.c.(list; stim./unstim.; proc.)
	NPU21415 Culture(Lymcs; B)— <i>Candida albicans</i> stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
	NPU21416 Culture(Lymcs; B)— <i>Cytomegalovirus</i> stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
	NPU21417 Culture(Lymcs; B)— <i>Staphylococcus aureus</i> stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
	NPU21418 Culture(Lymcs; B)—Tetanus toxoid stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
	NPU21419 Culture(Lymcs; B)—Tuberculin stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?

Culture(Lymphocytes; Blood)—**Lymphocyte stimulation(mitogen);**

relative number ratio(list; actual/norm;

procedure)

NPU21421

Culture(Lymcs; B)—Lymphocyte

stimulation(mitogen); rel.num.ratio(list;

actual/norm; proc.)

NPU21422 Culture(Lymcs; B)—Concanavalin A

stimulated lymphocytes;

rel.num.ratio(actual/norm; proc.) = ?

NPU21423 Culture(Lymcs; B)—

Phytohaemagglutinin stimulated lymphocytes;

rel.num.ratio(actual/norm; proc.) = ?

NPU21424 Culture(Lymcs; B)—Pokeweed

stimulated lymphocytes;

rel.num.ratio(actual/norm; proc.) = ?

Blood—**Lymphocyte type;****number concentration(list)****NPU21818**

B—Lymphocyte type; num.c.(list)

NPU21819 B—B-lymphocytes; num.c. = ? × 10⁹/l

NPU21820 B—B-lymphocytes(mature); num.c. =

? × 10⁹/l

NPU21821 B—B-lymphocytes(immature); num.c. =

? × 10⁹/lNPU21822 B—T-lymphocytes; num.c. = ? × 10⁹/l

NPU21823 B—T-lymphocytes(helper); num.c. = ?

× 10⁹/l

NPU21824 B—T-lymphocytes(helper; virgin);

num.c. = ? × 10⁹/l

NPU21825 B—T-lymphocytes(helper; memory);

num.c. = ? × 10⁹/l

NPU21826 B—T-lymphocytes(helper; memory;

Th1); num.c. = ? × 10⁹/l

NPU21827 B—T-lymphocytes(helper; memory;

Th2); num.c. = ? × 10⁹/l

NPU21828 B—T-lymphocytes(cytotox.); num.c. =

? × 10⁹/l

NPU21829 B—T-lymphocytes(cytotox.; virgin);

num.c. = ? × 10⁹/l

NPU21830 B—T-lymphocytes(cytotox.; memory);

num.c. = ? × 10⁹/l

NPU21831 B—T-lymphocytes(cytotox.; memory;

Th1); num.c. = ? × 10⁹/l

NPU21832 B—T-lymphocytes(cytotox.; memory;

Th2); num.c. = ? × 10⁹/l

NPU21833 B—T-lymphocytes(alpha beta TCR);

num.c. = ? × 10⁹/l

NPU21834 B—T-lymphocytes(gamma delta

TCR); num.c. = ? × 10⁹/l

NPU21835 B—NK-lymphocytes; num.c. = ? ×

10⁹/l**Bone marrow—****Lymphocyte type;****number concentration(list)****NPU21836**

Marrow—Lymphocyte type; num.c.(list)

NPU21837 Marrow—B-lymphocytes; num.c. = ? × 10⁹/l

NPU21838 Marrow—B-lymphocytes(mature);

num.c. = ? × 10⁹/l

NPU21839 Marrow—B-lymphocytes(immature);

num.c. = ? × 10⁹/lNPU21840 Marrow—T-lymphocytes; num.c. = ? × 10⁹/l

NPU21841 Marrow—T-lymphocytes(helper);

num.c. = ? × 10⁹/l

NPU21842 Marrow—T-lymphocytes(helper;

virgin); num.c. = ? × 10⁹/l

NPU21843 Marrow—T-lymphocytes(helper;

memory); num.c. = ? × 10⁹/l

NPU21844 Marrow—T-lymphocytes(helper;

memory; Th1); num.c. = ? × 10⁹/l

NPU21845 Marrow—T-lymphocytes(helper;

memory; Th2); num.c. = ? × 10⁹/l

NPU21846 Marrow—T-lymphocytes(cytotox.);

num.c. = ? × 10⁹/l

NPU21847 Marrow—T-lymphocytes(cytotox.;

virgin); num.c. = ? × 10⁹/l

NPU21848 Marrow—T-lymphocytes(cytotox.;

memory); num.c. = ? × 10⁹/l

NPU21849 Marrow—T-lymphocytes(cytotox.;

memory; Th1); num.c. = ? × 10⁹/l

NPU21850 Marrow—T-lymphocytes(cytotox.;

memory; Th2); num.c. = ? × 10⁹/l

NPU21851 Marrow—T-lymphocytes(alpha beta

TCR); num.c. = ? × 10⁹/l

NPU21852 Marrow—T-lymphocytes(gamma delta

TCR); num.c. = ? × 10⁹/l

NPU21853 Marrow—NK-lymphocytes; num.c. = ?

× 10⁹/l**Lymphocytes(Blood)—****Lymphocyte type;****number fraction(list)****NPU21780**

Lymcs(B)—Lymphocyte type; num.fr.(list)

NPU21781 Lymcs(B)—B-lymphocytes; num.fr. = ?

NPU21782 Lymcs(B)—B-lymphocytes(mature);

num.fr. = ?

NPU21783 Lymcs(B)—B-lymphocytes(immature);

num.fr. = ?

NPU21784 Lymcs(B)—T-lymphocytes; num.fr. = ?

NPU21785 Lymcs(B)—T-lymphocytes(helper);

num.fr. = ?

NPU21786 Lymcs(B)—T-lymphocytes(helper;

virgin); num.fr. = ?

NPU21787 Lymcs(B)—T-lymphocytes(helper;

memory); num.fr. = ?

NPU21788 Lymcs(B)—T-lymphocytes(helper;

memory; Th1); num.fr. = ?

NPU21789 Lymcs(B)—T-lymphocytes(helper;

memory; Th2); num.fr. = ?

NPU21790 Lymcs(B)—T-lymphocytes(cytotox.);

num.fr. = ?

NPU21791 Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr. = ?
 NPU21792 Lymcs(B)—T-lymphocytes(cytotox.; memory); num.fr. = ?
 NPU21793 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?
 NPU21794 Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?
 NPU21795 Lymcs(B)—T-lymphocytes(alpha beta TCR); num.fr. = ?
 NPU21796 Lymcs(B)—T-lymphocytes(gamma delta TCR); num.fr. = ?
 NPU21797 Lymcs(B)—T-lymphocytes(activated); num.fr. = ?
 NPU21798 Lymcs(B)—NK-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—

Lymphocyte type;
number fraction(list)
NPU21799
 Lymcs(Marrow)—Lymphocyte type; num.fr.(list)
 NPU21800 Lymcs(Marrow)—B-lymphocytes; num.fr. = ?
 NPU21801 Lymcs(Marrow)—B-lymphocytes(mature); num.fr. = ?
 NPU21802 Lymcs(Marrow)—B-lymphocytes(immature); num.fr. = ?
 NPU21803 Lymcs(Marrow)—T-lymphocytes; num.fr. = ?
 NPU21804 Lymcs(Marrow)—T-lymphocytes(helper); num.fr. = ?
 NPU21805 Lymcs(Marrow)—T-lymphocytes(helper; virgin); num.fr. = ?
 NPU21806 Lymcs(Marrow)—T-lymphocytes(helper; memory); num.fr. = ?
 NPU21807 Lymcs(Marrow)—T-lymphocytes(helper; memory; Th1); num.fr. = ?
 NPU21808 Lymcs(Marrow)—T-lymphocytes(helper; memory; Th2); num.fr. = ?
 NPU21809 Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr. = ?
 NPU21810 Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin); num.fr. = ?
 NPU21811 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory); num.fr. = ?
 NPU21812 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th1); num.fr. = ?
 NPU21813 Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?
 NPU21814 Lymcs(Marrow)—T-lymphocytes(alpha beta TCR); num.fr. = ?
 NPU21815 Lymcs(Marrow)—T-lymphocytes(gamma delta TCR); num.fr. = ?
 NPU21816 Lymcs(Marrow)—T-lymphocytes(activated); num.fr. = ?
 NPU21817 Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?

Blood—
NK-lymphocytes;
number concentration
 $10^9/\text{litre}$
NPU21835
 B—NK-lymphocytes; num.c. = ? $\times 10^9/\text{l}$

Bone marrow—
NK-lymphocytes;
number concentration
 $10^9/\text{litre}$
NPU21853
 Marrow—NK-lymphocytes; num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—
NK-lymphocytes;
number fraction
NPU21798
 Lymcs(B)—NK-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—
NK-lymphocytes;
number fraction
NPU21817
 Lymcs(Marrow)—NK-lymphocytes; num.fr. = ?

Culture(Lymphocytes; Blood)—
Phytohaemagglutinin stimulated lymphocytes;
relative number ratio(actual/norm; procedure)
NPU21423
 Culture(Lymcs; B)—Phytohaemagglutinin stimulated lymphocytes; rel.num.ratio(actual/norm; proc.) = ?

Culture(Lymphocytes; Blood)—
Pokeweed stimulated lymphocytes;
relative number ratio(actual/norm; procedure)
NPU21424
 Culture(Lymcs; B)—Pokeweed stimulated lymphocytes; rel.num.ratio(actual/norm; proc.) = ?

Culture(Lymphocytes; Blood)—
Staphylococcus aureus stimulated lymphocytes;
relative number
concentration(stimulated/unstimulated;
procedure)
NPU21417
 Culture(Lymcs; B)—*Staphylococcus aureus* stimulated lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?

Thrombocytes(Blood)—
Surface glycoprotein(GMP-140);
arbitrary entitic number(procedure)
arbitrary unit
NPU21876
 Trcs(B)—Surface glycoprotein(GMP-140); arb.entitic num.(proc.) = ? arb.unit

Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(GMP-140);	Surface glycoprotein(Ilb);
relative entitic number(actual/norm)	relative entitic number(actual/norm)
NPU21748	NPU21752
Trcs(B)—Surface glycoprotein(GMP-140);	Trcs(B)—Surface glycoprotein(Ilb); rel.entitic
rel.entitic num.(actual/norm) = ?	num.(actual/norm) = ?
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(Ia);	Surface glycoprotein(IIIa);
arbitrary entitic number(procedure)	arbitrary entitic number(procedure)
arbitrary unit	arbitrary unit
NPU21874	NPU21427
Trcs(B)—Surface glycoprotein(Ia); arb.entitic	Trcs(B)—Surface glycoprotein(IIIa); arb.entitic
num.(proc.) = ? arb.unit	num.(proc.) = ? arb.unit
Thrombocytes(Blood)—	Thrombocytes(Blood)—
Surface glycoprotein(Ia);	Surface glycoprotein(IIIa);
relative entitic number(actual/norm)	relative entitic number(actual/norm)
NPU21749	NPU21753
Trcs(B)—Surface glycoprotein(Ia); rel.entitic	Trcs(B)—Surface glycoprotein(IIIa); rel.entitic
num.(actual/norm) = ?	num.(actual/norm) = ?
Thrombocytes(Blood)—	Culture(Lymphocytes; Blood)—
Surface glycoprotein(Ib);	Tetanus toxoid stimulated lymphocytes;
arbitrary entitic number(procedure)	relative number
arbitrary unit	concentration(stimulated/unstimulated;
NPU21428	procedure)
Trcs(B)—Surface glycoprotein(Ib); arb.entitic	NPU21418
num.(proc.) = ? arb.unit	Culture(Lymcs; B)—Tetanus toxoid stimulated
Thrombocytes(Blood)—	lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?
Surface glycoprotein(Ib);	Thrombocytes(Blood)—
relative entitic number(actual/norm)	Thrombocytes;
NPU21750	compatibility(Plasma; donationID; absent
Trcs(B)—Surface glycoprotein(Ib); rel.entitic	present)
num.(actual/norm) = ?	NPU21755
Thrombocytes(Blood)—	Trcs(B)—Thrombocytes; compatibility(P;
Surface glycoprotein(IIa);	donationID; absent present) = ?
arbitrary entitic number(procedure)	Plasma—
arbitrary unit	T-lymphocyte antibody;
NPU21875	compatibility(donationID; absent present)
Trcs(B)—Surface glycoprotein(IIa); arb.entitic	NPU21411
num.(proc.) = ? arb.unit	P—T-lymphocyte antibody;
Thrombocytes(Blood)—	compatibility(donationID; absent present) = ?
Surface glycoprotein(IIa);	Lymphocytes(Blood)—
relative entitic number(actual/norm)	T-lymphocytes(activated);
NPU21751	number fraction
Trcs(B)—Surface glycoprotein(IIa); rel.entitic	NPU21797
num.(actual/norm) = ?	Lymcs(B)—T-lymphocytes(activated); num.fr. = ?
Thrombocytes(Blood)—	Lymphocytes(Bone marrow)—
Surface glycoprotein(Ilb);	T-lymphocytes(activated);
arbitrary entitic number(procedure)	number fraction
arbitrary unit	NPU21816
NPU21426	Lymcs(Marrow)—T-lymphocytes(activated);
Trcs(B)—Surface glycoprotein(Ilb); arb.entitic	num.fr. = ?
num.(proc.) = ? arb.unit	

Blood—	number concentration
T-lymphocytes(alpha beta TCR);	10⁹/litre
number concentration	NPU21830
10⁹/litre	B—T-lymphocytes(cytotox.; memory); num.c. = ?
NPU21833	$\times 10^9/l$
B—T-lymphocytes(alpha beta TCR); num.c. = ? × 10⁹/l	
Bone marrow—	Bone marrow—
T-lymphocytes(alpha beta TCR);	T-lymphocytes(cytotox.; memory);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21851	NPU21848
Marrow—T-lymphocytes(alpha beta TCR); num.c.	Marrow—T-lymphocytes(cytotox.; memory);
= ? × 10⁹/l	num.c. = ? × 10⁹/l
Lymphocytes(Blood)—	Lymphocytes(Blood)—
T-lymphocytes(alpha beta TCR);	T-lymphocytes(cytotox.; memory);
number fraction	number fraction
NPU21795	NPU21792
Lymcs(B)—T-lymphocytes(alpha beta TCR);	Lymcs(B)—T-lymphocytes(cytotox.; memory);
num.fr. = ?	num.fr. = ?
Lymphocytes(Bone marrow)—	Lymphocytes(Bone marrow)—
T-lymphocytes(alpha beta TCR);	T-lymphocytes(cytotox.; memory);
number fraction	number fraction
NPU21814	NPU21811
Lymcs(Marrow)—T-lymphocytes(alpha beta TCR);	Lymcs(Marrow)—T-lymphocytes(cytotox.;
num.fr. = ?	memory); num.fr. = ?
Blood—	Blood—
T-lymphocytes(cytotox.);	T-lymphocytes(cytotox., memory; Th1);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21828	NPU21831
B—T-lymphocytes(cytotox.); num.c. = ? × 10⁹/l	B—T-lymphocytes(cytotox.; memory; Th1); num.c.
	$= ? \times 10^9/l$
Bone marrow—	Bone marrow—
T-lymphocytes(cytotox.);	T-lymphocytes(cytotox.; memory; Th1);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21846	NPU21849
Marrow—T-lymphocytes(cytotox.); num.c. = ? × 10⁹/l	Marrow—T-lymphocytes(cytotox.; memory; Th1);
	num.c. = ? × 10⁹/l
Lymphocytes(Blood)—	Lymphocytes(Blood)—
T-lymphocytes(cytotox.);	T-lymphocytes(cytotox.; memory; Th1);
number fraction	number fraction
NPU21790	NPU21793
Lymcs(B)—T-lymphocytes(cytotox.); num.fr. = ?	Lymcs(B)—T-lymphocytes(cytotox.; memory;
	Th1); num.fr. = ?
Lymphocytes(Bone marrow)—	Lymphocytes(Bone marrow)—
T-lymphocytes(cytotox.);	T-lymphocytes(cytotox.; memory; Th1);
number fraction	number fraction
NPU21809	NPU21812
Lymcs(Marrow)—T-lymphocytes(cytotox.); num.fr.	Lymcs(Marrow)—T-lymphocytes(cytotox.;
= ?	memory; Th1); num.fr. = ?
Blood—	Blood—
T-lymphocytes(cytotox.; memory);	T-lymphocytes(cytotox.; memory; Th2);

number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21832	NPU21834
B—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10 ⁹ /l	B—T-lymphocytes(gamma delta TCR); num.c. = ? × 10 ⁹ /l
Bone marrow—	Bone marrow—
T-lymphocytes(cytotox.; memory; Th2);	T-lymphocytes(gamma delta TCR);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21850	NPU21852
Marrow—T-lymphocytes(cytotox.; memory; Th2); num.c. = ? × 10 ⁹ /l	Marrow—T-lymphocytes(gamma delta TCR); num.c. = ? × 10 ⁹ /l
Lymphocytes(Blood)—	Lymphocytes(Blood)—
T-lymphocytes(cytotox.; memory; Th2);	T-lymphocytes(gamma delta TCR);
number fraction	number fraction
NPU21794	NPU21796
Lymcs(B)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?	Lymcs(B)—T-lymphocytes(gamma delta TCR); num.fr. = ?
Lymphocytes(Bone marrow)—	Lymphocytes(Bone marrow)—
T-lymphocytes(cytotox.; memory; Th2);	T-lymphocytes(gamma delta TCR);
number fraction	number fraction
NPU21813	NPU21815
Lymcs(Marrow)—T-lymphocytes(cytotox.; memory; Th2); num.fr. = ?	Lymcs(Marrow)—T-lymphocytes(gamma delta TCR); num.fr. = ?
Blood—	Blood—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21829	NPU21823
B—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10 ⁹ /l	B—T-lymphocytes(helper); num.c. = ? × 10 ⁹ /l
Bone marrow—	Bone marrow—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper);
number concentration	number concentration
10⁹/litre	10⁹/litre
NPU21847	NPU21841
Marrow—T-lymphocytes(cytotox.; virgin); num.c. = ? × 10 ⁹ /l	Marrow—T-lymphocytes(helper); num.c. = ? × 10 ⁹ /l
Lymphocytes(Blood)—	Lymphocytes(Blood)—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper);
number fraction	number fraction
NPU21791	NPU21785
Lymcs(B)—T-lymphocytes(cytotox.; virgin); num.fr. = ?	Lymcs(B)—T-lymphocytes(helper); num.fr. = ?
Lymphocytes(Bone marrow)—	Lymphocytes(Bone marrow)—
T-lymphocytes(cytotox.; virgin);	T-lymphocytes(helper);
number fraction	number fraction
NPU21810	NPU21804
Lymcs(Marrow)—T-lymphocytes(cytotox.; virgin); num.fr. = ?	Lymcs(Marrow)—T-lymphocytes(helper); num.fr. = ?
Blood—	Lymphocytes(Blood)—
T-lymphocytes(gamma delta TCR);	T-lymphocytes(helper/cytotox);
	numberratio
	NPU21856

Lymcs(B)—T-lymphocytes(helper/cytotox);
numberratio = ?

Blood—

T-lymphocytes(helper; memory);
number concentration
 $10^9/\text{litre}$
NPU21825
B—T-lymphocytes(helper; memory); num.c. = ? $\times 10^9/\text{l}$

Bone marrow—

T-lymphocytes(helper; memory);
number concentration
 $10^9/\text{litre}$
NPU21843
Marrow—T-lymphocytes(helper; memory); num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—

T-lymphocytes(helper; memory);
number fraction
NPU21787
Lymcs(B)—T-lymphocytes(helper; memory);
num.fr. = ?

Lymphocytes(Bone marrow)—

T-lymphocytes(helper; memory);
number fraction
NPU21806
Lymcs(Marrow)—T-lymphocytes(helper; memory);
num.fr. = ?

Blood—

T-lymphocytes(helper; memory; Th1);
number concentration
 $10^9/\text{litre}$
NPU21826
B—T-lymphocytes(helper; memory; Th1); num.c. = ? $\times 10^9/\text{l}$

Bone marrow—

T-lymphocytes(helper; memory; Th1);
number concentration
 $10^9/\text{litre}$
NPU21844
Marrow—T-lymphocytes(helper; memory; Th1);
num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—

T-lymphocytes(helper; memory; Th1);
number fraction
NPU21788
Lymcs(B)—T-lymphocytes(helper; memory; Th1);
num.fr. = ?

Lymphocytes(Bone marrow)—

T-lymphocytes(helper; memory; Th1);
number fraction
NPU21807

Lymcs(Marrow)—T-lymphocytes(helper; memory;
Th1); num.fr. = ?

Blood—

T-lymphocytes(helper; memory; Th2);
number concentration
 $10^9/\text{litre}$
NPU21827
B—T-lymphocytes(helper; memory; Th2); num.c. = ? $\times 10^9/\text{l}$

Bone marrow—

T-lymphocytes(helper; memory; Th2);
number concentration
 $10^9/\text{litre}$
NPU21845
Marrow—T-lymphocytes(helper; memory; Th2);
num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—

T-lymphocytes(helper; memory; Th2);
number fraction
NPU21789
Lymcs(B)—T-lymphocytes(helper; memory; Th2);
num.fr. = ?

Lymphocytes(Bone marrow)—

T-lymphocytes(helper; memory; Th2);
number fraction
NPU21808
Lymcs(Marrow)—T-lymphocytes(helper; memory;
Th2); num.fr. = ?

Blood—

T-lymphocytes(helper; virgin);
number concentration
 $10^9/\text{litre}$
NPU21824
B—T-lymphocytes(helper; virgin); num.c. = ? $\times 10^9/\text{l}$

Bone marrow—

T-lymphocytes(helper; virgin);
number concentration
 $10^9/\text{litre}$
NPU21842
Marrow—T-lymphocytes(helper; virgin); num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—

T-lymphocytes(helper; virgin);
number fraction
NPU21786
Lymcs(B)—T-lymphocytes(helper; virgin); num.fr. = ?

Lymphocytes(Bone marrow)—

T-lymphocytes(helper; virgin);
number fraction
NPU21805

Lymcs(Marrow)—T-lymphocytes(helper; virgin);
num.fr. = ?

Lymphocytes(Blood)—

T-lymphocytes;
compatibility(Plasma; donationID; absent
present)

NPU21412

Lymcs(B)—T-lymphocytes; compatibility(P;
donationID; absent present) = ?

Blood—

T-lymphocytes;
number concentration
 $10^9/\text{litre}$

NPU21822

B—T-lymphocytes; num.c. = ? $\times 10^9/\text{l}$

Bone marrow—

T-lymphocytes;
number concentration
 $10^9/\text{litre}$

NPU21840

Marrow—T-lymphocytes; num.c. = ? $\times 10^9/\text{l}$

Lymphocytes(Blood)—

T-lymphocytes;
number fraction
NPU21784

Lymcs(B)—T-lymphocytes; num.fr. = ?

Lymphocytes(Bone marrow)—

T-lymphocytes;
number fraction
NPU21803

Lymcs(Marrow)—T-lymphocytes; num.fr. = ?

Culture(Lymphocytes; Blood)—

Tuberculin stimulated lymphocytes;
relative number

concentration(stimulated/unstimulated;
procedure)

NPU21419

Culture(Lymcs; B)—Tuberculin stimulated
lymphocytes; rel.num.c.(stim./unstim.; proc.) = ?